U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

	For Insurance Company Use:						
A1. Building Owner's Name SHARI SA	Policy Number						
A2. Building Street Address (including A 440 SOUTH BURNETT DRIVE	Company NAIC Number						
City BAYTOWN State Tx ZIF							
A3. Property Description (Lot and Block LAKEWOOD, LOT 7, BLOCK 60, SECTION 1)		mber, Legal D	Description, etc.)				
 A4. Building Use (e.g., Residential, Non A5. Latitude/Longitude: Lat. 29.7670 L A6. Attach at least 2 photographs of the A7. Building Diagram Number 6/2 A8. For a building with a crawlspace or a) Square footage of crawlspace or b) No. of permanent flood opening enclosure(s) within 1.0 foot abocomological control of the control openings d) Engineered flood openings? 	e building if the Certificate enclosure(s): or enclosure(s): or enclosure(s) 6 s in the crawlspace or enclosure 2 s in A8.b 4	zontal Datum: is being used 550 sq ft 2 32 sq in	NAD 1927 to obtain flood insur A9. For a t a) Sq b) No wit c) To d) En	rance. building with an atta uare footage of atta of permanent floo hin 1.0 foot above a tal net area of flood gineered flood ope	ached garage <u>N/A</u> sq ft d openings in the attached garage adjacent grade <u>N/A</u> openings in A9.b <u>N/A</u> sq in nings?		
	ECTION B - FLOOD IN			M) INFORMATIO			
B1. NFIP Community Name & Communi		32. County Na -larris	ime		B3. State Texas		
B4. Map/Panel Number B5. Suffix 48201C0745 L	B6. FIRM Index Date 6/18/2007	Effectiv	FIRM Panel re/Revised Date 6/18/2007	B8. Flood Zone(s) VE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 15'		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? No Designation Date N/A OPA							
SEC	TION C - BUILDING E	LEVATION	INFORMATION (S	SURVEY REQUI	RED)		
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagram Benchmark Utilized 140115 Vertical	Construction Dravequired when construction, A (with BFE), VE, V1-V3 cam specified in Item A7.	wings* n of the buildin 0, V (with BFE	☐ Building Unde g is complete. E), AR, AR/A, AR/AE	r Construction* E, AR/A1-A30, AR/A			
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr	Construction Dravequired when construction, A (with BFE), VE, V1-V3 cam specified in Item A7.	wings* n of the buildin 0, V (with BFE	☐ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE.	r Construction* E, AR/A1-A30, AR/A	☑ Finished Construction NH, AR/AO. Complete Items C2.a-h		
C1. Building elevations are based on: *A new Elevation Certificate will be recommended. *C2. Elevations – Zones A1-A30, AE, AH, below according to the building diaground below according to the latest and the lowest horizontal states and the lowest horizontal states are the lowest horizontal states	Construction Dray equired when construction A (with BFE), VE, V1-V3 ram specified in Item A7. Datum NAVD88 assement, crawlspace, or estructural member (V Zonor equipment servicing the	wings* n of the buildin 0, V (with BFE Use the same enclosure floor	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A.	r Construction* E, AR/A1-A30, AR/A Check the measure	☑ Finished Construction NH, AR/AO. Complete Items C2.a-h		
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including bab) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and	Construction Dray equired when construction A (with BFE), VE, V1-V3 ram specified in Item A7. Datum NAVD88 assement, crawlspace, or estructural member (V Zon or equipment servicing the docation in Comments)	wings* n of the buildin 0, V (with BFE Use the same enclosure floor	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. F) 9.0 23.4 21.6 N/A. 23.4	r Construction* E, AR/A1-A30, AR/A Check the measure ☑ feet □	Finished Construction AH, AR/AO. Complete Items C2.a-h ement used. meters (Puerto Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be re *C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal of Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and floor) Lowest adjacent (finished) graded by Lowest adjacent (finished) graded hy Lowest adjacent grade at lowest adjacent grade a	Construction Draw equired when construction, A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 assement, crawlspace, or estructural member (V Zonor equipment servicing the docation in Comments) e next to building (LAG) le next to building (HAG)	wings* n of the buildin 0, V (with BFE Use the same enclosure floor nes only)	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7	Check the measure feet feet feet feet feet feet feet feet feet	Finished Construction AH, AR/AO. Complete Items C2.a-h ement used. meters (Puerto Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal of Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and floor) Lowest adjacent (finished) graded by Lowest adjacent (finished) graded h) Lowest adjacent grade at lowes structural support	Construction Drawequired when construction A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 assement, crawlspace, or estructural member (V Zonor equipment servicing the docation in Comments) are next to building (LAG) televation of deck or stail	wings* n of the buildin 0, V (with BFE Use the same enclosure floor nes only) e building rs, including	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. T) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7 8.7	Check the measure feet feet	Finished Construction AH, AR/AO. Complete Items C2.a-h ement used. meters (Puerto Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be re *C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal of Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and floor) Lowest adjacent (finished) graded in Lowest adjacent grade at lowes structural support	Construction Dravequired when construction A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 Datum NAVB8 Datum NAV	wings* n of the buildin 0, V (with BFE Use the same enclosure floor les only) building rs, including R, ENGINEE ngineer, or arc lents my best r imprisonmen	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7 8.7 R, OR ARCHITEC thitect authorized by efforts to interpret the tunder 18 U.S. Coa and longitude in Sec	Check the measure feet	Ement used. In the sement use		
C1. Building elevations are based on: *A new Elevation Certificate will be recovered by the company of the policy according to the building diaground by the building diaground by the building diaground by the building diaground by the conversion/Comments 2001 Adj. a) Top of bottom floor (including by the building diaground by the conversion/Comments 2001 Adj. a) Top of bottom floor (including by the building diaground by the lowest horizontal diaground by the conversion of the lowest horizontal diaground diaground by the conversion of the lowest horizontal diaground diagrou	Construction Dravequired when construction A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 Datum NAVB8 Datum NAV	wings* n of the buildin 0, V (with BFE Use the same enclosure floor les only) building rs, including rs, including rs, enclosure rimprisonmen Were latitude	Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7 8.7 R, OR ARCHITEC thitect authorized by efforts to interpret the tunder 18 U.S. Coa and longitude in Sec	Check the measure feet	Ement used. meters (Puerto Rico only) ON tion		
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including bab) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) graded g) Highest adjacent (finished) graded h) Lowest adjacent grade at lowest structural support SEC This certification is to be signed and sea information. I certify that the information understand that any false statement may Check here if comments are provided.	Construction Dravequired when construction A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 Datum NAVB8 Datum NAV	wings* n of the buildin 0, V (with BFE Use the same enclosure floor les only) be building rs, including	Building Under gris complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7 8.7 8.7 R, OR ARCHITECT chitect authorized by efforts to interpret the trunder 18 U.S. Coand longitude in Sersurveyor?	Check the measure feet	Ement used. In the sement use		
C1. Building elevations are based on: *A new Elevation Certificate will be re C2. Elevations – Zones A1-A30, AE, AH, below according to the building diagr Benchmark Utilized 140115 Vertical Conversion/Comments 2001 Adj. a) Top of bottom floor (including base) b) Top of the next higher floor c) Bottom of the lowest horizontal of the lowest horizontal of the lowest horizontal of the lowest elevation of machinery of the lowest elevation of machinery of the lowest adjacent (finished) graded of the lowest adjacent (finished) graded of the lowest adjacent grade at lowest structural support SEC This certification is to be signed and seasinformation. I certify that the information understand that any false statement may check here if comments are provided. Certifier's Name Barry D. Adkins	Construction Dravequired when construction A (with BFE), VE, V1-V3 am specified in Item A7. Datum NAVD88 assement, crawlspace, or estructural member (V Zonor equipment servicing the docation in Comments) are next to building (LAG) be next to building (HAG) at elevation of deck or stail control of the con	wings* n of the buildin 0, V (with BFE Use the same enclosure floor les only) be building rs, including rs, including R, ENGINEE ngineer, or arc lents my best r imprisonmen Were latitude licensed land	Building Under gris complete. E), AR, AR/A, AR/AE e datum as the BFE. E) 9.0 23.4 21.6 N/A. 23.4 7.3 8.7 8.7 8.7 R, OR ARCHITECT chitect authorized by efforts to interpret the trunder 18 U.S. Coand longitude in Sersurveyor?	Check the measure feet	Ement used. In the sement use		

IMPORTANT: In these spaces					For Insurance Company Use:	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route ar 440 SOUTH BURNETT DRIVE			Box No.	,	Policy Number	
City BaytownState Tx ZIP Code 77520					Company NAIC Number	
SECTIO	ON D - SURVEYOR, ENGIN	EER. OR ARCHITE	CT CERT	IFICATION (CONT	INUED)	
Copy both sides of this Elevation Ce						
Comments C2e is an outside air-co						
be used or relied upon for any other	purpose, nor utilized for any oth	ner structure.				
Signature	nos.	Date 1	/28/2011			
	a acc					
SECTION E - BUILDING EL	EVATION INFORMATION (SURVEY NOT RE	QUIRED) I	FOR ZONE AO AN	D ZONE A (WITHOUT BFE)	
 b) Top of bottom floor (including E2. For Building Diagrams 6-9 with (elevation C2.b in the diagram E3. Attached garage (top of slab) Top of platform of machinery at E5. Zone AO only: If no flood depter the control of the control o	al grade, if available. Check the for the following and check the adjacent grade (LAG). Ing basement, crawlspace, or en ing basement, crawlspace, or en ing basement, crawlspace, or en in permanent flood openings proms) of the building is N/A. ⊠ is N/A. ⊠ feet □ meterand/or equipment servicing the land/or equipment servicing the land.	emeasurement used. appropriate boxes to section of the content of	In Puerto R show whether Implies feet Implies 8 and/or above or Implies 1 above or Implie	tico only, enter meter er the elevation is about meters above or meters above or 9 (see pages 8-9 of below the HAG. AG. ters above or ccordance with the c	s. ove or below the highest adjacent below the HAG. below the LAG. Instructions), the next higher floor below the HAG.	
SECTION	ON F - PROPERTY OWNER	(OR OWNER'S R	EPRESEN	TATIVE) CERTIFIC	CATION	
The property owner or owner's auth or Zone AO must sign here. <i>The sta</i> Property Owner's or Owner's Author	atements in Sections A, B, and L				A-issued or community-issued BFE)	
Address		City		State	ZIP Code	
Signature		Date		Telephone)	
Comments						
					☐ Check here if attachme	
	SECTION G - CON	MUNITY INFORM	ATION (O	PTIONAL)		
he local official who is authorized by nd G of this Elevation Certificate.	law or ordinance to administer to administer to administer to applicable item(s) a	the community's flood nd sign below. Chec	plain manag k the measu	gement ordinance car rement used in Items	n complete Sections A, B, C (or E), s G8 and G9.	
	C was taken from other docume ify elevation information. (Indica				surveyor, engineer, or architect wh nments area below.)	
2. A community official comple	eted Section E for a building loca	ated in Zone A (witho	ut a FEMA-i	ssued or community-	issued BFE) or Zone AO.	
3. The following information (I	tems G4-G9) is provided for con	nmunity floodplain ma	ınagement p	ourposes.		
G4. Permit Number	G5. Date Permit Issued	J	G6. Date	Certificate Of Compli	ance/Occupancy Issued	
67. This permit has been issued for	: New Construction	☐ Substantial Impl	rovement			
68. Elevation of as-built lowest floor	(including basement) of the bui	lding:	☐ feet ☐	meters (PR) Datum	N.	
G9. BFE or (in Zone AO) depth of flooding at the building site:						
310. Community's design flood eleva	ition		☐ feet ☐	meters (PR) Datum	Management of the Control of the Con	
Local Official's Name		Title				
Community Name		Tele	phone	J.		
Signature	Date					
Comments						
		en estamoso esta plan de 1944 e en esta la produción de la esta de la productiva e del la esta en el color e en esta	ζ		☐ Check here if attachme	

Building PhotographsContinuation Page

For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 440 SOUTH BURNETT DRIVE Policy Number Company NAIC Number State TX ZIP Code 77520 City Baytown

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."





Building Photographs See Instructions for Item A6.

For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 440 SOUTH BURNETT DRIVE Policy Number Company NAIC Number State TX ZIP Code 77520 City Baytown

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



