

## SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2018

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT	
DATE SIGNED BY SELLER AND IS N	ELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE OT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER VARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER
	perty. If unoccupied (by Seller), how long since Seller has occupied the Property? (approximate date) or never occupied the Property

## Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Υ	N	U
Cable TV Wiring	Х		
Carbon Monoxide Det.			Х
Ceiling Fans	Х		
Cooktop	Х		
Dishwasher	Х		
Disposal	Х		
Emergency Escape Ladder(s)			х
Exhaust Fans	Х		
Fences	Х		
Fire Detection Equip.	Х		
French Drain	Х		
Gas Fixtures	Х		
Natural Gas Lines	Х		

Item	Υ	N	U
Liquid Propane Gas:			Х
-LP Community (Captive)			Х
-LP on Property			Х
Hot Tub		Х	
Intercom System		Х	
Microwave	Х		
Outdoor Grill			
		Х	
Patio/Decking	Х		
Plumbing System	Х		
Pool	Х		
Pool Equipment	Х		
Pool Maint. Accessories	Х		
Pool Heater		Х	

Item	Υ	N	U
Pump: sump grinder			Х
Rain Gutters	Х		
Range/Stove	Х		
Roof/Attic Vents	Х		
Sauna		Χ	
Smoke Detector	Х		
Smoke Detector - Hearing			
Impaired			X
Spa			Х
Trash Compactor		Χ	
TV Antenna			Х
Washer/Dryer Hookup	Х		
Window Screens	Х		
Public Sewer System			Х

Item	Υ	N	U	Additional Information
Central A/C	Х			X electric gas number of units: 2
Evaporative Coolers			Х	number of units:
Wall/Window AC Units		x		number of units:
Attic Fan(s)			Х	if yes, describe:
Central Heat	X			electric X gas number of units:
Other Heat		Х		if yes, describe:
Oven	Х			number of ovens: 2 electric X gas other:
Fireplace & Chimney	Х			wood x gas logsmockother:
Carport		Х		attached not attached
Garage	X			x attached x not attached
Garage Door Openers	X			number of units: 2 number of remotes: 2
Satellite Dish & Controls			Х	owned leased from:
Security System	X			owned x leased from: Reliant
Solar Panels		Х		owned leased from:
Water Heater	Х			electric x_ gas other: number of units: 2
Water Softener	Х			x owned leased from:
Other Leased Items(s)			Х	if yes, describe:

PD \_\_ and Seller: 🕅 Initialed by: Buyer: \_\_ (TAR-1406) 02-01-18 Redfin Corporation, 5307 E. Mockingbird Lane, #500 Dallas, TX 75206 Phone: (972)849-1680 Fax: Madeline Murack

Page 1 of 5 Contracts Concerning the Property at

11919 Water Oak Dr.

	Underground Lawn Sprinkle	r		X			matic		al are				
	Septic / On-Site Sewer Facil	ity		X	if ye	es, a	ttach	Informati	on Abo	out Or	n-Site Sewer Facility (TAR-140	<b>'</b> )	
	Water supply provided by: _	cit	v	well	MUD	CO	-op	unknov	n x c	ther:	Rural water supply		
	Was the Property built befor	_ 19	78?	VE	es x no	_ un	know	cor /n					
	(If yes, complete, sign, a								ed pair	nt haza	ards).		
	Roof Type: Composite						Age:	6 year	s .		(appro		
	•		ing o	on th	ne Proper	ty (s	hingl	les or ro	of cov	ering	placed over existing shingles	or r	oof
	covering)? yes <u>x_</u> no	unkr	nown										
	Are you (Seller) aware of a	าง o	f the	item	s listed in	this	Sect	tion 1 tha	t are n	ot in	working condition, that have de	efects	. or
	, ,	•									sary):		
	, _			,	`						· ·		
	Section 2 Are you (Seller	) av	are o	of an	v defects	s or i	malfı	ınctions	in anv	of th	e following?: (Mark Yes (Y) i	VOII	are
	aware and No (N) if you are	•			-	, 0		2110110110	uy	0	5 15115Willig 1 1 (Marik 155 (1) II	you	u. 0
ı				_					1 1/	1		1,7	
ŀ	Item	Υ	N	-	Item				Υ	N	Item	Y	N
ŀ	Basement		Х	_	Floors			`		X	Sidewalks		Х
ŀ	Ceilings		Х	_	Foundation		slab(s	S)		Х	Walls / Fences	_	Х
ļ	Doors		Х	<u> </u>	Interior W					X	Windows		Х
ļ	Driveways		Х	_	Lighting F					Х	Other Structural Components		Х
ļ	Electrical Systems		Х		Plumbing Systems X							4	
I	Exterior Walls  If the answer to any of the ite	ems		<u>L</u>	Roof		lain (a	attach ad	ditiona	-11	ts if necessary):		
I	If the answer to any of the ite		in Se	ection	Roof n 2 is yes,	expl				I shee	ts if necessary):  Yes (Y) if you are aware and	No (N	 
I	Section 3. Are you (Seller you are not aware.)		in Se	ection	Roof n 2 is yes,	expl	wing	g conditio	ons: (N	I shee			
	Section 3. Are you (Seller you are not aware.)		in Se	ection	Roof n 2 is yes,	expl	wing	g condition	ons: (N	I shee	es (Y) if you are aware and	No (N	N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring		in Se	ection	Roof n 2 is yes,	expl	owing  N X	condition Cond	ons: (N ition ous Fo	I shee	fes (Y) if you are aware and on Repairs		N X
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components		in Se	ection	Roof n 2 is yes,	expl	wing  N X X	Cond Previo	ons: (M ition ous Foo	I shee	res (Y) if you are aware and on Repairs		N X X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak wilt	') av	in Se	of ar	Roof n 2 is yes,	expl	N X X	Cond Previo	ons: (Months)	I shee	fes (Y) if you are aware and on Repairs		N X X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:oak wilt Endangered Species/Habita	') av	in Se	of ar	Roof n 2 is yes,	expl	wing  N X X X X	Cond Previo Previo Previo Rador	ons: (Note: Indicate of the control	I shee	res (Y) if you are aware and on Repairs		N X X X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:oak wilt Endangered Species/Habita Fault Lines	') av	in Se	of ar	Roof n 2 is yes,	expl	N X X X X	Condition  Cond Previo Previo Previo Rador Settlir	ons: (Note: Indicate of the control	l shee	res (Y) if you are aware and on Repairs		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste	') av	in Se	of ar	Roof n 2 is yes,	expl	N X X X X X	Condition Previo Previo Previo Rador Settlir Soil M	ons: (Note that the content of the c	l shee	ructural Repairs		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:oak wilt Endangered Species/Habita Fault Lines Hazardous or Toxic Waste Improper Drainage	r) av	in Se	of ar	Roof n 2 is yes,	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previo Previo Previo Rador Settlir Soil M Subst	ons: (Note: Indicate State of the Control of the Co	Mark \undati	on Repairs cuctural Repairs ure or Pits		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak wilt Endangered Species/Habita Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sprii	r) av	in Se	of ar	Roof n 2 is yes,	expl	N X X X X X X	Condition Previous Previous Previous Rador Settlir Soil M Substa	ons: (Note: Indicate of the content	I shee	ructural Repairs  ure or Pits age Tanks		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:oak wilt Endangered Species/Habita Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sprii Landfill	r) av	in Se	of ar	Roof n 2 is yes, ny of the	expl	N X X X X X X X	Condition Previous Previous Radon Settlin Soil M Subsu Under Unpla	ons: (Note: Indicate of the content	l shee	ructural Repairs  ure or Pits age Tanks ents		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-B	t on	rop	of ar	Roof n 2 is yes, ny of the	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Previous Rador Settlir Soil M Subsu Under Unpla Unrec	ons: (Note that the content of the c	I shee	res (Y) if you are aware and on Repairs pairs ructural Repairs  ure or Pits age Tanks ents ments		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Bet Encroachments onto the Pro-	t on	rop Prop	of ar	Roof n 2 is yes, ny of the	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Previous Rador Settlir Soil M Subst Under Unpla Unrec Urea-	ons: (Note that the content of the c	I shee  I ark \  I undati of Re ner St  ent Struct d Stor aseme Ease dehyd	on Repairs cairs ructural Repairs ure or Pits age Tanks ents ments e Insulation		N
	Section 3. Are you (Seller you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:oak wilt Endangered Species/Habita Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sprit Landfill Lead-Based Paint or Lead-E Encroachments onto the Pro	t on	rop Prop	of ar	Roof n 2 is yes, ny of the	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Radon Settlin Soil M Substant Under Unpla Unrecounter Water	ons: (Note: Inc.)  ition  ous Formus Robus Other  or Gas  ground  tred Earlorded  formald  Penet	undation Repared Structed Stores Easer dehydration	ructural Repairs  ure or Pits age Tanks ents ments e Insulation		N   X   X   X   X   X   X   X   X   X
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees:oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sprint Landfill  Lead-Based Paint or Lead-Bencroachments onto the Profile Improvements encroaching of Located in 100-year Floodpl	t on	rop Prop	of ar	Roof n 2 is yes, ny of the	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Radon Settlin Soil M Substant Under Unpla Unrecounter Water	ons: (Note that the content of the c	undation Repared Structed Stores Easer dehydration	ructural Repairs  ure or Pits age Tanks ents ments e Insulation		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Better and the Profile Improvements onto the Profile Improvements encroaching of Located in 100-year Floodple (If yes, attach TAR-1414)	ngs Base	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Previous Rador Settlir Soil M Subst Under Unpla Unrec Urea- Water Wetla	ons: (Note that the content of the c	undation Repared Structed Stores Easer dehydration	ructural Repairs  ure or Pits age Tanks ents ments e Insulation		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Better and the Profile of t	ngs sase	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N X X X X X X X X X X X X X X X	Condition Previous Previous Previous Rador Settlir Soil M Subsu Under Unpla Unrect Urea- Water Wetla	ons: (Note of the content of the con	I shee	on Repairs pairs ructural Repairs ure or Pits age Tanks ents ments e Insulation erty		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sprit Landfill  Lead-Based Paint or Lead-Beter Coachments onto the Profile Improvements encroaching of the Coated in 100-year Floodpl (If yes, attach TAR-1414)  Located in Floodway (If yes, Present Flood Ins. Coverage)	ngs sase	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N X X X X X X X X X X X X X X X X X X X	Condition Previous Previous Previous Radon Settlin Soil M Subsu Under Unpla Unrect Urea- Water Wetla Wood Active	ons: (Note of the content of the con	I shee	on Repairs cairs ructural Repairs ure or Pits age Tanks ents ments e Insulation erty		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Beneroachments onto the Profile Improvements encroaching of Located in 100-year Floodpl (If yes, attach TAR-1414)  Located in Floodway (If yes, Present Flood Ins. Coverage (If yes, attach TAR-1414)	ngs sase	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N	Condition Previous Previous Radon Settlin Soil M Subsu Under Unpla Unrecount Water Wetla Wood Active destro	ons: (Note of the street of th	I shee	on Repairs oairs ructural Repairs  ure or Pits age Tanks ents ments e Insulation  erty  of termites or other wood (WDI)		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Better and the Profile of th	atta	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N	Condition Previous Previous Rador Settlir Soil M Subst Under Unpla Unrec Urea- Water Wetla  Wood Active destro	ons: (Note that the state of th	I shee  I ark \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	on Repairs oairs ructural Repairs ure or Pits age Tanks ents ments e Insulation erty of termites or other wood (WDI) of tor termites or WDI		N
	Section 3. Are you (Seller you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: oak wilt  Endangered Species/Habita  Fault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Sprint  Landfill  Lead-Based Paint or Lead-Beneroachments onto the Profile Improvements encroaching of Located in 100-year Floodpl (If yes, attach TAR-1414)  Located in Floodway (If yes, Present Flood Ins. Coverage (If yes, attach TAR-1414)	atta	Prop	of ar	Roof n 2 is yes, ny of the ards perty	expl	N	Condition Previous Previous Rador Settlir Soil M Subsu Under Unpla Unrec Urea- Water Wetla  Wood Active destro Previous	ons: (Note that the state of th	undation of Repartment Propagation of Repart	on Repairs oairs ructural Repairs  ure or Pits age Tanks ents ments e Insulation  erty  of termites or other wood (WDI)		N

(TAR-1406) 02-01-18

Initialed by: Buyer: \_\_\_\_\_\_, \_\_\_\_ and Seller: \_\_\_\_\_\_, \_\_\_\_\_\_

Concerning the Property at  $\frac{11919 \text{ Water Oak Dr.}}{}$ 

Historic Pr	roperty Designation	X	Termite or WDI damage needing repair	X
	Jse of Premises for Manufacture aphetamine	х	Single Blockable Main Drain in Pool/Hot Tub/Spa*	х
If the answ	ver to any of the items in Section 3 is ye	s, explain (a	ttach additional sheets if necessary):	
	*A circula lida di alta di alt			
which ha	Are you (Seller) aware of any item,	equipment, his notice?		
Section 5		ne following	(Mark Yes (Y) if you are aware. Mark No (N	) if you are
Y N				
<u>X</u>	Room additions, structural modification unresolved permits, or not in compliant		alterations or repairs made without necessary p ding codes in effect at the time.	ermits, with
X			r assessments. If yes, complete the following:	
	Name of association:		Dhono:	
	Fees or assessments are: \$		Phone: per and are: mandatory _	voluntary
	Any unpaid fees or assessment for	or the Prope	ty? yes (\$) no	
	If the Property is in more than on attach information to this notice.	e associatio	n, provide information about the other associatio	ns below or
<u>x</u>	with others. If yes, complete the follow	/ing:	s courts, walkways, or other) co-owned in undivinarged? yes no If yes, describe:	
_ <u>x</u>	Any notices of violations of deed rest Property.	rictions or g	overnmental ordinances affecting the condition of	or use of the
X_	Any lawsuits or other legal proceeding to: divorce, foreclosure, heirship, bank		indirectly affecting the Property. (Includes, but is taxes.)	s not limited
X_	Any death on the Property except for to the condition of the Property.	those death	is caused by: natural causes, suicide, or accide	nt unrelated
X_	Any condition on the Property which r	naterially aff	ects the health or safety of an individual.	
<u>X</u> _	hazards such as asbestos, radon, lea	d-based pai her docume	ntation identifying the extent of the remediation (f	
X_	Any rainwater harvesting system loca water supply as an auxiliary water sou		roperty that is larger than 500 gallons and that u	ses a public
X_	The Property is located in a propane g	as system s	ervice area owned by a propane distribution system	m retailer.
X_	Any portion of the Property that is loca	ated in a gro	undwater conservation district or a subsidence d	istrict.

(TAR-1406) 02-01-18

Initialed by: Buyer: \_\_\_\_\_ , \_\_\_\_ and Seller:  $\sqrt[p^{ss}]{}$  ,  $\sqrt[p^{ss}]{}$ 

	City at Trong wat	er Oak Dr.			
If the answer to any			attach additional s	heets if necessary):	
Section 6. Seller X	has has not	attached a survey o	of the Property.		
	spections and wh	o are either license	ed as inspectors of	n inspection reports fr or otherwise permitted l	
Inspection Date	Туре	Name of Inspec	etor		No. of Pages
				ion of the current conditions chosen by the buyer.	n of the
Section 8. Check a	ny tax exemption(	s) which you (Selle	r) currently claim	for the Property:	
Homestead		Senior Citizen		Disabled	
Wildlife Mana	gement	Agricultural		Disabled Veteran	
Other:				Unknown	
provider? yes x			_	the Property with	-
Section 10. Have you	ou (Seller) ever re a settlement or aw	ceived proceeds for	or a claim for da eeding) and not us	mage to the Property sed the proceeds to ma	(for example, ar
Section 10. Have your insurance claim or which the claim was	ou (Seller) ever rea settlement or awas made? yes x e Property have vapter 766 of the H	ceived proceeds for ard in a legal proceed no If yes, explain:	or a claim for da eeding) and not us	mage to the Property sed the proceeds to ma	(for example, anke the repairs for
Section 10. Have you insurance claim or which the claim was section 11. Does the requirements of Chr. (Attach additional shape of the control of the claim was section 11. Does the requirements of Chr. (Attach additional shape of the control of the claim of the clai	e Property have values if necessary):  the Health and Safet ordance with the requirement, location, and ea, you may check uniquire a seller to install	working smoke detectors of the buildir power source requires known above or contacts smoke detectors for the buildir smoke det	tectors installed in the code?* unknow a code in effect in the code in the	in accordance with the n no x_ yes. If no or wellings to have working smake area in which the dwelling know the building code redifficial for more information.	(for example, arke the repairs for ke the repairs for example, arke the repairs for example, arked the repairs for exampl
Section 10. Have you insurance claim or which the claim was section 11. Does the requirements of Chr. (Attach additional shape of the control of the seller to insurance to install of the seller to insurance the seller to insurance insurance the seller to insurance the seller to insurance the seller to insurance the seller to insurance which impairment from the seller to insurance the sel	e Property have a settlement or awas made? yes x	working smoke detectors for the is hearing-impaired; (; and (3) within 10 days for the hearing-impaired; (; and (3) within 10 days for the hearing-impaired; (; and (3) within 10 days for the hearing-impaired; ()	tectors installed in the code?* unknow a code in effect in the code in effect in the code in the co	in accordance with the n no x_ yes. If no or wellings to have working smale area in which the dwelling know the building code redifficial for more information.	(for example, anke the repairs for ke the repairs for example, anke the repairs for smoke detector unknown, explain to the detectors in the buyer's of the buyer's of the hearing en request for
Section 10. Have you insurance claim or which the claim was section 11. Does the requirements of Chr. (Attach additional should be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be seller acknowledges the broker(s), has insurance claim or which the claim was accompanied to the seller to insurance claim or which the claim was accompanied to the claim was acc	e Property have a settlement or awas made? yes x	working smoke deleath and Safety Code requires one-fairements of the building power source required known above or contact smoke detectors for the is hearing-impaired; (i); and (3) within 10 days for the hearing-impaired and the smoke detectors is in this notice are the description.	tectors installed in the code?* unknow the code?* unknow the code?* unknow the code in the co	in accordance with the n no x_ yes. If no or wellings to have working smake area in which the dwelling know the building code redifficial for more information.  If (1) the buyer or a member the seller written evidence of ate, the buyer makes a written cocations for installation. The	(for example, anke the repairs for example, anke the repairs for example and the second unknown, explain to the buyer's of the hearing en request for exparties may a person, including all information.
Section 10. Have you insurance claim or which the claim was section 11. Does the requirements of Chr. (Attach additional shape of the control of the seller to insurance who will be seller acknowledges the broker(s), has insurance of the seller to insurance who will be seller acknowledges the broker(s), has insurance of the seller to insurance who will be seller acknowledges the broker(s), has insurance of the seller to insurance who will be seller acknowledges the broker(s), has insurance of the seller to insurance who will be seller acknowledges the broker(s), has insurance of the seller to insurance of the	e Property have a settlement or awas made? yes x	working smoke detectors for the is hearing-impaired; (and (3) within 10 days for the hearing-impaired; (by College (3) within 10 days for the hearing-impaired; (c) and (3) within 10 days for the hearing-impaired; (c) and (d) within 10 days for the hearing-impaired; (d) within 10 days for the hearing-impaired; (e) and (3) within 10 days for the hearing-impaired; (e) and (3) within 10 days for the hearing-impaired; (e) and (3) within 10 days for the hearing-impaired; (e) and (3) within 10 days for the hearing-impaired; (e) and (3) within 10 days for the hearing-impaired and (3) within 10 days for the	tectors installed in the code?* unknow the code?* unknow the code?* unknow the code in effect in the code in the code in effect in effective did and specifies the left and which brand of some to the best of some courate information.    Comparison of the code in the c	in accordance with the n no x yes. If no or wellings to have working smake area in which the dwelling know the building code redifficial for more information.  If (1) the buyer or a member the seller written evidence of the seller written evidence	e smoke detector unknown, explain of the buyer's of the hearing en request for e parties may of person, including all information.
Section 10. Have you insurance claim or which the claim was section 11. Does the requirements of Chr. (Attach additional should be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be shown in the seller to insurance who will be seller acknowledges the broker(s), has insurance claim or who will be seller acknowledges the broker(s), has insurance claim or which the claim was accompanied to the seller to insurance claim or which the claim was accompanied to the claim was acc	e Property have a settlement or aways made? yes x	working smoke deleath and Safety Code requires one-fairements of the building power source required known above or contact smoke detectors for the is hearing-impaired; (i); and (3) within 10 days for the hearing-impaired and the smoke detectors is in this notice are the description.	tectors installed in the code?* unknow the code?* unknow the code?* unknow the code in the co	in accordance with the n _ no x _ yes. If no or wellings to have working smake area in which the dwelling know the building code redifficial for more information.  If (1) the buyer or a member the seller written evidence of ate, the buyer makes a written ocations for installation. The smoke detectors to install.  Seller's belief and that no on or to omit any material.	(for example, anke the repairs for example, anke the repairs for unknown, explain on the buyer's of the buyer's of the hearing en request for exparties may on person, including all information.

Concerning the Property at

11919 Water Oak Dr.

## ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit <a href="www.txdps.state.tx.us">www.txdps.state.tx.us</a>. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TAR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (6) The following providers currently provide service to the Property:

Electric: Reliant	phone #: 1-866-872-6644
Sewer:	phone #:
Water: T&W Water	phone #: 936-756-7400
Cable: Spectrum	phone #: 833-267-6094
Trash: WCA	phone #: 855-263-0955
Natural Gas: EPCOR Gas	phone #: 281-766-1290
Phone Company:	phone #:
Propane:	phone #:
Internet: Spectrum	phone #: 833-267-6094

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer		Date	Signature of Buyer	Date
Printed Name:			Printed Name:	
(TAR-1406) 02-01-18	Initialed by: Buyer:	,	and Seller: ( , _ (PD)	Page 5 of 5