





SELLER'S DISCLOSURE NOTICE

ANY INSPECTIONS OR WARRANTIES THE F	THE PROPERTY AS OF THE DATE SIGNED BY		
OR SELLER'S AGENTS.	PURCHASER MAY WISH TO OBTAIN. IT IS NOT		
roperty. If unoccupied, how long since Sel			
below [Write Yes (Y), No (N), or Unknown ((U)]:		
N _Oven	N Microwave		
Trash Compactor	Y Disposal		
U Window Screens	N Rain Gutters		
U Fire Detection Equipment	U Intercom System		
Y Smoke Detector			
U Smoke Detector-Hearing Impaired			
U Carbon Monoxide Alarm			
N Emergency Escape Ladder(s)			
U Cable TV Wiring	U Satellite Dish		
U Attic Fan(s)	Y Exhaust Fan(s)		
Y Central Heating	Wall/Window Air Conditioning Y Public Sewer System Y Fences		
N Septic System			
N Outdoor Grill			
N Sauna	N Spa N Hot Tub		
N Pool Heater	U Automatic Lawn Sprinkler System		
	Fireplace(s) & Chimney Y (Mock)		
	U Gas Fixtures		
N LP Community (Captive)	N LP on Property		
Not Attached	N Carport		
Y Electronic	U Control(s)		
Y Gas	N Electric		
N Well N MUD	 N Со-ор		
roof Age:	0 - 7 years (approx.)		
	dition, that have known defects, or that are in additional sheets if necessary):		
	N Oven U Trash Compactor U Window Screens U Fire Detection Equipment Y Smoke Detector U Smoke Detector-Hearing Impaire U Carbon Monoxide Alarm N Emergency Escape Ladder(s) U Cable TV Wiring U Attic Fan(s) Y Central Heating N Septic System N Outdoor Grill N Sauna N Pool Heater N LP Community (Captive) N Not Attached Y Electronic Y Gas N Well N MUD roof Age:		

(<i>F</i>	Does the property have working smoke detectors installed in accordance with the smoke detector requirements of Chapte 766, Health and Safety Code? Yes No V Unknown. If the answer to this question is no or unknown, explair (Attach additional sheets if necessary): Detectors have been brought to code for age of home.				
_	Seller has never occupied this property. Seller enc	ourages E	Buyer to have their own	inspections performed a	nd verify all information relating to this property.
ir ir er w a sı	chapter 766 of the Health and Safety Constalled in accordance with the requirer including performance, location, and posifiect in your area, you may check unknowequire a seller to install smoke detectors will reside in the dwelling is hearing impalicensed physician; and (3) within 10 days moke detectors for the hearing impaired the cost of installing the smoke detectors	ments of wer sou wn aboof for the ired; (2) ys after and sp	of the building cource requirements ove or contact you hearing impaired the buyer gives the effective date decifies the location	de in effect in the If you do not know I local building office I if: (1) the buyer of the seller written even I the buyer makes a This for the installation	area in which the dwelling is locate ow the building code requirements cial for more information. A buyer manager or a member of the buyer's family who idence of the hearing impairment from the written request for the seller to instant. The parties may agree who will be
	re you (Seller) aware of any known defectively are not aware.		•	the following? Wr	·
_	N Interior Walls		_Ceilings	_	N Floors
_	N Exterior Walls		_Doors	_	N Windows
_	N_Roof	N_	_Foundation/Slab	(s)	N Sidewalks
_	N Walls/Fences	N	_Driveways	_	N_Intercom System
_	N Plumbing/Sewers/Septics	N	_Electrical System	s	N Lighting Fixtures
lf	the answer to any of the above is yes, ex	plain. ((Attach additional	sheets if necessary)	:
_	Seller has never occupied this property. Seller en	courages	Buyer to have their ow	n inspections performed	and verify all information relating to this propert
_	Seller has never occupied this property. Seller en	courages	Buyer to have their ow	n inspections performed	and verify all information relating to this propert
_	Seller has never occupied this property. Seller en are you (Seller) aware of any of the follow N Active Termites (includes wood des	courages ing con troying	Buyer to have their own ditions? Write Yes	n inspections performed s (Y) if you are aware Previous Structur	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair
_	Seller has never occupied this property. Seller en are you (Seller) aware of any of the follow N Active Termites (includes wood des N Termite or Wood Rot Damage Need	courages ing con troying	Buyer to have their own ditions? Write Year insects) You have their own ditions? Write Year Year Year Year Year Year Year Yea	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Tox	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste
_	Seller has never occupied this property. Seller en are you (Seller) aware of any of the follow N Active Termites (includes wood des N Termite or Wood Rot Damage Need N Previous Termite Damage	courages ing con troying	Buyer to have their own ditions? Write Year insects) Pair N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow N	courages ing con troying	Buyer to have their own ditions? Write Year or insects) Pair N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow N	courages ing con troying	Buyer to have their own ditions? Write Year insects) Pair N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy Radon Gas	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair cic Waste nents rde Insulation
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow N	courages ing con troying	Buyer to have their own ditions? Write Year insects) y pair N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents rde Insulation
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow N Active Termites (includes wood des N Termite or Wood Rot Damage Need N Previous Termite Damage N Previous Termite Treatment N Previous Flooding N Improper Drainage N Water Penetration	courages ing con troying	Buyer to have their own ditions? Write Year insects) y pair N N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint Aluminum Wiring	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents rde Insulation
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow Nactive Termites (includes wood des Nactive Termites (includes wood des Nactive Termite or Wood Rot Damage Need Nactive Termite Damage Nactive Termite Damage Nactive Termite Treatment Native Termite Treatment Native Termite Treatment Native Termite Termite Treatment Native Termite Termite Treatment Native Termite Termite Treatment Native Termite Ter	courages ing con troying	Buyer to have their own ditions? Write Year or insects) Pair N N N N N N N N N N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Tox Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint Aluminum Wiring Previous Fires	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents rde Insulation
_	Seller has never occupied this property. Seller endire you (Seller) aware of any of the follow N Active Termites (includes wood des N Termite or Wood Rot Damage Need N Previous Termite Damage N Previous Termite Treatment N Previous Flooding N Improper Drainage N Water Penetration N Located in 100-Year Floodplain N Present Flood Insurance Coverage	courages ing con troying ling Rep	Buyer to have their own ditions? Write Year insects) Y pair N N N N N N N N N N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint Aluminum Wiring Previous Fires Unplatted Easem	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents de Insulation
_	Seller has never occupied this property. Seller endere you (Seller) aware of any of the follow Nactive Termites (includes wood des Nactive Termites (includes wood des Nactive Termite or Wood Rot Damage Need Nactive Termite Damage Nactive Termite Damage Nactive Termite Treatment Native Termite Treatment Native Termite Treatment Native Termite Termite Treatment Native Termite Termite Treatment Native Termite Termite Treatment Native Termite Ter	ing con troying ling Rep	Buyer to have their own ditions? Write Year insects) y pair N N N N N N N N N N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Too Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint Aluminum Wiring Previous Fires Unplatted Easem Subsurface Struct Previous Use of P	and verify all information relating to this propert e, write No (N) if you are not aware. ral or Roof Repair kic Waste nents de Insulation ents ture or Pits remises for Manufacture of
A	Seller has never occupied this property. Seller endire you (Seller) aware of any of the follow N Active Termites (includes wood des N Termite or Wood Rot Damage Need N Previous Termite Damage N Previous Termite Treatment N Previous Flooding N Improper Drainage N Water Penetration N Located in 100-Year Floodplain N Present Flood Insurance Coverage N Landfill, Settling, Soil Movement, Fa	courages ing con troying ling Rep ling Rep ling Tu	Buyer to have their own ditions? Write Year insects) Pair N N N N N N N N N N N N N	n inspections performed s (Y) if you are aware Previous Structur Hazardous or Tox Asbestos Compo Urea-formaldehy Radon Gas Lead Based Paint Aluminum Wiring Previous Fires Unplatted Easem Subsurface Struc Previous Use of P Methamphetami	and verify all information relating to this properties, write No (N) if you are not aware. It all or Roof Repair It waste Inents It de Insulation It was a series of the control of t

Sell	ler's Disclosure Notice Concerning the Property at 3235 Villagedale Dr, Humble, TX 77339 Page 3 8-7-2017 (Street Address and City)					
5.						
	Seller has never occupied this property. Seller encourages Buyer to have their own inspections performed and verify all information relating to this property.					
6.	Are you (Seller) aware of any of the following? Write Yes (Y) if you are aware, write No (N) if you are not aware.					
	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at that time.					
	Y Homeowners' Association or maintenance fees or assessments.					
	Any "common area" (facilities such as pools, tennis courts, walkways, or other areas) co-owned in undivided interest with others.					
	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the					



1205 W Carrier Pkwy Ste 205 Grand Prairie TX 75050

info@blacktieplumbing.com www.blacktieplumbing.com Toll Free: 888.973.3981 Phone: 682.218.5777 Fax: 682.218.5776

Tech: Bill Bywaters Date:	6/7/19	Job#19-26927	Requested By:		
Customer Name: OPENDOOR Type of Test: Post-7			Type of Test: Post-Test		
Address: 3235 Villagedale Dr			City: Humble		
ZIP Code: 77339			Phone#:		
Domes	stic W	/ater Pressu	ure Test		
PSI at Start of test: 70 Location of Test Gauge: Right Side Hose Bib					
PSI at End of test: 70 Total PSI Lost: 0 Length of test: 15 Min.					
Pass Fail Unable to Test					
For reference to this test Domestic Water Pressure Test is defined as: All water piping extending from the water meter, yard line and fixtures throughout the home. The test is performed by installing a gauge onto a hose bib utilizing the supplied city pressure and turning off the water at the meter. If a leak is indicated it could be a fixture drip, leak in the yard line, leak in the sprinkler system or a leak under the slab. If the system leaks we recommend a leak location test be performed to identify where the leak is in the domestic water system.					
		lydrostatic	Test		
		Type: ABS	Size of Cleanout: 3 Inch		
Amount of Loss: 0 Leng	th of te	st: 30 Min.			
Pass Fail Unable to Test					
Cleanout Location/Depth: Back Si	de / 1ft-6	Sin Deep			
For reference to this test Sewer Hydrostatic Test is defined as: All Sewer Piping extending from the cleanouts to under the Perimeter Beams of the Foundation of the Building. The test is performed by raising the cleanout to slab level, inserting a test ball into the sewer system and filling the sewer with water to slab level. If a leak is indicated we would recommend a leak location test be performed to identify where the leak/leaks are in the sewer system. Leak tests are accurate in most but not all cases. Before going through the expense of performing the leak locate have the sewer tested again. If you use Black Tie Plumbing to perform the leak locate and we identify there is no leak we will not charge you for the additional testing.					
Recommendations/Notes:					
Necommendations/ Notes.					
Customer Signature:	•		Tech: Bill Bywaters		



3200 Wilcrest Drive, Suite 440 Houston, Texas 77042 P: 832-240-3771 F: 832-240-2724 TBPE #F-18690 www.becengineer.com

June 10, 2019

Perma Pier Foundation Repair 2821 E Randol Mill Road Arlington, Texas 76011

Perma Pier Job #: 19-22150

Subject: Property at 3235 Villagedale Drive, Humble, Texas 77339

As requested by Perma Pier Foundation Repair, we have reviewed the repair proposal and installation data from Perma Pier Foundation Repair regarding the repairs made to the subject property. Perma Pier Foundation Repair presented the repaired portion of the foundation using 13 exterior and 1 interior segmental pre-cast concrete piles at the above referenced location for our review. It is to our understanding that after the work was completed, the area was left with a positive drainage away from the structure and the pile locations and spacing as represented were found to be in general compliance with industry standards, and generally in accordance with Perma Pier Foundation Repair's proposal based on the field data provided to us by Perma Pier Foundation Repair.

In our opinion, the piling depths in conjunction with the pile driving force as reported by Perma Pier Foundation Repair are generally appropriate for this type of structure and for the area where the work is being performed. The repair work performed to the subject location is believed to have been acceptably completed, based on the information provided by Perma Pier Foundation Repair, in accordance with good industry practice for foundation repair work using pre-cast segmental piles. The repairs performed on the subject location should be expected to minimize the foundation settlement observed prior to the foundation repair work. In instances where partial repairs are performed, meaning the entire foundation has not been underpinned, potential differential movement may occur. It should be noted that partial repairs modify the design of the foundation and while partial repairs are generally accepted industry practice the possibility of future movement should be recognized. Non-supported areas are not covered for downward foundation movements by the contractor's warranty.

The future performance of the foundation system on the subject location should function as generally intended, provided proper soil moisture is maintained and there is not a loss in the load bearing capacity of the soil beneath the foundation. Soils should be graded such that there is positive drainage away from the foundation or a drainage system can be installed to prevent water from ponding around the foundation. A foundation maintenance program is recommended which can be found at www.foundationperformance.org.

We appreciate being of service. If you have any questions or require additional information please contact the undersigned.

Regards,

Karl Breckon, PE

BEC Engineers and Consultants, LLC

Perma-Pier Foundation Repair Company Job Paperwork

	生)		
Crew Chief Name:	Bryan Soer		
Address:	3235 Villagedde	Drive	
City/State/Zip	Homble		
Installation Date:	06-08-19	Job Number:	19-22/50
			· ·

Pier No.	Total Number of Pilings	PSI	Pier Depth Feet
1	4	8,000	6
2	4	8,000	6
3	3	7,500	5
4	3	7,500	5
5	4	8,000	6
6	5	9,000	7
7	5	9000	7
8	4	8,000	6
9	4	8,000	6
10	4	8,000	6
11	3	7,500	5
12	3	7,500	5
13	5	9,000	7
14	9	9,000 9,000	7
15		,	

Pier No.	Total Number of Pilings	PSI	Pier Depth Feet
16			
17			
18			
19	1		
20		•	
21			
22			
23			
24			
25			
26			
27		d Pilings	The state of the s
28	5	rior Depth	
29	100	M PSI	
30	- Pio I	Trevious Ro 't Read Prev	adings rious Reading

perma Pier

Foundation Repair of Texas

CERTIFICATE OF WARRANTY





Opendoor

3235 Villagedale Drive

Address

Humble, Texas 77339

City, State, ZIP code

Has received a Lifetime Transferable Warranty on Newly Installed Piers

Warranty under

Perma-Pier Service Center

Arlington, TX 76011 2821 E. Randol Mill Rd.

Fax (214) 637-0440 Office (214) 637-1444

June 8, 2019

the terms of the original written agreement dated

C00 Robby Brown

June 11, 2019

Date

LIFETIME WARRANT

within one (1) part in two hundred and forty (240) parts for the life of the structure that it supports (1" work performed by the COMPANY described as LIFETIME WARRANTY WORK under the terms, provisions, and conditions of the contract It is the intention of the Company to permanently stabilize the settlement of that portion of the foundation covered The LIFETIME WARRANTY WORK applies to concrete pilings, steel pressed pilings, and hybrid pilings. settlement in 20' This warranty applies ONLY to the horizontal span.) by the contract

TRANSFER OF WARRANTY

plumbing test. So long as the provisions of this paragraph are met, there is no limit to the number of transfers that can be made Ninety (90) days after transfer of title. In the event a change in ownership occurs, assignment of this warranty to a new Owner or Owners must be accomplished no time of transfer upon receipt of payment of transfer fee current at the time of transfer and receipt of a recent (within one year) passing Assignment will be made in accordance with the warranty and with the procedures in effect at the later than

UNLESS ASSIGNMENT IS PROPERLY MADE WITHIN NINETY (90) DAYS AFTER TRANSFER OF TITLE, THIS WARRANTY IS NULLAND VOID

current transfer fee in effect at the time of transfer) must be sent to the address on the front of this warranty certificate To transfer the warranty, a Warranty Transfer Form, a current passing plumbing test (within the past year,) and a \$100 transfer fee (or the

THIS WARRANTY SHALL BE NULL AND VOID IF:

- Full payment is not made within 30 days of completion of work as specified
- 2 An additional story is added to the structure, or changes of a similar scope are made, without the prior written approval of Company, when such changes would affect loads on the foundation.
- The structure is sited on a fault, or is affected by an earthquake or flood
- 5 4 3 The foundation is undermined (i.e., unaddressed plumbing leaks, soil slumping, eroding, creek beds, excavations, etc.
- underground facility or swimming pool depth. Underground facilities or swimming pools are installed within a horizontal distance from the foundation equal to or less than the
- The natural eroding of existing structure.
- 9876 Any accidental or intentional damage, fire, flood, windstorm, tornado, or other acts of nature occur.
 - Any party other than Perma-Pier Foundation Repair of Texas adjusts or modifies the piers/pilings installed by Perma-Pier
- The structure is partially or completely dismantled, razed, or demolished

ARBITRATION OF DISPUTES

Arbitrator of like qualifications shall be selected by the American Arbitration Association, or any success or thereto, Each party shall select one (1) arbitrator who shall be a Registered Professional Civil or Structural Engineer, experienced in the field of shallow Arbitration shall be conducted in accordance with the prevailing rules of the American Arbitration Association or any successor thereto foundations and engaged solely in the private practice of his or her profession. In the event that the Owner and Company cannot agree that the movement in the foundation has been controlled and settlement is within the specified above, it is specifically agreed by acceptance of this warranty that the matter shall be determined by binding arbitration. If the 2 selected engineers cannot reach agreement, then an on application of either party.







Transfer of Warranty

Date of Transfer:
Property Address:
Previous Owner:
New Owner Name (printed):
New Owner Signature:Date Signed:
Mailing Address (if different than address above):
Questions Directed To:Phone/Email:
New Owner Contact Information: Phone(s):
Email address:
In the event a change in ownership occurs, assignment of this warranty to a new Owner or Owners must be accomplished no later than ninety (90) days after transfer of title . Assignment will be made in accordance with the warranty and with the terms and procedures in effect at the time of transfer upon receipt of payment of the \$100 transfer fee (or current) at the time of transfer. Perma-Pier must also have a copy of a recent passing plumbing test (within the past year) consisting of 1) a domestic water pressure test and 2) a sewer hydrostatic test at slab level. As long as the provisions of this paragraph are met, there is no limit to the number of transfers that can be made. UNLESS ASSIGNMENT IS PROPERLY MADE WITHIN (90) DAYS AFTER TRANSFER OF TITLE, THIS WARRANTY IS NULL AND VOID. NOTE: If foundation adjustments are required due to the settling of Contractor's piers or pilings, Contractor will re-adjust affected piers or pilings at no charge to owner. This warranty covers existing, contracted work performed by Perma-Pier Foundation Repair of Texas only. The future performance of any foundation,
including future movement and/or the need for additional pilings cannot be predicted due to variables out of the control of Perma-Pier Foundation Repair of Texas. For unabridged details, see the original contract.
*** For Office Use Only *** Processing Employee:



RECOMMENDED WATERING MAINTENANCE PROGRAM

During the rainy season, soil expansion occurs and during the dry-summer months or periods of little to no rainfall, soil shrinkage occurs. Due to drastic changes in Texas weather, soil tends to swell and shrink often causing your home to move up and down. To stop seasonal damage, a controlled watering program must be followed that will prevent excessive changes in the moisture content of the soil near the home.

The major factors influencing soil movement that can cause distress to the foundations are large individual trees, thickets or other vegetation that withdraw large amounts of moisture from the soil. The area where the roots are located is drier than adjacent areas. These pockets of dry soil have a much higher potential for swelling than do the less dry areas. Planting flower beds or shrubs next to the foundation and keeping these areas flooded will increase soil moisture content and result in soil expansion. Shade trees should be planted a distance equal to the mature height of the trees from the foundation. (Horticulturists report that one large tree can remove up to 200 gallons of water from the soil every day). If planted too close, the roots penetrate beneath the foundation and withdraw moisture from the soil creating soil shrinkage, often resulting in drainage problems. If the structure is built on expansive soils and the lot is not graded to drain rainfall runoff away from the structure, water collects and causes distress to the structure due to swelling of the soil from excessive moisture content.

Maintenance Procedures:

- 1. Landscaping should be done on all sides of the foundation. Make sure you have a positive grade away from the foundation to assure proper drainage. If water is not properly draining away, consider installing a surface drain or French drain, depending on the severity of the problem.
- 2. During hot, dry weather, the foundation needs much more water to maintain stability. During cold, damp weather, less water is needed.
- 3. A soaker hose should be placed on each side of the foundation, no farther than 12" from the edge of the foundation. This will allow for an even distribution of water to soak into the soil. (Do not place the soaker hose against the foundation. If soil has dried and cracked, water may travel along the cracks and accumulate at the bottom of the grade beam. If too much water collects under the foundation, the soil may become too wet and lose its load bearing capacity; therefore, causing your house to sink into the ground or the soil may swell under moderate amounts of water and cause that area to heave.)
- 4. During hot or dry months, proper watering will keep the soil from separating or pulling back from the foundation. We recommend watering daily these months to keep the soil under the foundation at a consistent moisture rate. Remember, the goal of a watering program is to maintain a constant level of moisture in the soil near and under the house.

PERMA-PIER Foundation Repair of Texas

2821 East Randol Mill Road, Arlington, TX 76011 Phone: 214-637-1444 Toll Free: 1-877-840-9993

Fax:214-637-0440 www.permapier.com



1. GENERAL CONDITIONS

"The work to be performed under this contract is designed to attempt to return the foundation to as near its original horizontal position as practically possible. The house will be lifted until, in the sole opinion of the Contractor, further raising will result in excessive damage to cosmetic finishes or to the structure. Complete leveling is not to be expected. Pier loctions may vary from site map due to conditions not under control by the Company.

**The Contractor is not responsible for subsequent damage or costs caused by foundation lifting, stabilization, or driving pilings. Seasonal variations in the soil moisture contents may result in the formation of new cracks, or in varying length and width of existing interior and exterior cracks. Complete leveling of this property should not be anticipated. Lifting and/or stabilizing the foundation may cause sheetrock, wallpaper, plaster, roofing, piping, wiring, flooring, or other materials to stress and crack, wrinkle, separate, or break. The Contractor has no obligation to repair or to replace any damage whether it is exposed or concealed or buried, to the foundation, to the structure (including but not limited to cosmetic damage,) plumbing, flooring, electrical wiring, ducting, gas pipes, other portions of the structure and its system, furniture, fixtures, furnishings (including but not limited to artwork, photographs, sculptures, interior light fixtures and/or chandeliers), landscaping, irrigation, vegetation, shrubs, pavers, flagstone, wood or other decks, to spas or to personal property without regard to when or where said damage occurs except as otherwise set out herein. Contractor will not be responsible for repairing pre-existing plumbing problems, deteriorated pipes, new plumbing problems or leaks caused by foundation movement before, during, or after lift.

- ** Prior to work beginning, please remove all outside items from the work areas (including anything that is special to you,) and ground or hanging lighting. We will transplant shrubbery at the point of installation, but we cannot guarantee their survival after transplant. You may wish to consult a landscaper or greenhouse to remove established plantings or shrubs prior to foundation work.
- ** Customer shall supply Contractor with water and electricity at owner's expense. Contractor must have access to the breaker box at all times and must enter the property at the time it is leveled.
- ** Contractor will arrange for underground line/utility checks (Texas 811) as needed. Contractor has no control over the line check personnel or their scheduling."

2. DISCOVERY CLAUSES (requiring a Change Order to continue the foundation work)

Pier Depth: Any depth beyond 30 feet on steel piers will incur additional charges through a change order in the amount of \$10.00 per foot over 30 feet.

- Existing Piers: Discovery of existing builder piers, or previous foundation repair piers will incur additional charges per pier to disable: \$250 up to 12" diameter; \$500 12" to 24" diameter; \$750 24" to 36" diameter. For disabling existing Bullivant-style steel piers (bolted onto the foundation.) the charge will be \$250 per pier.
- Soil Conditions: Any unexpected rock formations or high density clay that keeps us from performing our standard duties will incur additional charges per a change order at \$150/ft.
- Non-Steel Reinforced Grade Beams: If we are performing repairs on a home without reinforced grade beams, work will cease until a change order is agreed upon.
- Excessive Roots: When digging tunnels and excessive roots are discovered, a charge of \$150 per foot of tunnel will be charged on a change order.
- Added Angle Iron/I Beam: If added materials are required, this will incur an additional charge of \$150 per pier on a change order.
- Post-Tension Cable Repairs: If broken cables are discovered, we can repair them at approximately \$900 per cable on a change order.
- Tunnel: If tunnels are not safe unless shored due to loose soils, or are deeper than 36" from slab, this will incur an additional charge of \$50/ft. of tunnel on a change order.
- Shoring: Beams deeper than 36" from grade will incur a charge \$50/ft. on a change order, and each pier location will incur an additional charge of \$250 for shoring material and labor.
- Shallow Water Table: If we discover that there is an unusually shallow water table which prohibits our work or changes our work scope, work will cease until a change order is agreed upon.

3. WARRANTIES

The LIFETIME WARRANTY WORK applies to concrete pilings, steel pressed pilings, and hybrid pilings. It is the intention of the Contractor to permanently stabilize the settlement of that portion of the foundation covered by this contract to within one (1) part in two hundred and forty (240) parts for the life of the structure that it supports (1" settlement in 20' horizontal span.) This warranty applies ONLY to the work performed by Contractor described as LIFETIME WARRANTY WORK under the terms, provisions and conditions of this contract, otherwise specifically noted in the "Warranty" section of the contract. If your foundation work is warranted, a passing plumbing test (current within the last year) is required for Perma-Pier to perform future warranty work or to transfer the warranty. THIS WARRANTY SHALL BE NULL AND VOID IF:

- Full payment is not made within 30 days of completion of work as specified, unless otherwise agreed to in writing on the contract.
- Post-Repair Plumbing Test is not performed, or if Test fails and repairs are not made. (Applies to all pier related jobs does not apply to drainage or injections.)
- > Locating and/or installation of cleanout(s) may be required to perform plumbing test. Installation of cleanout(s) will be at customer's expense if not included in this contract.
- Additional story is added to the structure, or changes of a similar scope are made without the prior written approval of Contractor, when such changes would affect loads on the foundation.



(3. WARRANTIES - continued)

- The structure is sited on a fault, or is affected by an earthquake.
- Underground facilities or swimming pools are installed within a horizontal distance from the foundation equal to or less than the maximum depth of the swimming pool.
- The foundation is undermined (e.g., soil slumping, eroding, unaddressed plumbing leaks, creek beds, excavations, etc.)
- The natural eroding of existing structure.
- Any accidental or intentional damage, fire, flood, windstorm, tornado, or other acts of nature.

4. TRANSFER OF WARRANTY

In the event a change in ownership occurs, assignment of this warranty to a new Owner or Owners must be accomplished no later than Ninety (90) days after transfer of title. Assignment will be made in accordance with the warranty and with the procedures in effect at the time of transfer upon receipt of payment of transfer fee current at the time of transfer and receipt of a recent (within one year) passing plumbing test. So long as the provisions of this paragraph are met, there is no limit to the number of transfers that can be made. UNLESS ASSIGNMENT IS PROPERLY MADE WITHIN (90) DAYS AFTER TRANSFER OF TITLE, THIS WARRANTY IS NULL AND VOID. NOTE: To transfer the warranty, a Warranty Transfer Form, a current passing plumbing test (within the past year,) and a \$100 transfer fee (or the current transfer fee) must be sent to the address stated in Section 8 below.

5. TERMINATION OF WARRANTY

The Contractor may terminate this warranty at any time by paying the current owner an amount equal to the total payments made under the original contract.

6. DISCLAIMER OF ADDITIONAL WARRANTIES

OTHER THAN THE EXPRESS LIMITED WARRANTIES SET FORTH HEREIN, CONTRACTOR SPECIFICALLY DISCLAIMS ANY WARRANTY, GUARANTEE, REPRESENTATION, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, PAST, PRESENT OR FUTURE, OF, AS TO, OR CONCERNING ANY OF THE FOLLOWING: (A) THE HABITABILITY, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE OF THE PROPERTY AND IMPROVEMENTS WHERE THE PROJECT SITE IS LOCATED AS NOW EXISTING OR AFTER COMPLETION OF THE WORK; (B) THE MANNER OR QUALITY OF THE WORK AND THE CONSTRUCTION OF ANY IMPROVEMENTS TO THE PROPERTY BEING IN A GOOD AND WORKMANLIKE MANNER OR OTHERWISE.

7. DISPUTE RESOLUTION

A. Mediation: Any claim, dispute or other matter in question arising out of or related to this Agreement shall be subject to mediation as a condition precedent to binding dispute resolution. If the parties do not resolve a dispute through mediation, the method of binding dispute resolution shall be arbitration. The parties shall share the mediator's fee equally. The mediation shall be held in Dallas, Texas.

B. Arbitration: In the event mediation is not successful, all claims or disputes or other matters in question that are not resolved within ten (10) days following mediation of such claim, dispute or other matter in question shall be submitted to arbitration pursuant to the Construction Industry Rules of the American Arbitration Association; provided, however, that the arbitration hearing shall take place on a fast-track basis, not more than ninety (90) days following delivery by either party of written demand for arbitration to the American Arbitration Association. The arbitration shall be heard and determined by a single neutral arbitrator to be mutually selected and appointed by the disputing parties within 14 days of the date any party makes a written demand for arbitration. If the parties cannot mutually select and agree on an arbitrator a neutral third party such as the local office of the AAA or a local court shall be utilized to select and appoint an arbitrator. The seat of the arbitration and the place of issuance of the final award shall be Dallas, Dallas County, Texas

WAIVER OF JURY TRIAL-TO THE MAXIMUM EXTENT PERMITTED BY LAW, THE OWNER AND CONTRACTOR EACH IRREVOCABLY WAIVES ALL RIGHT TO TRIAL BY JURY IN ANY ACTION, PROCEEDING, OR COUNTERCLAIM (WHETHER BASED ON CONTRACT, TORT, OR OTHERWISE) ARISING OUT OF OR RELATING TO ANY OF THE PROVISIONS OF THIS AGREEMENT OR ANY DOCUMENT DELIVERED IN CONNECTION WITH THIS AGREEMENT OR THE TRANSACTIONS CONTEMPLATED THEREBY, WHETHER NOW EXISTING OR ARISING HEREAFTER. THE OWNER AND CONTRACTOR EACH AGREES AND CONSENTS THAT EITHER PARTY MAY FILE AN ORIGINAL COUNTERPART OR COPY OF THIS AGREEMENT WITH ANY COURT AS WRITTEN EVIDENCE OF THE CONSENT OF THE PARTIES TO THE WAIVER OF THEIR RIGHT TO TRIAL BY JURY.

8. NOTICES

Direct notices and/or payments to: Perma-Pier Foundation Repair of Texas, 2821 E. Randol Mill Rd, Arlington, TX 76011

9. WAIVER OF CONSEQUENTIAL DAMAGES

The Owner and Contractor waive consequential damages for claims, disputes or other matters in question arising out of or relating to this Agreement. This mutual waiver is applicable, without limitation, to all consequential damages arising out of or related to this agreement, including but not limited to the termination of this Agreement by either the Owner or Contractor.