

TERMINIX

WDO Application Record and Terminix Insulation Service

Customer Karen Slezak
 Address 2802 Sica Holler
 City Italy State TX Zip _____
 Phone _____ Contract # _____

Date of Application 4/23/19 Time In _____ Time Out _____
 Applicator(s)/Certif. # Victor (296301)
 Supervisor/Certif. # _____

Terminix Address 304 Lanpham ck
 City Houston State TX Zip _____
 Telephone 1 800 837 6664

- Original Treatment Retreatment Pretreatment
 Complete Treatment Limited Treatment Perimeter Plus
 Attic Insulation Trnelona Bait
 *Wind Speed _____ *MPH from the (direction) _____

Target Pest Subterranean Termites Drywood Termites Old House Borers Powderpost Beetles Wood Decay Fungi _____

Product Applied	Chemical	Manufacturer	EPA# %	Applied	Amount	Formulation
<input type="checkbox"/> Alpine Termite Foam	Dinotefuran	BASF	499-526	<input type="checkbox"/> 0.025%	_____ oz	A=Aerosol
<input type="checkbox"/> Bora-Care	Disodium Octaborate Tetrahydrate	NISUS	64405-1	<input type="checkbox"/> 9% <input type="checkbox"/> 13% <input type="checkbox"/> 16% <input type="checkbox"/> 23%	_____ gal	B=Bait
<input type="checkbox"/> BoraThor Max PT	Disodium Octaborate Tetrahydrate	Ensystem II, Inc.	81824-11	<input type="checkbox"/> 9% <input type="checkbox"/> 13% <input type="checkbox"/> 16% <input type="checkbox"/> 23%	_____ gal	D=Dust
<input type="checkbox"/> BoraThor SP	Disodium Octaborate Tetrahydrate	Ensystem II, Inc.	81824-8	<input type="checkbox"/> 10% <input type="checkbox"/> 15%	_____ gal	EC=Emulsifiable Conc.
<input type="checkbox"/> Cy-Kick (A)	Cyfluthrin	BASF	499-470	<input type="checkbox"/> 0.1%	_____ oz	F=Foam
<input type="checkbox"/> Fast Out CS Foam	Cyfluthrin	BASF	499-523	<input type="checkbox"/> 0.1%	_____ oz	SC=Suspendible Conc.
<input type="checkbox"/> Phantom (SC)	Chlorfenapyr	BASF	241-392	<input type="checkbox"/> 0.125% <input type="checkbox"/> 0.25%	_____ gal	SL=Soluble Liquid
<input type="checkbox"/> Premise Pre-Construction	Imidacloprid	Bayer	432-1331	<input type="checkbox"/> 0.05%	_____ gal	SP=Soluble Powder
<input type="checkbox"/> Termidor SC (SC)	Fipronil	BASF	7969-210	<input type="checkbox"/> 0.06% <input type="checkbox"/> 0.125%	_____ gal	WG=Water Dispersible Granules
<input type="checkbox"/> Termidor 80 (WG)	Fipronil	BASF	7969-209	<input type="checkbox"/> 0.06% <input type="checkbox"/> 0.125%	_____ gal	WP=Wettable Powder
<input type="checkbox"/> Tim-Bor (SP)	Disodium Octaborate Tetrahydrate	NISUS	64405-8	<input type="checkbox"/> 10% <input type="checkbox"/> 15%	_____ gal	*Application Rate
<input type="checkbox"/> Advance Termite Bait	Diffenbanzuron	BASF	499-500	<input type="checkbox"/> 0.25% (124gm)	_____ ea	
<input checked="" type="checkbox"/> <u>Trnelona Bait</u>				<u>0.125%</u>	<u>18 gal</u>	<input type="checkbox"/> 4 gal/10 linear feet/ft
<input checked="" type="checkbox"/> <u>Termidor HE</u>						<input type="checkbox"/> 2 gal/10 linear feet
The following is by Corporate approval only:						<input type="checkbox"/> 1 gal/10 square ft
<input type="checkbox"/> Prelude (EC)	Permethrin	Amvac	5481-550	<input type="checkbox"/> 0.5% <input type="checkbox"/> 1% <input type="checkbox"/> 2%	_____ gal	<input type="checkbox"/> 1.5 gal/10 square ft
<input type="checkbox"/> T.A.P. Insulation	Orthoboric Acid	Pest Control Insulation	72787-1-83896	<input type="checkbox"/> 11.1% <input type="checkbox"/> 12.5%	_____ 30# bags	<input type="checkbox"/> _____ /
<input type="checkbox"/> *Gas Engine	<input type="checkbox"/> *Electric motor	<input type="checkbox"/> *Diaphragm Pump	<input type="checkbox"/> *Piston Pump	<input type="checkbox"/> *Roller Pump	<input type="checkbox"/> *In-Line Injection System	<input type="checkbox"/> Applied at less than label rate
<input type="checkbox"/> *25 PSI or less at nozzle	<input type="checkbox"/> *50 PSI or less at nozzle	<input checked="" type="checkbox"/> *25 PSI at pump	<input type="checkbox"/> _____ PSI at pump	<input type="checkbox"/> Insulation Blower		<input type="checkbox"/> Monitoring Stations only (no bait)
<input type="checkbox"/> *Hand Duster	<input type="checkbox"/> *Aerosol Injection	<input type="checkbox"/> *Compressed Air Sprayer				

Areas Treated: See Below See Contract Graph See Attached Graph

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Description of Areas Treated
18 Trnelona termite bait stations
installed along perimeter of
house
Left front corner of house
treated with Termidor HE

Sub Termite Control Services have been performed on my property to my satisfaction.

Activity Yes

Customer _____
 Termit Technician Victor Notice of Treatment Was Posted At or Near _____ Date Posted 4/23/19
 Manager _____ Electric Breaker Box Water Heater Closet
 Bookkeeper _____ Bath Trap Access Beneath the Kitchen Sink