Specification Sheet

3103 Prescott Houston, Texas 77025

Foundation:	 Engineered residential-grade Steel reinforced bell bottom piers Steel reinforced beams Crawlspace
Frame:	 #2 fir studs at 16" on center 2" X 4", 2" X 6" Open web truss, laminate beams 1 1/8" plywood subfloors
Cornice & Soffit:	 ¹/₂" OSB plywood sheathing, Tyvek wrapped Hardie-trim soffit, fascia, trim
Windows:	 Single hung, casement, fixed Double pane, low-E Insulated vinyl frame, aluminum clad
Exterior Doors:	Front traditional style wood & glassAll others fiberglass painted
Roof & Decking:	 30 year Elk Prestique roofing with 15lb. felt 7/16" OSB decking Continuous ridge vent, radiant roof barrier
Air Conditioning & Heating	 High efficiency natural gas Programmable thermostat Professionally engineered, double-zoned 16 SEER Carrier or equivalent
Plumbing Rough In:	PVC & CPVC
Electrical Rough Wiring:	All copper
Insulation:	 R-13 cellulose 3 ¹/₂ " in 2" X 4" exterior walls R-21 cellulose 5 ¹/₂" in 2" X 6" exterior walls R-30 blown or batt 18" in ceilings R-19 spray foam 4" thick in crawlspace PolySeal all window and door openings
Fireplace:	 On site built custom surround , mantle 42" gas direct vent
Stucco:	Genuine masonry, galvanized metal lathe
Drywall:	• ¹ / ₂ " fire rated, Hardie backer in wet areas
Texture:	Light roll
All Cabinets:	 Hidden hinges, soft close drawers and doors Shaker style, custom, site-built, painted

Interior Trim:	Custom fittedLiving room site built decorative beams
Baseboard:	• Painted 1 st floor: 8", 2 nd floor: 6"
Interior Door, Window, Case Opening	Painted wood as applicable
Interior Doors:	 1st floor: solid core, painted 2nd floor: solid & hollow core, painted
Stair Parts:	 Stain-grade oak hand rail Painted wrought iron balusters Iron newel posts and volutes
Built Ins:	 1st & 2nd floor: painted Wood tops: painted
Closet Shelves, Rods:	• Painted, MDF shelves, chrome rods
Exterior Paint:	Sherwin Williams exterior elastomeric
Interior Wall Paint:	2 colors Sherwin Williams latex
Interior Ceiling Paint:	1 color Sherwin Williams latex
Interior Trim Paint:	1 color Sherwin Williams oil-based satin trim
All Countertops:	Manmade Quartz or equivalent
Plumbing Fixtures:	 Moen Chrome in bathrooms Stainless in kitchen and laundry
Kitchen Sink:	Stainless steel, single bowl
Bathroom Sinks:	Rectangular porcelain
Utility Sink:	Stainless Steel
Toilets:	White, elongated bowl
Water Heaters:	• Two 40 gallon American Standard natural gas
Master Bathtub:	• Acrylic, free standing, 5 1/2 feet
Other Bathtubs:	Porcelain steel
Master Shower:	Porcelain tile 16" X 32"
Secondary Showers:	White, subway, ceramic tile
Mirrors:	• Mirrors cased with 3 1/2" trim casing
Master Shower Door:	Frameless, tempered glass
Chrome Hardware:	 Schlage, Kwickset or equivalent on doors 1 ¹/₄" knobs on cabinet doors 4"-5" drawer pulls on drawers
Hardwood Floors:	 Sand and finish 3¹/₂" oak 1st floor: total area 2nd floor: Hall, Game room, Guest bedroom Master bedroom, closets, Stairs, Landings 2nd floor: Hall, Game room, Guest bedroom

Ceramic Tile Floors:	BathroomsUtility room
Stairs:	Stained oak treadsPainted pine risers
Light Fixtures & Fans:	 Recessed- per plans Per attached Lighting Inc. selections
Electrical Trim:	Decor style switch trim plateStandard plugs
Computer Network Panel:	 5 phone jacks 5 TV CAT 5 hook-ups 2 pre-wire surround sounds (Game, Living) 1 pre-wire area for speakers (Back porch)
Appliances:	Allowance
Pre Wired Alarm System:	 2 key pads included Wiring for 1 additional keypad 1 Motion detector
Weather Stripping:	• All exterior doors and windows
Drives & Walkways:	4" reinforced concrete
Porch Floor Coverings:	Natural slate tile
Lot Drainage System:	Engineered drainage plan
Outside Sprinkler System:	6 zone sprinkler system
Landscaping:	 Professional design Shrubs, flowers in front Full sod front and back
Gutters:	Full gutter system
Fence:	• 7' cedar sides and back

SPECIFICATIONS SUBJECT TO CHANGE AT BUILDERS DISCRETION