U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Exoires February 28, 2009

Federal Emergency Menagement Agency
National Flood Insurance Program

Important: Read the instructions on pages 1-8.

		ATION 4 ANA-	ERTY INFORMA	TION	For Insurance Company Use:
		CHUM A - PRO	-LIVITIME ORMA	1	Policy Number
1. Building Owner's Name Metcarr					Company NAIC Number
2. Building Street Address (Including Apr., Unit, Stike, Shubbr Biog. NO.) 617-5.					COMPANY TONC HUMOS
City near Lake Jackson		56	_		
. Property Description (L 232, Block "H", Bulfalo C	ot and Block Numbers, Tax Parce amp Farms	Number, Legal De	escription, otc.)		
Building Usa (e.o. Res	idential, Non-Residential, Addition	, Accessory, etc.)	Residential		
le l'elument nonmule : le	N29" 03" 45.8" Long, W95" 28".	52.4"			tum: ⊠ NAC 1927 ☐ NAC 1983
. Attach at least 2 photos	graphs of the building if the Certific	cate is being used I	to obtain flood insur	ence.	
 Building Disgram Num! 	ber 1		A9. For a b	uilding with an attac	ned garage, provide:
 For a building with a cr Source footsce of 	will space or enclosure(s), provide crawl space or enclosure(s)	N/A sq ft	a) Sou	care footage of attac	hed garage <u>N/A</u> ^{sq π}
h) No of permanent f	lood openings in the crawl space (or	b) No.	of permanent flood	openings in the attached garage we adjacent grade <u>N/A</u>
enclosure(s) walls	within 1.0 foot above adjacent gra	de <u>N/A</u>		is within 1.0 foot 200 at not 2160 of floor (penings in A9.b <u>NA</u> \$9.10
c) Total net area of fic	ood openings in A8.b	N/A sq in			
	SECTION B - FLOO				B3. State
I. NFIP Community Name nincorporated & 48039C	e & Community Number	B2. County Na Brazoria			Texas
	B5. Suffix B6. FIRM Ind	lex 67.	FIRM Panel	B8. Flood	B9 Base Flood Elevation(s) (Zone
84, Map/Panel Number 485458 & 0615	Date 6-5-89		e/Revised Date 6-5-89	Zone(s) AE	AO, use base flood depth) 20.5'w/3'c
	the Base Flood Elevation (BFE) d	sta or base flood d	epth entered in Item	89.	
Indicate the source of	FIRM Community)etermined	Other (Describe)	
	- and the DEC in Item 89:	ZI NGVD 1929	□ NAVD 1988	Other (Describe)
i, ingrano erovation date 2. Is the building located	in a Coastal Barrier Resources S	ystem (CBRS) area	or Otherwise Prote	cted Area (OPA)?	□Yes □No
Designation Date	·	CBR\$	☐ OPA		
	SECTION C - BUILDIN	IC CLEVATION	NEORMATION O	SURVEY REQUIR	ED)
					☐ Finished Construction
. Building elevations are	based on: Construction Cate will be required when construction	موقعات مطيعها عبر سينمس	Building Under is complete.		4-
*A new Elevation Certif	улары ман ве проципал чител СОЛЬК	LANGUE OF STORY			LI ADVAC Complete Rems C2 8-0
	A30 AC AH A (with REF) VF V	/1-V30, V (with BF6	E), AR, AR/A, AR/AI	<u> </u>	H, MONO. Complete items of 5
Elevations – Zones A1- helow according to the	_A30, AE, AH, A (with BFE), VE, V	/1-V30, V (with 8F4), AR, AR/A, AR/AI	<u>:, ARVA1-A3U, ARVA</u>	A, APAO. Complete terms only 9
below according to the	A30, AE, AH, A (with BFE), VE, V building diagram specified in Item	/1-V30, V (WID BP) A7.	E), AR, AR/A, AR/AI	E, ARVAT-ASU, ARVA	A, ANAO. Cumpose Ramo Garage
below according to the	A30, AE, AH, A (with BFE), VE, V building diagram specified in Rem <u>N6832</u> Vertical Datum <u>NGVD 19</u>	/1-V30, V (WID BP) A7.	E), AR, AR/A, AR/AI		
below according to the Benchmark Utilized At	A30, AE, AH, A (with BFE), VE, V building diagram specified in Rem <u>N6832</u> Vertical Datum <u>NGVD 19</u>	/1-V30, V (WID BP) A7.	s), AR, ANA, ANA	Check the measure	ment used.
below according to the Benchmark Utilized Al Conversion/Comments	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19	71- V3 0, V (WID BPC 1 A7. <u>29</u>	20.54 🛭 20	Check the measure	ment used. to Rico only)
Benchmark Utilized At Conversion/Comments Top of bottom floor (inc. b) Top of the next his	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 children with the specified in Item NGVD 19 children with	71-V30, V (with Bird A7. 29 enclosura floor),	20.54 Ø fe	Check the measure tet meters (Puol pet meters (Puol	ment used. to Rico only) to Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc. b) Top of the next his c) Bottom of the low	A30, AE, AH, A (with BFE), VE, V building diagram specified in Rem N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (71-V30, V (with Bird A7. 29 enclosura floor),	20.54 Ø fe N/A Ø fe	Check the measure set meters (Puel set meters (Puel set meters (Puel	ment used. to Rico only) to Rico only) to Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 children NG	71-V30, V (with Bird A7. 29 enclosura floor), V Zones only)	20.54 Ø fe N/A Ø fe N/A Ø fe	Check the measure et meters (Puel	ment used. ita Rico anly) ito Rico anly) ito Rico anly) ito Rico anly)
below according to the Senchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next high Comments bettom of the lowest elevation of the lowest elevation of the services at Lowest eleva	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment service.	71-V30, V (with Bird A7. 29 enclosura floor), V Zones only)	20.54	Check the measure et meters (Puel	ment used. Ita Rico only)
below according to the Senchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (b) Lowest elevation (Cescribe type of	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servicing equipment in Comments)	71-V30, V (with Bird A7. 29 enclosura floor), V Zones only)	20.54	Check the measure et meters (Puel	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation ((Describe type of f) Lowest edjacent (A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG)	71-V30, V (with Bird A7. 29 enclosura floor), V Zones only)	20.54	Check the measure et meters (Puel	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the lowed Attached garage (e) Lowest elevation (Oescribe type of t) Lowest edjacent (f)	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG)	rt-V30, V (with Bre 1 A7 29 enclosura floor), V Zones only) ing the building	20.54	Check the measure et meters (Puel	ment used. Ito Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc. b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Oescribe type of f) Lowest edjacent (g) Highest adjacent	A30, AE, AH, A (with BFE), VE, V. building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (LAG)	enclosure floor), V Zones only) ing the building	20.54 Ø for N/A	Check the measure Let meters (Puel Let	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest edjacent (g) Highest adjacent	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and seeled by a land surveing the service of the	enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, encourts my basis	20.54 Signal Sig	Check the measure cet meters (Puel cet meters	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest edjacent (g) Highest adjacent	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and seeled by a land surveing the service of the	enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, encourts my basis	20.54 Signal Sig	Check the measure cet meters (Puel cet meters	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of f) Lowest edjacent (g) Highest adjacent This certification is to be a information. I cortify that if understand that any false	A30, AE, AH, A (with BFE), VE, V. building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG)	enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, encourts my basis	20.54 Signal Sig	Check the measure cet meters (Puel cet meters	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of 1) Lowest edjacent (g) Highest adjacent This certification is to be an formation. I contify that if unclorstand that any false	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and sealed by a land surveithe information on this Cortificate is estatement may be punishable by ints are provided on back of form.	enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, encourts my basis	20.54 Signal Sig	Check the measure set meters (Pueset meters (Puese	ment used. Ito Rico only)
below according to the Benchmark Utilized Al Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (Describe type of l) Lowest elevation (Oescribe type of l) Lowest edjacent (g) Highest adjacent This certification is to be a information. I contify that if unclorstand that any false Contifier's Name Terry Si	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment service equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and sealed by a land surver the information on this Cortificate in estatement may be punishable by this are provided on back of form.	enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, encourts my basis	20.54 S for N/A	Check the measure set meters (Pueset meters (Puese	ment used. Ita Rico only)
below according to the Benchmark Utilized At Conversion/Comments Top of bottom floor (inc b) Top of the next his c) Bottom of the low d) Attached garage (e) Lowest elevation (Describe type of 1) Lowest edjacent (g) Highest adjacent This certification is to be an formation. I contify that if unclorstand that any false	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and sealed by a land surver the information on this Cortificate is a statement may be punishable by ints are provided on back of form.	enclosure floor), 29 enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, engineer, or ar represents my basi	20.54	Check the measure set meters (Pueset meters (Puese	ment used. Ito Rico only)
below according to the Benchmark Utilized Al Conversion/Comments Top of bottom floor (inc. b) Top of the next his c) Bottom of the low d) Attached garage (inc. c) Lowest elevation (inc. c) Lowest elevation (inc. c) Lowest edjacent (inc. c) Highest edjacent (inc. c) Highest edjacent (inc. c) Contifers to be signification in to be significant on the contifers of the comment of th	A30, AE, AH, A (with BFE), VE, V building disgram specified in Item N6832 Vertical Datum NGVD 19 cluding basement, crawl space, or gher floor est horizontal structural member (top of slab) of machinery or equipment servici equipment in Comments) (finished) grade (LAG) (finished) grade (HAG) SECTION D - SURVE signed and sealed by a land surver the information on this Cortificate is a statement may be punishable by ints are provided on back of form.	enclosure floor), 29 enclosure floor), V Zones only) ing the building EYOR, ENGINEE yor, engineer, or ar represents my bost v fine or imprisonme	20.54	Check the measure set meters (Puel to dete available. CT CERTIFICATION (CT CERTIFIC	ment used. Ito Rico only)

Building Photographs See Instructions for Item A6.

· · · · · · · · · · · · · · · · · · ·	For insurance Company Osc.
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
Lana Coura Troit (aka C.R. 2140)	
	Company NAIC Number
City near Lake Jackson State TX ZIP CODE 77906	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page,



Front View All photos taken 09-05-2007




Rear View

Building Photographs Continuation Page

Continuation Fage	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 122 Fawn Trail (aka C.R. 214C)	Policy Number
City near Lake Jackson State Tx ZIP Code 77566	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



Allstate.

11/22/2004

JACK TAYLOR 628 DIXIE DRIVE # A CLUTE TX 77531-5116

REF:

1805174479

No Longer Eligible for the Preferred Risk Policy

Insured Name:

JERRY METCALF

Property Address:

122 FAWN TRAIL

LAKE JACKSON TX 77566

A National Flood Insurance Program (NFIP) regulation regarding Preferred Risk Policy (PRP) eligibility affects the above policy. NFIP regulations are not specific to Allstate Insurance Company. They extend to all insurance companies writing flood insurance through the NFIP.

Prior to May 1998, eligibility for a PRP required the building to be located within a non-special flood hazard zone (B, C, or X) at the time the policy was originally written. If a zone change occurred after the original effective date of the policy, the insured was allowed to continue using the original zone and keep the PRP. This rule is called "grandfathering".

Effective May 1, 1998, the NFIP no longer allows "grandfathering" of the PRP. However, the zone may be "grandfathered" under a Standard Policy. When the NFIP notifies our office that a property is no longer eligible for a PRP due to a zone revision, the PRP is canceled and rewritten to a Standard policy using the non-special flood hazard zone.

The above-referenced policy was identified as ineligible by the NFIP. This PRP policy has been cancelled and the premium has been applied to a new Standard Policy. To issue the new Standard policy with the same coverage as the PRP, additional premium is due. An underpayment letter has been sent under a separate cover. If the additional premium is not received within 30 days from the date of the underpayment letter, coverage on the new Standard Policy will be reduced to equal the amount of premium.

If you choose to dispute the zone revision, please submit a current copy of one of the following documents:

- A flood zone determination
- A copy of the Flood Insurance Rate Map (FIRM) and panel verifying the zone and property location
- An elevation certificate
- A letter from a Community Official on business letterhead

Disputes can be mailed to: Allstate Flood, PO Box 34200, Bethesda, MD 20827 or faxed to (301) 571-7711, **Attn: PRP Zone Dispute**. Allstate will submit disputes to the NFIP on behalf of the insured. Action will be taken based upon the NFIP's decision.

Underwriting Department Allstate Flood Insurance