U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

2018060900 ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

01110110.		
Expiration	Date: July 31,	2015

	SECTION	A – PROPEI	RTY INFORI	MATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name ALTURA HOME	S		_		Rolley Number
A2. Building Street Address (including Apt., L 1403 103RD STREET	Jnit, Suite, and/or Bldg. N	No.) or P.O. Re	oute and Box	No.	Company NAIC Number:
City GALVESTON		State TX	ZIP Code	77551	en omerske medet elker mann in former elker men elker men en e
A3. Property Description (Lot and Block Num LOT 49, BAY MEADOWS	bers, Tax Parcel Numbe	г, Legal Descr	ription, etc.)		
	24.879 Horizonta ling if the Certificate is be sure(s): osure(s) N/A in the crawlspace adjacent grade N/A	al Datum: eing used to ol sq ft sq in	NAD 1927 btain flood ins A9. For a a) S b) N w c) T d) E	urance. a building with an atta Guare footage of atta lumber of permanen vithin 1.0 foot above fotal net area of flood Engineered flood ope	ached garage <u>N/A</u> sq ft t flood openings in the attached garage adjacent grade <u>N/A</u> l openings in A9.b <u>N/A</u> sq in nings? Yes No
			I E WAF (FII	RIVI) INFORIVIA I IC	<u> </u>
B1. NFIP Community Name & Community Nur CITY OF GALVESTON 485469		ounty Name /ESTON	_		B3. State TX
B4. Map/Panel Number B5. Suffix 485469 0019	B6. FIRM Index Date 12/06/2002	Effective/R	RM Panel Revised Date ER 6, 2002	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
B11. Indicate elevation datum used for BFE in B12. Is the building located in a Coastal Barrier	r Resources System (CB	_ 1 ⊠ e	Other/Source: NAVD 1988 Otherwise Prot	Other/Source:	 ☐ Yes ⊠ No
Designation Date:		CBRS	□ OPA		
SECTION	C – BUILDING ELEV	CBRS ATION INFO	□ OPA		
SECTION	C - BUILDING ELEV Construction Drawings when construction of the lith BFE), VE, V1-V30, Vocified in Item A7. In Pure Verations in items a) through	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: 1 h) below.	DRMATION Building Und complete. R, AR/A, AR//, enter meters	(SURVEY REQUITED TO SURVEY REQUI	RED) Solution AH, AR/AO. Complete Items C2.a–h
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation below used for building elevations must be.	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Pure the item of the it	ATION INFO * The building is of (with BFE), A Therefore a confunction only tical Datum: Therefore a confunction only for the BFE.	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929	(SURVEY REQUIDER Construction* AE, AR/A1-A30, AR. NAVD 1988	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used.
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation Datum used for building elevations must be a) Top of bottom floor (including basement,	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Pure the item of the it	ATION INFO * The building is of (with BFE), A Therefore a confunction only tical Datum: Therefore a confunction only for the BFE.	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929	(SURVEY REQUIDER Construction* AE, AR/A1-A30, AR. ∴ NAVD 1988 □ C Check	RED) AH, AR/AO. Complete Items C2.a—h Other/Source: k the measurement used. Greet meters
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. c) Bottom of the lowest horizontal structura.	C – BUILDING ELEV Construction Drawings of when construction of the original of the original of the street or the	ATION INFO * The building is of (with BFE), A erto Rico only, tical Datum: I the below. for the BFE.	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929	(SURVEY REQUIDED CONSTRUCTION* AE, AR/A1-A30, AR. BANAVD 1988 □ C Check Check A. A.	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used.
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will be below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. C) Bottom of the lowest horizontal structural d). Attached garage (top of slab).	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Purations in items a) through the same as that used in the crawlspace, or enclosured member (V Zones only)	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: I h) below. for the BFE. re floor)	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929	(SURVEY REQUI: er Construction* AE, AR/A1A30, AR. S. ☑ NAVD 1988 ☐ C Check A. A. A.	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used. feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will be below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. C) Bottom of the lowest horizontal structuration of the lowest elevation of machinery or equipm. (Describe type of equipment and location.)	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Purations in items a) through the same as that used in the same as that used in the same as that used in the same as the same as that used in the same as that used in the same as the same as that used in the same as	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: I h) below. for the BFE. re floor)	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929 16. N// N// 16.	(SURVEY REQUI: er Construction* AE, AR/A1A30, AR. NAVD 1988	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used. feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (with below according to the building diagram space benchmark Utilized: GPS w/ OPUS Check Indicate elevation datum used for the elevation datum used for the elevation datum used for building elevations must be a) Top of bottom floor (including basement, b) Top of the next higher floor c) Bottom of the lowest horizontal structuration d) Attached garage (top of slab) e) Lowest elevation of machinery or equipm (Describe type of equipment and location f) Lowest adjacent (finished) grade next to	C – BUILDING ELEV Construction Drawings d when construction of the lith BFE), VE, V1–V30, Voccified in Item A7. In Purations in items a) through the same as that used in the same as that used in the same as the lith of th	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: I h) below. for the BFE. re floor)	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929 16. N// N// 16.	(SURVEY REQUI: er Construction* AE, AR/A1-A30, AR. NAVD 1988	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used. feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will be below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. C) Bottom of the lowest horizontal structuration of the lowest elevation of machinery or equipm. (Describe type of equipment and location.)	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Purations in items a) through the same as that used in the same as that used in the same as the	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: ! h) below. for the BFE. re floor)	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929 16. N// N// 16. 4.2 4.9	(SURVEY REQUI: er Construction* AE, AR/A1A30, AR. NAVD 1988 Check Check 4. 4. 5.	RED) AH, AR/AO. Complete Items C2.a-h Other/Source: K the measurement used. Geet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevational Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. C) Bottom of the lowest horizontal structural d). Attached garage (top of slab). e) Lowest elevation of machinery or equipmed (Describe type of equipment and locations). Lowest adjacent (finished) grade next to g). Highest adjacent (finished) grade next to the context adjacent grade at lowest elevation.	C – BUILDING ELEV Construction Drawings d when construction of the other construction of the other construction of the other construction of the other construction of the same as that used the same as the sa	CBRS ATION INFO * ne building is of (with BFE), A erto Rico only tical Datum: I h) below. for the BFE. re floor) g ding structural	DRMATION Building Und complete. R, AR/A, AR//, enter meters NAVD 1988 NGVD 1929 16. N// N// 16. 4.2 4.9 I support	(SURVEY REQUI: er Construction* AE, AR/A1-A30, AR. NAVD 1988	RED) AH, AR/AO. Complete Items C2.a—h Other/Source: K the measurement used. Feet meters feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (will below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevational Datum used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. C) Bottom of the lowest horizontal structural d). Attached garage (top of slab). e) Lowest elevation of machinery or equipmed (Describe type of equipment and locations). Lowest adjacent (finished) grade next to g). Highest adjacent (finished) grade next to the context adjacent grade at lowest elevation.	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, V pecified in Item A7. In Purventions in items a) through the same as that used in the same as that used in crawlspace, or enclosured member (V Zones only) and member (V Zones only) in the servicing the building in in Comments) building (LAG) to building (HAG) on of deck or stairs, included in the same as Certificate represents in the punishable by fine or implicate of form.	cBRS *	Building Und complete. R, AR/A, AR/A, enter meters NAVD 1988 NGVD 1929 16. N/A N/A 16. L support N/A R ARCHITE tauthorized by to interpret the der 18 U.S. Congitude in Se	(SURVEY REQUI) er Construction* AE, AR/A1A30, AR Check A A CT CERTIFICATION y law to certify elevance data available. ode, Section 1001. ection A provided by	Finished Construction AH, AR/AO. Complete Items C2.a—h Other/Source: At the measurement used. Feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (with below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation datum used for the elevation used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor. c) Bottom of the lowest horizontal structuration of the lowest horizontal structuration d). Attached garage (top of slab). e) Lowest elevation of machinery or equipm (Describe type of equipment and location f). Lowest adjacent (finished) grade next to g). Highest adjacent (finished) grade next to h). Lowest adjacent grade at lowest elevation. Section SECTION This certification is to be signed and sealed by information. I certify that the information on this I understand that any false statement may be p. Check here if comments are provided on the statement of the comments are provided on the comments of the	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, V pecified in Item A7. In Purventions in items a) through the same as that used in the same as that used in crawlspace, or enclosured member (V Zones only) and member (V Zones only) in the servicing the building in in Comments) building (LAG) to building (HAG) on of deck or stairs, included in the same as Certificate represents in the punishable by fine or implicate of form.	cBRS (ATION INFO the building is of (with BFE), A certo Rico only tical Datum: I to h) below. The floor of the BFE. The floor of the	Building Und complete. R, AR/A, AR/A, enter meters NAVD 1988 NGVD 1929 16. N/A N/A 16. L support N/A R ARCHITE tauthorized by to interpret the der 18 U.S. Congitude in Se	(SURVEY REQUI: er Construction* AE, AR/A1A30, AR. NAVD 1988 Check Check A. A. CT CERTIFICATION y law to certify elevation and available. ode, Section 1001. ection A provided by Yes No	Finished Construction AH, AR/AO. Complete Items C2.a—h Other/Source: At the measurement used. Feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (with below according to the building diagram spanding to the building diagram spanding to the delevation datum used for the elevation datum used for building elevations must be a) Top of bottom floor (including basement, b) Top of the next higher floor c) Bottom of the lowest horizontal structuration d) Attached garage (top of slab) e) Lowest elevation of machinery or equipm (Describe type of equipment and location f) Lowest adjacent (finished) grade next to g) Highest adjacent (finished) grade next to h) Lowest adjacent grade at lowest elevation by information. I certify that the information on this I understand that any false statement may be p. Check here if comments are provided on the Check here if attachments. Certifier's Name DAVID J. BAGGETT	C – BUILDING ELEV Construction Drawings d when construction of the ith BFE), VE, V1–V30, V pecified in Item A7. In Purventions in items a) through the same as that used in the same as that used in crawlspace, or enclosured member (V Zones only) and member (V Zones only) in the servicing the building in in Comments) building (LAG) to building (HAG) on of deck or stairs, included in the same as Certificate represents in the punishable by fine or implicate of form.	cBRS (ATION INFO the building is cooking to the BFE. The building is cooking to the BFE. The building is cooking to the BFE. The floor only The building is cooking to the BFE. The floor of the BFE.	DRMATION Building Und complete. R, AR/A, AR/A, enter meters NAVD 1988 NGVD 1929 16. N// N// 16. 4.2 4.9 I support It authorized by to interpret the der 18 U.S. Congitude in Seyor?	(SURVEY REQUI: er Construction* AE, AR/A1-A30, AR. Check A. A. CT CERTIFICATION y law to certify elevane data available. ode, Section 1001. ection A provided by Yes \(\Boxed{\text{No}}\) No 6226	Finished Construction AH, AR/AO. Complete Items C2.a-h Other/Source: k the measurement used. feet
SECTION C1. Building elevations are based on: *A new Elevation Certificate will be required. C2. Elevations – Zones A1–A30, AE, AH, A (with below according to the building diagram sp. Benchmark Utilized: GPS w/ OPUS Check. Indicate elevation datum used for the elevation datum used for the elevation used for building elevations must be a). Top of bottom floor (including basement, b). Top of the next higher floor c). Bottom of the lowest horizontal structural d). Attached garage (top of slab). e) Lowest elevation of machinery or equipm (Describe type of equipment and location f). Lowest adjacent (finished) grade next to g). Highest adjacent (finished) grade next to h). Lowest adjacent grade at lowest elevation. SECTION This certification is to be signed and sealed by information. I certify that the information on this I understand that any false statement may be p. Check here if comments are provided on the Check here if attachments.	C – BUILDING ELEV Construction Drawings d when construction of the other construction of the ith BFE), VE, V1–V30, Voccified in Item A7. In Pure attentions in items a) through the the same as that used in the same as that used in the same as that used in the same as th	CBRS (ATION INFO the building is of (with BFE), A certo Rico only tical Datum: I to h) below. The floor) In h) below. The floor of the BFE. The floor of t	Building Und complete. R, AR/A, AR/A, enter meters NAVD 1988 NGVD 1929 16. N// N// 16. 4.2 4.9 I support N// R ARCHITE tauthorized by to interpret the der 18 U.S. Congitude in Seyor?	(SURVEY REQUI: er Construction* AE, AR/A1-A30, AR. Check A. A. CT CERTIFICATION y law to certify elevane data available. ode, Section 1001. ection A provided by Yes \(\Boxed{\text{No}}\) No 6226	Finished Construction AH, AR/AO. Complete Items C2.a-h Other/Source: K the measurement used. Feet meters feet feet

ELEVATION CERTIFICATE, page 2 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE

mir otti mitti matoso opacos, copy and con coponant	,		Q ₁	CONTINUORIZANOE GOMEANT COL	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. N 1403 103RD STREET	lo.) or P.O. Route a	nd Box No.		Policy Number:	
City GALVESTON	State TX	ZIP Code 775	551	Company NAIC Number:	
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)					
Copy both sides of this Elevation Certificate for (1) community official. (2) insurance agent/company, and (3) building owner.					
Comments 1) Elevations taken from GPS with OPUS RS Check. 2) Lowest machinery servicing building is a HVAC us					
Signature	Date	9 06/26/2013			
SECTION E - BUILDING ELEVATION INFORMATION	N (SURVEY NOT	REQUIRED) F	OR ZONE AO	AND ZONE A (WITHOUT BFE)	
For Zones AO and A (without BFE), complete Items E1–E5. If the and C. For Items E1–E4, use natural grade, if available. Check the E1. Provide elevation information for the following and check the grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or each of the complete of the c	e measurement use e appropriate boxes enclosure) is enclosure) is	d. In Puerto Ric to show whethe	o only, enter meter the elevation is set	ers. above or below the highest adjacent above or below the HAG. above or below the LAG.	
 E2. For Building Diagrams 6–9 with permanent flood openings processing (elevation C2.b in the diagrams) of the building is	feet r meters abo building is top of the bottom flo	neters	re or ☐ below th r the HAG. ☐ meters ☐ ab ccordance with the	e HAG. ove or □ below the HAG.	
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION					
The property owner or owner's authorized representative who com or Zone AO must sign here. The statements in Sections A, B, and	npletes Sections A, I E are correct to the	B, and E for Zon best of my knov	e A (without a FE	MA-issued or community-issued BFE)	
Property Owner's or Owner's Authorized Representative's Name					
Address	City		State	ZIP Code	
Signature	Date		Telepho	one	
Comments				☐ Check here if attachments	
SECTION G - CO	MMUNITY INFOR	RMATION (OP	PTIONAL		
The local official who is authorized by law or ordinance to administer to fithis Elevation Certificate. Complete the applicable item(s) and sign	he community's floor	plain managem	ent ordinance can	complete Sections A, B, C (or E), and G	
G1. The information in Section C was taken from other docume is authorized by law to certify elevation information. (Indicated by law to certify elevation information).	entation that has be	en signed and s	sealed by a licens	ed surveyor, engineer, or architect who	
G2. A community official completed Section E for a building to				•	
G3. The following information (Items G4–G10) is provided for					
G4. Permit Number G5. Date Permit Issued		G6. Date C	Certificate Of Com	pliance/Occupancy Issued	
67. This permit has been issued for: New Construction	Substantial Ir	mprovement			
68. Elevation of as-built lowest floor (including basement) of the b		_ lfeet	☐ meters	Datum	
69. BFE or (in Zone AO) depth of flooding at the building site:		feet	☐ meters	Datum	
610. Community's design flood elevation:	 `	feet	meters meters	Datum	
Local Official's Name	T	itle			
Community Name	Т	elephone			
Signature	D	ate			
Comments					
				Check here if attachments.	

ELEVATION CERTIFICATE, page 3

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1403 103RD STREET

City GALVESTON

State TX

ZIP Code 77551

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

Front View - 06/25/2013



ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 1403 103RD STREET	.) or P.O. Route	and Box No.	Policy Number:
City GALVESTON	State TX	ZIP Code 77551	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

Rear View - 06/25/2013

