

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2019

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT: 146 Hansom Trail St, Spring, Texas 77382

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller \square is \boxtimes is not occupying the property. If unoccupied (by Seller), how long since Seller has occupied the Property? 1week-August 7 2020 (approximate date) or \square never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This Notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Υ	N	U	Item	Υ	N	U	Item	Υ	N	U
Cable TV Wiring	Х			Liquid Propane (LP) Gas		Х		Pump: ☐ sump ☐ grinder		Х	
Carbon Monoxide Det.		Х		- LP Community (Captive)		Х		Rain Gutters	Х		
Ceiling Fans	X			- LP on Property		Х		Range/Stove	X		
Cooktop	Х			Hot Tub	Х			Roof/Attic Vents	Х		
Dishwasher	Х			Intercom System		Х		Sauna	Х		
Disposal	X			Microwave	Х			Smoke Detector	Х		
Emergency Escape Ladder(s)		Х		Outdoor Grill	Х			Smoke Detector Hearing Impaired		Х	
Exhaust Fan	Х			Patio/Decking	Х			Spa	Х		
Fences	X			Plumbing System	Х			Trash Compactor		Х	
Fire Detection Equipment	Х			Pool	Х			TV Antenna		Х	
French Drain	Х			Pool Equipment	Х			Washer/Dryer Hookup	Х		
Gas Fixtures	Х			Pool Maint. Accessories	Х			Window Screens	Х		
Natural Gas Lines	Χ			Pool Heater	Х			Public Sewer System	Χ		

Item	Υ	N	U	Additional Information
Central A/C	Χ			☑ electric ☐ gas number of units: 1 unit
Evaporative Coolers		Х		number of units:
Wall/Window AC Units		Χ		number of units:
Attic Fan(s)			Х	if yes, describe:
Central Heat	Χ			□ electric ⊠ gas number of units: 1 unit
Other Heat		Х		if yes, describe:
Oven	Χ			number of ovens: 1 oven □ electric ☒ gas
Fireplace & Chimney	Х			⊠wood □ gas log □mock ☒ Wood burning gas line installed but
Fireplace & Chilling	^			no logs
Carport		Х		□ attached □ not attached
Garage	Χ			□ attached □ not attached
Garage Door Openers	Χ			number of units: 2 number of remotes: 2
Satellite Dish & Controls		Х		□ owned □ leased from:
Security System			X	□ owned □ leased from:
Solar Panels		Х		□ owned □ leased from:
Water Heater	Χ			□ electric ⊠ gas number of units: 1



Water Softener		Х	□ owned □ leased from:
Other Leased Item(s)		Х	if yes, describe:
Underground Lawn Sprinkler	Х		
Septic / On-Site Sewer Facility		Х	if Yes, attach Information About On-Site Sewer Facility.(TXR-1407)
Was the Property built before 1978?		yes	□ MUD □ co-op □ unknown □ other:es ☒ no □ unknown 906 concerning lead-based paint hazards).
Roof Type: Composite (Shingles)			Age: 12 (approximate)
Is there an overlay roof covering on covering)? ☐ Yes ☒ No ☐ Unknown		Pr	roperty (shingles or roof covering placed over existing shingles or roof
Are you (Seller) aware of any of the defects, or are in need of repair?			listed in this Section 1 that are not in working condition, that have ⊠ No If Yes, describe:
Section 2. Are you (Seller) aware	of -		y defects or malfunctions in any of the following?: (Mark Vec (V) if
you are aware and No (N) if you a		-	y defects or malfunctions in any of the following?: (Mark Yes (Y) if taware.)
			,

Item	Υ	N
Basement		Х
Ceilings		Х
Doors	X	
Driveways		Х
Electrical Systems		Χ
Exterior Walls		Χ

Item	Υ	N
Floors	Х	
Foundation / Slab(s)		Χ
Interior Walls	Х	
Lighting Fixtures		X
Plumbing Systems		X
Roof		Х

Item	Υ	N
Sidewalks		Χ
Walls / Fences		Χ
Windows		X
Other Structural Components		Χ

If the answer to any of the items in Section 2 is Yes, explain (attach additional sheets if necessary):

Floors – Wood flooring has several damaged areas due to indoor house pets (dogs)

Doors – French doors need to be reset properly, escape of heat and ac air and door sticks

Interior Walls – Walls need to be repaired in several rooms (front breakfast room, dining room, entry area, and hallway to bedrooms) Also wood under kitchen sink has water damage and may need to be replaced.

Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Υ	N
Aluminum Wiring		Х
Asbestos Components		Х
Diseased Trees: ☐ Oak Wilt		Х
Endangered Species/Habitat on Property		Х
Fault Lines		Х
Hazardous or Toxic Waste		Х
Improper Drainage		Х
Intermittent or Weather Springs		Х
Landfill		Х
Lead-Based Paint or Lead-Based Pt. Hazards		Х
Encroachments onto the Property		Х

Condition	Υ	N
Radon Gas		Х
Settling		Х
Soil Movement		Х
Subsurface Structure or Pits		Х
Underground Storage Tanks		Х
Unplatted Easements		Х
Unrecorded Easements		Х
Urea-formaldehyde Insulation		X
Water Damage Not Due to a Flood Event	X	
Wetlands on Property		Х
Wood Rot	Х	



Improvements encroaching on others' property		Х
Located in Historic District		Х
Historic Property Designation		Х
Previous Foundation Repairs		Х
Previous Roof Repairs	X	
Previous Other Structural Repairs	X	
Previous Use of Premises for Manufacture of		V
Methamphetamine		^

Active infestation of termites or other wood destroying insects (WDI)	Х	
Previous treatment for termites or WDI	Х	
Previous termite or WDI damage repaired		Х
Previous Fires	Х	
Termite or WDI damage needing repair	Х	
Single Blockable Main Drain in Pool/Hot Tub/Spa*		Х

If the answer to any of the items in Section 3 is Yes, explain:

Previous Roof Repairs – Roof completely replaced in 2008/2009 after Hurricane Ike hit in September roof finished early 2009

Previous Other Structural Repairs – Approximately 1/2was taken down to the studs and redesigned by architect and rebuilt after Hurricane Ike in 2008, house completed in 2009.

Water Damage Not Due to a Flood Event – Due to Hurricane lke and large tree falling on the house. Everything was replaced.

Wood Rot – An area on two of the wood studs supporting the pergola. No wood rot in home.

Active infestation of termites or other wood destroying insects (WDI) – Once again...the wood studs supporting the pergola at the base show some signs of termite damage. I am not aware if termites are present or not. No damage to house structure itself.

Previous treatment for termites or WDI – Had Pest Arrest spray for all insects twice a month up until last year.

Previous Fires – The anchor stud to the pergola that has the wood damage caught on fire due to grilling of food. Had repairman come out and said the stud only had superficial fire damage. No other fires.

Termite or WDI damage needing repair – Perhaps one of the anchor studs supporting pergola needs to be replaced.

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice?

⊠ Yes □ No If Yes, explain:

Pool auto fill is not working. The RO water filtration system needs the filters replaced. Ice maker and water dispenser on refrigerator does not work.

Section 5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

Υ	N .
	Present flood insurance coverage (if yes, attach TXR 1414).
	Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
	☑ Previous flooding due to a natural flood event (if yes, attach TXR 1414).
	☑ Previous water penetration into a structure on the Property due to a natural flood event (if yes, attach TXR 1414).
	☑ Located ☐ wholly ☐ partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR) (if yes, attach TXR 1414).



Concerning the Property at 146 Hansom Trail St, Spring, Texas 77382
□ ⊠ Located □ wholly □ partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
□ ⊠ Located □ wholly □ partly in a floodway (if yes, attach TXR 1414).
□ ⊠ Located □ wholly □ partly in flood pool.
□ ⊠ Located □ wholly □ partly in a reservoir.
If the answer to any of the above is yes, explain:
*For purposes of this notice:
"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.
"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.
"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.
"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).
"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.
"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to
retain water or delay the runoff of water in a designated surface area of land.
Section 6. Have you (Seller) ever filed a claim for flood damage to the Property with any insurance provider, including the National Flood Insurance Program (NFIP)?* □Yes ☒ No If yes, explain (attach
additional sheets as necessary):
*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the structure(s).
Section 7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business
Administration (SBA) for flood damage to the Property? □Yes ☒ No If yes, explain (attach additional sheets as necessary):
Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)
Y N
(TXR-1406) 09-01-19 Initialed by: Buyer:, and Seller: MP, Prepared with Sellers Shield Page 4 of 7 Prepared with Sellers Shield

permitted by law to perform inspections? □Yes ☒ No

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 11. Check any tax exemption(s) which you (Seller) currently claim for the Property:



Concerning the Property at 146 Hansom	Trail St, Spring, Texas 77382			
⊠ Homestead	☐ Senior Citizen	☐ Disabled		
☐ Wildlife Management	☐ Agricultural	☐ Disabled Veteran		
☐ Other:		□ Unknown		
Section 12. Have you (Seller) with any insurance provider? ☑ Yes □ No	ever filed a claim for dam	age, other than flood damage, to the Property		
• • • • • • • • • • • • • • • • • • • •	insurance claim or a set	or a claim for damage, other than flood damage, tlement or award in a legal proceeding) and not m was made? ⊠ Yes □ No		
Insurance company claim after H	urricane Ike in 2008/2009.			
		tectors installed in accordance with the smoke safety Code?* ⊠ Yes □ No □ Unknown		
*Chapter 766 of the Health and St	ofaty Code requires one family	or two family dwallings to have working smoke detectors		

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.



Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person	, including the
broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.	

Margaret Shann		08/16/2020	0: 1		
Signature of Seller		Date	Signati	ire of Seller	Date
Printed Name: Margaret Shannon Prueser		Printed	Printed Name:		
ADDITIONAL NOTICE	S TO BUYER:				
registered sex offe	enders are located in	n certain zip code	areas. To s		h, at no cost, to determine it risit <u>www.txdps.state.tx.us</u> . For al police department.
high tide bordering (Chapter 61 or 63 permit may be re	the Gulf of Mexico, , Natural Resources	the Property may code, respectively improvements.	be subject to y) and a bea Contact the	the Open Beaches A achfront construction	within 1,000 feet of the mean ct or the Dune Protection Act certificate or dune protection ith ordinance authority over
Texas Department and hail insurance information, please	t of Insurance, the P e. A certificate of co	roperty may be sub mpliance may be r Regarding Windst	oject to addit equired for roormand Ha	tional requirements to repairs or improvemer il Insurance for Certai	a by the Commissioner of the obtain or continue windstorm ots to the Property. For more n Properties (TAR 2518) and
zones or other ope Installation Compa	erations. Information tible Use Zone Stud	relating to high noi y or Joint Land Use	se and comp Study prep	patible use zones is avared for a military insta	air installation compatible use vailable in the most recent Air allation and may be accessed hich the military installation is
. ,	our offers on square i any reported informa	-	ents, or bou	ndaries, you should ha	ive those items independently
(6) The following provide	ders currently provide	e service to the Prop	perty:		
Electric:	Entergy		Phone #	N/A	
Sewer:	Mud		Phone #	N/A	
Water:	The Woodlands wa	ater	Phone #	N/A	
Cable:	Xfinity		Phone #	N/A	
Trash:	W/M included in m	ud payments	Phone #	N/A	
Natural Gas:	Centerpoint Energy	y	Phone #	N/A	
Phone Company:	N/A only cellphone	!	Phone #	N/A	
Propane:	N/A		Phone #	N/A	
Internet:	Xfinity		Phone #	N/A	
and correct and h		believe it to be fa	lse or inacc		ve relied on this notice as true ICOURAGED TO HAVE AN
The undersigned Buyer	acknowledges recei	pt of the foregoing ı	notice.		
Signature of Buyer		Date	Signatur	re of Buyer	Date

Prepared with Sellers Shield