CONCERNING THE PROPERTY AT



SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2019

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

1402 Sapphire Shores, Willis TX 77378

AS OF THE DATE S	SIG UY	NE ER	D M	BY AY	SE WIS	LLE 3H T	R AND IS NOT O OBTAIN. IT IS	A	SUE	3ST	THE CONDITION OF THE PROI TITUTE FOR ANY INSPECTION ARRANTY OF ANY KIND BY SE	IS	0	R
Seller ☑ is ☐ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? ☐(approximate date) or ☐ never occupied the Property														
Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).) This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.														
Item	Υ		U		lten	1		Y	N	U	Item	Y	N	U
Cable TV Wiring	\mathbf{V}				Liqu	ıid F	Propane Gas:		\bigvee		Pump: ☐ sump ☐ grinder		\bigvee	
Carbon Monoxide Det.	\mathbf{V}				-LP	Cor	mmunity (Captive)		\mathbf{V}		Rain Gutters	V		
Ceiling Fans	\mathbf{V}				-LP	on	Property		\bigvee		Range/Stove		\checkmark	
Cooktop	\mathbf{V}				Hot	Tub)				Roof/Attic Vents		\bigvee	
Dishwasher	\mathbf{V}				Inte	rcor	n System				Sauna		\checkmark	
Disposal	V				Micı	OWa	ave	\mathbf{V}			Smoke Detector	abla		
Emergency Escape		\square			Out	doo	r Grill		abla		Smoke Detector – Hearing			П
Ladder(s)											Impaired			
Exhaust Fans	\square			_			ecking	\checkmark						
Fences	\mathbf{V}			_			ng System					_		
Fire Detection Equip.					Poo				∇					
French Drain							_l uipment				11 0.01.01, 21 / 01 110 0110.5			
Gas Fixtures				_			aint. Accessories					V		
Natural Gas Lines	\bigvee				Poo	ΙHε	eater		\mathbf{V}		Public Sewer System		\checkmark	
Item				Υ	l NI	U	Addition	al.	Info	rm	otion			\neg
Central A/C				1	N	0	☑ electric ☐ gas				er of units:3			_
							number of units:	•	Hui	IIDE	er or urins. 3			-
Evaporative Coolers														
Wall/Window AC Units				_										
Attic Fan(s)											_			
Central Heat														
Other Heat Oven														
Fireplace & Chimney				M										
Carport														
Garage														
Garage Door Openers				\square										
Satellite Dish & Controls														
Security System				∇										
Solar Panels					□ ☑ □ □ owned □ leased from									
Water Heater														
Water Softener														
Other Leased Item(s) □ □ □ if yes, describe:														
(TXR-1406) 09-01-19		lı	nitial	ed b	y: B	uyer	: a	nd S	Selle	r:	gre ge Page	1 (of 6	 ;

1:04 PM CST dotloop verified dotloop verified

Underground Lawn Sprinkler □ ☑ □ □ a								
Septic / On-Site Sewer Facility 🛛 🗖 🗖 if yes, attach Information About On-Site Sewer Facility (TXR-1407)								
Water supply provided by: ☐ city ☐ well ☐ M				nkno	own ☑ other: <u>T&W</u>			
Was the Property built before 1978? ☐ yes ☑					d == = = = d= \			
(If yes, complete, sign, and attach TXR-1906	COL		•	asec	• /	ima	ر ۵+	
Roof Type: tile Age: 7 (approximate) Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof								
covering)? ves no unknown	y (Si	iirigie	S 01 1001 C	ovei	ning placed over existing sningles	o OI	100	
Are you (Seller) aware of any of the items liste						at h	ave	
defects, or are need of repair? ☐ yes ☑ no If	yes	s, des	cribe (attac	ch a	dditional sheets if necessary):			
-								
Section 2. Are you (Seller) aware of any def			malfunctio	ns i	n any of the following? (Mark	Yes	; (Y	
if you are aware and No (N) if you are not awa	are.))						
Item Y N Item			YN	1	Item	Υ	N	
Basement \square \square Floors					Sidewalks		V	
	/ SI2	h(c)		_	Walls / Fences	H	V	
		iD(2)		_	Windows	H	V	
					Other Structural Components			
					Other Structural Components		\square	
3-7	/ster	ns						
Exterior Walls							<u> </u>	
If the answer to any of the items in Section 2 is y	es,	expla	ain (attach	add	itional sheets if necessary):			
Section 3. Are you (Seller) aware of any of	the	follo	owing con	diti	ons? (Mark Yes (Y) if you are	aw	·are	
Section 3. Are you (Seller) aware of any of and No (N) if you are not aware.)	the	follo	owing con	diti	ons? (Mark Yes (Y) if you are	aw	/are	
and No (N) if you are not aware.)	T				ons? (Mark Yes (Y) if you are			
and No (N) if you are not aware.) Condition	Υ	N	Condition	on	ons? (Mark Yes (Y) if you are	Υ	N	
and No (N) if you are not aware.) Condition Aluminum Wiring	Y	N	Condition Radon G	on	ons? (Mark Yes (Y) if you are	Y	N Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components	Y	N	Condition Radon G	on Gas		Y	N Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □	Y	N	Condition Radon G Settling Soil Mov	on Gas /eme	ent	Y	N Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property	Y	N	Condition Radon G Settling Soil Mov	on Gas veme	ent Structure or Pits	Y	N Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines	Y	N	Condition Radon Conservation Settling Soil Move Subsurfation Undergreen	on Gas veme ace	ent Structure or Pits d Storage Tanks	Y	N Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak wilt Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste	Y	N	Condition Radon G Settling Soil Mov Subsurfa Undergre Unplatte	on Gas /eme ace ounded Ea	ent Structure or Pits d Storage Tanks asements	Y	N Ø Ø	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage	Y	N	Condition Radon G Settling Soil Mov Subsurfa Undergra Unplatte Unrecord	on Gas /eme ace ound ed Ea	ent Structure or Pits d Storage Tanks asements Easements	Y	N V V V	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: aok wilt Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs	Y		Condition Radon Condition Settling Soil Move Subsurfa Undergree Unplatte Unrecord Urea-for	on Gas /eme ace oune d Ea ded male	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak wilt Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill	Y		Condition Radon Condition Settling Soil Move Subsurfa Undergra Unplatte Unrecord Urea-ford Water Da	on Gas /eme ace oune ed Ea ded male	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event	Y	N	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards	Y		Condition Radon G Settling Soil Mov Subsurfa Undergra Unplatte Unrecord Urea-for Water Da Wetland	on Sas /eme ace ounded Ea ded male amages	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property	Y		Condition Radon G Settling Soil Mov Subsurfa Undergra Unplatte Unrecord Urea-ford Water Da Wetland	on Gas veme ace ounded Eaded male ama s or ot	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event	Y	N	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards	Y		Condition Radon Condition Radon Condition Settling Soil Move Subsurfa Undergra Unplatte Unrecord Urea-for Water Do Wetland Wood Ro Active in	on Gas Veme ace oun ed Ea ded rmale ama as or ot finest	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event a Property tation of termites or other wood	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property	Y		Condition Radon Condition Radon Condition Settling Soil Move Subsurfat Undergrat Unplatte Unrecord Urea-ford Water Do Wetland Wood Rad Active in destroyin	vemerace ounded Eaded remails or other of the state of th	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event a Property tation of termites or other wood asects (WDI)	Y	N	
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District	Y		Condition Radon G Settling Soil Move Subsurfa Undergre Unplatte Unrecord Urea-ford Water Da Wetlanda Wood Re Active in destroyin	on Gas veme ace ounced Ea ded rmale ama is or ot fest reg irr	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood asects (WDI) atment for termites or WDI	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfa Undergra Unplatte Unrecord Urea-for Water Do Wetlands Wood Rad Active in destroyin Previous Previous	on Gas vemo ace ouno ded Ea ded mala s or ot fest ng ir	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfa Undergre Unplatte Unrecord Urea-for Water Do Wetland Wood Ro Active in destroyin Previous Previous	on Gas Veme ace ounded Ea ded Ea ded sor out infest ing irr s tre s ter s Fir	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired es	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Roof Repairs	Y		Conditional Radon Gradon Grado	vemerace ounded Eaded amales or ot of streets ter or V	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired es WDI damage needing repair	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfat Undergree Unplatte Unrecord Urea-for Water Do Wetlands Wood Re Active in destroyin Previous Previous Previous Termite of Single En	on Gas veme ace ounced Ea ded rmale ama is or ot nfest ng ir s tre s ter or V Bloc	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired es	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Other Structural Repairs	Y		Conditional Radon Gradon Grado	on Gas veme ace ounced Ea ded rmale ama is or ot nfest ng ir s tre s ter or V Bloc	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired es WDI damage needing repair	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Other Structural Repairs Previous Use of Premises for Manufacture	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfat Undergree Unplatte Unrecord Urea-for Water Do Wetlands Wood Re Active in destroyin Previous Previous Previous Termite of Single En	on Gas veme ace ounced Ea ded rmale ama is or ot nfest ng ir s tre s ter or V Bloc	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood nsects (WDI) atment for termites or WDI mite or WDI damage repaired es WDI damage needing repair	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Other Structural Repairs Previous Use of Premises for Manufacture of Methamphetamine	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfa Undergre Unplatte Unrecord Urea-for Water Do Wetland Wood Re Active in destroyin Previous Previous Termite Single En	on Gas Veme dace ounced Eaded male male man s or ot fest tre s tre s Fir or V Bloc a*	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood asects (WDI) atment for termites or WDI mite or WDI damage repaired es VDI damage needing repair kable Main Drain in Pool/Hot	Y		
and No (N) if you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Other Structural Repairs Previous Use of Premises for Manufacture	Y		Condition Radon Condition Radon Condition Radon Condition Settling Soil Move Subsurfat Undergree Unplatte Unrecord Urea-for Water Do Wetlands Wood Re Active in destroyin Previous Previous Previous Termite of Single En	on Gas Veme dace ounced Eaded male male man s or ot fest tre s tre s Fir or V Bloc a*	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation age Not Due to a Flood Event n Property tation of termites or other wood asects (WDI) atment for termites or WDI mite or WDI damage repaired es VDI damage needing repair kable Main Drain in Pool/Hot	Y		

Terry Pool

Concerning the Property at 1402 Sapphire Shores, Willis TX 77378

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Minor water						
damage to ground floor guest bedroom ceiling from deck leak. It was dealt with immediately and repaired. Previous termite treatment report attached (annual contract)						
*A :	single blockable main drain may cause a suction entrapment hazard for an individual.					
of rep	on 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need air, which has not been previously disclosed in this notice? ☐ yes ☑ no If yes, explain (attach nal sheets if necessary):					
	on 5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and wholly or partly as applicable. Mark No (N) if you are not aware.)					
<u>Y</u> N □ ☑	Present flood insurance coverage (if yes, attach TXR 1414).					
	Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.					
	Previous flooding due to a natural flood event (if yes, attach TXR 1414).					
	Previous water penetration into a structure on the Property due to a natural flood event (if yes, attach TXR 1414).					
	Located wholly partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR) (if yes, attach TXR 1414).					
	Located ☐ wholly ☐ partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).					
	Located ☐ wholly ☐ partly in a floodway (if yes, attach TXR 1414).					
	Located ☐ wholly ☐ partly in a flood pool.					
	Located ☐ wholly ☐ partly in a reservoir.					
If the a	nswer to any of the above is yes, explain (attach additional sheets as necessary):					
*Fe	or purposes of this notice:					
whi	00-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, ich is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, ich is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.					
are	0-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard a, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, ch is considered to be a moderate risk of flooding.					
	ood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is ject to controlled inundation under the management of the United States Army Corps of Engineers.					
	ood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency Ier the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).					
"⊏!/	nodway" means an area that is identified on the flood insurance rate man as a regulatory floodway, which includes the channel of					

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

(TXR-1406) 09-01-19

Initialed by: Buyer: _____ and Seller:



Page 3 of 6

pr	ovide	6. Have you (Seller) ever filed a claim for flood damage to the Property with any insurance r, including the National Flood Insurance Program (NFIP)?* ☐ yes ☑ no If yes, explain (attach al sheets as necessary):
	Even risk, a	es in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the ure(s).
Αc	lminis	7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business stration (SBA) for flood damage to the Property? ☐ yes ☑ no If yes, explain (attach additional s necessary):
		8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) re not aware.)
<u>Y</u>	N ☑	Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time.
Ø		Homeowners' associations or maintenance fees or assessments. If yes, complete the following: Name of association: ELPOA Manager's name: Fees or assessments are: \$570 per annum and are: ☑ mandatory ☐ voluntary Any unpaid fees or assessment for the Property? ☐ yes (\$) ☑ no If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
	Ø	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following: Any optional user fees for common facilities charged? □ yes ☑ no If yes, describe:
		Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
		Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
		Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	\square	Any condition on the Property which materially affects the health or safety of an individual.
		Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
		Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
	Ø	The Property is located in a propane gas system service area owned by a propane distribution system retailer.
		Any portion of the Property that is located in a groundwater conservation district or a subsidence district.
lf t	he an	swer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary):
(T)	(R-1406	6) 09-01-19 Initialed by: Buyer: and Seller: 96 Page 4 of 6

		hire Shores, Willis TX 7737	0	
Section 9. Selle	er Ølhas □	has not attached a su	rvey of the Property.	
Section 10. With persons who re	in the last 4 gularly provi	4 years, have you (Se ide inspections and v	eller) received any written ins who are either licensed as ins no If yes, attach copies and com	pectors or other
Inspection Date	Туре	Name of Inspect	or	No. of Pa
09/01/2020	Termite	Orkin		1
Section 11. Chec ☑ Homestead	A buyer she	ould obtain inspections femption(s) which you ☐ Senior Citizen	ts as a reflection of the current co from inspectors chosen by the buy (Seller) currently claim for the I Disabled	yer.
☐ Wildlife Mar ☐ Other:	nagement	☐ Agricultural	☐ Disabled Veteran ☐ Unknown	
			ard in a legal proceeding) and n ☐ yes ☑ no If yes, explain:	
Section 14. Doe detector require	es the Proper	the claim was made?	we detectors installed in accordand Safety Code?* □ unknown	dance with the sn
Section 14. Doe detector requires or unknown, expla	es the Properments of Chain. (Attach and the Health and ordance with the mance, location, a	rty have working smokapter 766 of the Health dditional sheets if neces	we detectors installed in accordand Safety Code?* □ unknown	dance with the sn
Chapter 766 of installed in according perform in your area, you A buyer may rea family who will impairment from seller to install s	es the Properments of Charain. (Attach and ordance with the mance, location, and may check unknown a licensed physimoke detectors	rty have working smokapter 766 of the Health dditional sheets if neces and power source requirement and power source requirement and power source requirement install smoke detectors for the velling is hearing-impaired; (ician; and (3) within 10 days a for the hearing-impaired and	we detectors installed in accordand Safety Code? unknown sary):	dance with the sn n □ no ☑ yes. Orking smoke detector, the dwelling is located the requirements in effect member of the buyer's vidence of the hearing a written request for the
Chapter 766 of installed in accounting perform in your area, you A buyer may red family who will impairment from seller to install s who will bear the	es the Properments of Charain. (Attach and International Authority of the Health and International I	rty have working smokapter 766 of the Health dditional sheets if neces are requirements of the building and power source requirement and power source requirement and power source requirement install smoke detectors for the velling is hearing-impaired; (ician; and (3) within 10 days a for the hearing-impaired and of the smoke detectors and what tatements in this notice astructed or influenced statements.	we detectors installed in accordand Safety Code? unknown sary): mily or two-family dwellings to have we go code in effect in the area in which the standard in the same in t	dance with the sr
Chapter 766 of installed in according perform in your area, you. A buyer may rea family who will impairment from seller to install swho will bear the Seller acknowledgincluding the broken.	es the Properments of Charain. (Attach and International Authority of the Health and International I	rty have working smokapter 766 of the Health dditional sheets if neces are requirements of the building and power source requirement and power source requirement and power source requirement install smoke detectors for the velling is hearing-impaired; (ician; and (3) within 10 days a for the hearing-impaired and of the smoke detectors and what tatements in this notice astructed or influenced statements.	we detectors installed in accordand Safety Code? unknown sary): mily or two-family dwellings to have we go code in effect in the area in which the standard building official for more information. The hearing impaired if: (1) the buyer or a 2) the buyer gives the seller written extern the effective date, the buyer makes a specifies the locations for installation. The internal of smoke detectors to install. are true to the best of Seller's be	dance with the sr
Chapter 766 of installed in according perform in your area, you A buyer may rea family who will impairment from seller to install swho will bear the Seller acknowledgincluding the brol material informatic	es the Properments of Charain. (Attach and ordance with the mance, location, a may check unknown a licensed physimoke detectors a cost of installing ges that the sixer(s), has in on.	rty have working smokapter 766 of the Health dditional sheets if neces a requirements of the building and power source requirement nown above or contact your location in the smoke detectors for the velling is hearing-impaired; (ician; and (3) within 10 days a for the hearing-impaired and of the smoke detectors and what tatements in this notice	we detectors installed in accordant Safety Code? unknown sary): milly or two-family dwellings to have we go code in effect in the area in which the state of the same of the	dance with the sr n □ no ☑ yes. Drking smoke detector the dwelling is located the requirements in effect widence of the buyer vidence of the hearing a written request for the The parties may agree lief and that no permation or to omit dottoop verifie 11/18/20.1:19 PMWU-FWXP-0
Chapter 766 of installed in accounting perform in your area, you A buyer may red family who will impairment from seller to install s who will bear the Seller acknowledgincluding the brol material informatic	es the Properments of Charain. (Attach and ordance with the mance, location, a may check unknown a licensed physiomoke detectors a cost of installing ges that the sixer(s), has in on.	rty have working smokapter 766 of the Health dditional sheets if neces are requirements of the building and power source requirement nown above or contact your lot install smoke detectors for the velling is hearing-impaired; (ician; and (3) within 10 days a for the hearing-impaired and of the smoke detectors and what tatements in this notice astructed or influenced structed or influenced. Contact C	we detectors installed in accordand Safety Code? unknown sary): mily or two-family dwellings to have we go code in effect in the area in which the standard building official for more information. We hearing impaired if: (1) the buyer or a (2) the buyer gives the seller written en feter the effective date, the buyer makes a specifies the locations for installation. In ich brand of smoke detectors to install. The area true to the best of Seller's be seller to provide inaccurate information. Genevieve Trene Brown	dance with the sr n no ves. Drking smoke detector the dwelling is located to requirements in effect widence of the buyer widence of the hearing a written request for the The parties may agree lief and that no permation or to omit

(TXR-1406) 09-01-19

Initialed by: Buyer:

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

items independently measured to verify any	y reported information.	
(6) The following providers currently provide se	ervice to the Property:	
Electric:Entergy	phone #:	
Sewer:Conroe Septic		
Water:T7W		
Cable: being installed by Suddenlink	phone #:	
Trash:Santek		
Natural Gas:Centrepopint		
Phone Company:		
Propane:		
Internet:Rise Broadband	phone #:	
this notice as true and correct and have	eted by Seller as of the date signed. The brokers have no reason to believe it to be false or inaccurate. YOR OF YOUR CHOICE INSPECT THE PROPERTY. of the foregoing notice.	
Signature of Buyer	Date Signature of Buyer	Date
Printed Name:	Printed Name:	

and Seller:

dotloop verified dotloop verif

Page 6 of 6