O.M.B. No. 3067-0077 Expires July 31, 1999

95-33452

ELEVATION CERTIFICATE -

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
	MATINEZ				
350 & CL	EST BAYO			1	COMPANY NAIG NUMBER
OTHER DESCRIPTION (Lot and 1		DIE-C			
_ AUT 8, B	WCK 46,	SHERE	KER-65		
CITY				STATE	ZIP CODE
SHURE M				767	
			ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See	instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
485510	1085	J	11/6/86	AE	11
 Indicate the elevation dat 8. For Zones A or V, where the community's BFE: 	no BFE is provided of	n the FIRM, a	nd the community has est	ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILD	NG ELEVATION INFORM	MATION	
of L. L. Z fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below L. (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in acco 3. Indicate the elevation dat under Comments on Page the FIRM [see Section is equation under Comment. 4. Elevation reference marks. 5. The reference level elevation case this certificate will of	allding's reference levials. AE, AH, and A (with INF) (or other FIFVE, and V (with BFE) is at an elevation of INFE). The floor used the highest grade at adjacent to the build redance with the commum system used in die 2). (NOTE: If the B, Item 7], then converte on Page 2.) It used appears on Fixtion is based on: Attorn drawings is only the valid for the build provided in the state of the state of the state on the state on the state on the state of the state on the state of the stat	el () BFE). The top M datum—see The bottom I d as the refore djacent to the trence level from ling. If no flood munity's floodp etermining the elevation datule or the elevation RM: [] Yes [actual constri- valid If the building during the	of the reference level floor Section B, Item 7). of the lowest horizontal st feet NGVD (or other FIF ince level from the selecte building. In the selected diagram is didepth number is available lain management ordinant above reference level elem used in measuring the elem to the datum system used. No (See Instructions of section [] construction diding does not yet have the	reference level of the selected ructural member of the datum—see See deflagram is 1. In the second of the second o	of diagram is at an elevation of the reference level from oction B, Item 7).
will be required once con: 6. The elevation of the lower			e building is:	.IST feet NGVD (or other FIRM datum-see
Section B, Item 7).					
	s	ECTION D C	OMMUNITY INFORMATION	N	
If the community official is not the "lowest floor" a floor" as defined by the case. Date of the start of const.	s defined in the commodinance is: 1 1 1 1	nunity's floodp	lain management ordinan NGVD (or other FIRM dat	ce, the elevation	of the building's "lowest
FEMA Form 81-31, AUG		ALL PREVIOUS E		SEE REV	PERSE SIDE FOR CONTINUATION


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with 8FE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-broakaway wall, enclosure size, location of servicing equipment, area uso, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the Information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

BILLY L. SHANKS	
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)
LAND SURVEYOR	R SHANKS SURVEYERS
TITLE	GOMPANY NAME
1414 WAUECREST	UN HUSTURY 76-X 77062
ADDRESS Siely & Shile	CITY 4/29/87 281-488-1486
SIGNATURE	DATE PHONE
Copies should be made of this Certifica	ate for: 1) community official, 2) insurance agent/company, and 3) building owner.
	ate for: 1) community official, 2) insurance agent/company, and 3) building owner.
	ate for: 1) community official, 2) insurance agent/company, and 3) building owner.
Copies should be made of this Certification	ate for: 1) community official, 2) insurance agent/company, and 3) building owner.
	nte for: 1) community official, 2) insurance agent/company, and 3) building owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.