ELEVATION CERTIFICATE

Important: Read the instructions on pages 1–9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	SECTION A – PROPERTY INFORM	IATION FOR INSURANCE COMPANY USE						
A1. Building Owner's Name Gary Rose		Policy Number:						
A2. Building Street Address (including Apt., Unit, Suit 133 Capetown St	e, and/or Bldg. No.) or P.O. Route and Box N	lo. Company NAIC Number:						
City Montgomery	State Tx ZIP Code	77356						
A3. Property Description (Lot and Block Numbers, Ta APRIL SOUND 07, BLOCK 59, LOT 5	x Parcel Number, Legal Description, etc.)							
 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u> A5. Latitude/Longitude: Lat. <u>N 30.3764</u> Long. <u>W 95.6180</u> Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number <u>1</u> A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A within 1.0 foot above adjacent grade N/A c) Total net area of flood openings in A8.b d) Engineered flood openings? Yes X0 								
SECTION B -	FLOOD INSURANCE RATE MAP (FIR	M) INFORMATION						
B1. NFIP Community Name & Community Number Montgomery County 480483	B2. County Name Montgomery	B3. State Texas						
	M Index Date /19/1996 B7. FIRM Panel Effective/Revised Date 12/19/1996	B8. FloodB9. Base Flood Elevation(s) (ZoneZone(s)AO, use base flood depth)AE203.0						
 ☐ FIS Profile ☑ FIRM ☐ Comn B11. Indicate elevation datum used for BFE in Item B9 B12. Is the building located in a Coastal Barrier Resou Designation Date: <u>N/A</u> 	—	Other/Source: ected Area (OPA)?						
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
SECTION C - BU	JILDING ELEVATION INFORMATION	SURVEY REQUIRED)						
 C1. Building elevations are based on: Const *A new Elevation Certificate will be required when C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in 	truction Drawings*	er Construction* ⊠ Finished Construction NE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h						
 Building elevations are based on: Const *A new Elevation Certificate will be required when Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I 	truction Drawings*	er Construction* ⊠ Finished Construction NE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h						
 C1. Building elevations are based on: Const *A new Elevation Certificate will be required when a C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in Datum used for building elevations must be the sai a) Top of bottom floor (including basement, crawls) b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) 	truction Drawings*	er Construction [*] ⊠ Finished Construction AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h ⊠ NAVD 1988 ⊠ Other/Source: <u>Adj 2012</u> Check the measurement used. 3.3 ⊠ feet □ meters 3.1 ⊠ feet □ meters 4.1 ⊠ feet □ meters 5.1 ∑ feet □ meters 5.1 ∑ feet □ meters						
 C1. Building elevations are based on: Const *A new Elevation Certificate will be required when a C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in Datum used for building elevations must be the sai a) Top of bottom floor (including basement, crawlsp) Top of the next higher floor c) Bottom of the lowest horizontal structural memb 	truction Drawings*	er Construction* Image: Finished Construction AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h Image: AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h <t< td=""></t<>						
 C1. Building elevations are based on: Const *A new Elevation Certificate will be required when a C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in Datum used for building elevations must be the sait a) Top of bottom floor (including basement, crawlsg b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building g) Highest adjacent grade at lowest elevation of de 	truction Drawings*	er Construction* Image: Finished Construction AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Image: AR/A1-A30, AR/AH, AR/AO. Complete Items C3.a-h Image: AR/A1-A30, AR/AH, AR/AO. Complete Items C3.a-h Image: AR/A1-A30, AR/AH, AR/AO. Complete Items C3.a-h <t< td=""></t<>						
 C1. Building elevations are based on: □ Const *A new Elevation Certificate will be required when a C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in Datum used for building elevations must be the sait a) Top of bottom floor (including basement, crawlsg b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Corf) Lowest adjacent (finished) grade next to building g) Highest adjacent grade at lowest elevation of demonstration. <i>I certify that the information on this Certific I understand that any false statement may be punisha</i> ⊠ Check here if attachments. 	truction Drawings*	er Construction* Image: Finished Construction AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h Image: AR/A1-A30, AR/AH, AR/AO. Complete Items AR/AO. Comp						
 C1. Building elevations are based on: □ Const *A new Elevation Certificate will be required when a C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) below according to the building diagram specified i Benchmark Utilized: <u>AJ6405(HGCSD81)</u> Vertical I Indicate elevation datum used for the elevations in Datum used for building elevations must be the sait a) Top of bottom floor (including basement, crawlsg b) Top of the next higher floor c) Bottom of the lowest horizontal structural memb d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment ser (Describe type of equipment and location in Cor f) Lowest adjacent (finished) grade next to building g) Highest adjacent grade at lowest elevation of demonstration. <i>I certify that the information on this Certific I understand that any false statement may be punisha</i> Check here if attachments. Certifier's Name Barry D. Adkins 	truction Drawings* Building Underconstruction of the building is complete. b, VE, V1–V30, V (with BFE), AR, AR/A, AR/A in Item A7. In Puerto Rico only, enter meters Datum: NAVD88 items a) through h) below. NGVD 1929 me as that used for the BFE. pace, or enclosure floor) 208 er (V Zones only) N/A vicing the building 209 g (LAG) 201 g (HAG) 213 ck or stairs, including structural support 203 URVEYOR, ENGINEER, OR ARCHITE 204 surveyor, engineer, or architect authorized by cate represents my best efforts to interpret the ble by fine or imprisonment under 18 U.S. Color form. Were latitude and longitude in See licensed land surveyor? License Number Nere latitude and longitude in See licensed land surveyor?	er Construction* Image: Finished Construction AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h Image: AR/AH, AR/AO. Complete Items AR/AH, AR/AH, AR/AH, AR/AO. Complete Items AR/AH, A						

ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding i	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 133 Capetown St	Policy Number:		
City Montgomery	State Tx	ZIP Code 77356	Company NAIC Number:

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments C2e is an outside air-conditioning unit. The information on this certificate is intended for flood insurance on the structure(s) surveyed and shall not be used or relied upon for any other purpose, nor utilized for any other structure.

\cap		. /	·
Signature 5	Qle	ek	

Date 06/26/2013

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1.	Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent
	grade (HAG) and the lowest adjacent grade (LAG).

	a) Top of bottom floor (including basement, crawlspace, or enclosure) is	🛛 feet 🔲 meters 🗌 above or 🗌 below the HAG.
	b) Top of bottom floor (including basement, crawlspace, or enclosure) is	☐ feet ☐ meters ☐ above or ☐ below the LAG.
L O	For Duilding Disgrams C. Quilth norman and flood an animal may ided in Castion Alterna Q	and/an O (and manage O O of Instructions) the next high and

E2.	2. For Building Diagrams 6–9 with permanent flood openings provide	ed in Section A Items 8 and/or 9 (see pages 8–9 of Instructions), the next higher floor
	(elevation C2.b in the diagrams) of the building is N/A.	feet meters above or below the HAG.

E3.	Attached	garage	(top of slab)	is <u>N/A</u>	 \boxtimes	feet	meters	🗋 above o	r∐t	below the	HAG.		
							 		_			 	

E4.	I op ot	t platforn	n of ma	achinery	/ and/or	equipment	servicing	g the building is	<u>N/A</u>	🖂 feet	☐ meters	☐ above or	below the HAG.
_													

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name

Address	City	State	ZIP Code
Signature	Date	Telephone	

Comments

Check here if attachments.

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued		G6. Date (Certificate Of Co	ompliance/Occupancy Issued		
G7. This permit has been issued for:	New Construction Substa	antial Impr					
G8. Elevation of as-built lowest floor (inc	cluding basement) of the building:	:	feet	l meters	Datum		
G9. BFE or (in Zone AO) depth of floodi	ng at the building site:	.	🗌 feet	meters	Datum		
G10. Community's design flood elevation	:		🗌 feet	meters	Datum		
Local Official's Name		Title					
Community Name		Tele	Telephone				
Signature		Date					
Comments							
					Check here if	attachments	

ELEVATION CERTIFICATE, page 3

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No. 133 Capetown St	Policy Number:		
City Montgomery	State Tx	ZIP Code 77356	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.





ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 133 Capetown St			Policy Number:
City Montgomery	State Tx	ZIP Code 77356	Company NAIC Number:
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs			

with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



