# **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION	FOR INSURANCE COMPANY USE				
A1. Building Owner's Name MAZMUDIN & ROZMIN KESHWANI	Policy Number:				
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1 MAGNOLIA BEND DR.	Company NAIC Number:				
City HOUSTON State TX ZIP Code 77024					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 1, BAYOU BEND ESTATES (HCAD ACCT, NO. 1149960010001)					
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>RESIDENTIAL</u> A5. Latitude/Longitude: Lat. <u>29°45'38.20"N</u> Long. <u>95°30'01.84"W</u> A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.         A7. Building Diagram Number <u>1B</u> A8. For a building with a crawlspace or enclosure(s):         A9. For a building with a crawlspace or enclosure(s):         A9. Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade         Number of permanent flood openings in A8.b         A7. Total net area of flood openings in A8.b         A8. Por total net area of flood openings?         A8. Por total net area of flood openings?         A9. Por a building with an attached garage         A9. N/A sq ft         B0. Number of permanent flood openings in the crawlspace         B0. Number of permanent flood openings in A8.b         B0. N/A         B0. Pogineered flood openings?         A9. Por a building with a rare of flood openings?         A9. Por a building with a crawlspace         B					
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATIO	DN				
B1. NFIP Community Name & Community NumberB2. County NameCITY OF HUNTERS CREEK VILLAGE - 480298HARRIS	B3. State TEXAS				
B4. Map/Panel Number 48201C0645B5. Suffix LB6. FIRM Index Date JUNE 18, 2007B7. FIRM Panel Effective/Revised Date JUNE 18, 2007B8. Flood Zone(s) 	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 52.0'				
B11. Indicate elevation datum used for BFE in Item B9: □ NGVD 1929       ☑ NAVD 1988       ☑ Other/Source         B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?       □ CBRS       □ OPA	Yes 🖾 No				
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUI					
<ul> <li>C1. Building elevations are based on: □ Construction Drawings* □ Building Under Construction* ⊠ Finished Construction * A new Elevation Certificate will be required when construction of the building is complete.</li> <li>C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u></li> <li>Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ⊠ NAVD 1988 ⊠ Other/Source: <u>2001 ADJ</u></li> </ul>					
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ⊠ NAVD 1988 ⊠ (					
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: HCFRM NO.210125         Vertical Datum: NAVD 1988         Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ (Datum used for building elevations must be the same as that used for the BFE.					
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: HCFRM NO.210125       Vertical Datum: NAVD 1988         Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ 0         Datum used for building elevations must be the same as that used for the BFE.         a) Top of bottom floor (including basement, crawlspace, or enclosure floor)       59.92         b) Top of the next higher floor       71.92         c) Bottom of the lowest horizontal structural member (V Zones only)	Other/Source: 2001 ADJ				
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ⊠ NAVD 1988 ⊠ ( Datum used for building elevations must be the same as that used for the BFE. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) <u>59.92</u> b) Top of the next higher floor <u>71.92</u> c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) <u>54.39</u>	Other/Source: <u>2001 ADJ</u> k the measurement used. feet meters feet meters feet meters feet meters feet meters feet meters				
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ (Datum used for building elevations must be the same as that used for the BFE.       NAVD 1988 ☑ (Datum used for building elevations must be the same as that used for the BFE.         a) Top of bottom floor (including basement, crawlspace, or enclosure floor)       59.92         b) Top of the next higher floor       71.92         c) Bottom of the lowest horizontal structural member (V Zones only)	Dther/Source: 2001 ADJ         k the measurement used.         is feet       meters				
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ of Datum used for building elevations must be the same as that used for the BFE.       NAVD 1988 ☑ of Datum used for building elevations must be the same as that used for the BFE.         a) Top of bottom floor (including basement, crawlspace, or enclosure floor)       59.92         b) Top of the next higher floor       71.92         c) Bottom of the lowest horizontal structural member (V Zones only)	A the measurement used. A the measurement used. A feet meters A				
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: <u>HCFRM NO.210125</u> Vertical Datum: <u>NAVD 1988</u> Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ of Datum used for building elevations must be the same as that used for the BFE.       Check         a) Top of bottom floor (including basement, crawlspace, or enclosure floor)       59.92       Check         b) Top of the next higher floor       71.92       Check       Check         c) Bottom of the lowest horizontal structural member (V Zones only)       54.39       Check       Check         d) Attached garage (top of slab)       54.39       54.39       Check       S3.82       Check         g) Highest adjacent (finished) grade next to building (LAG)       53.82       S9.82       Check       S9.82       Check       S9.82       Check       S9.82       Check       S9.82       Check       S9.82       Check or stairs, including structural support       49.55       S9.82       Check or stairs, including structural support       49.55       S9.82       Check here if comments or this Certificate represents my best efforts to interpret the data available.       I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.       Check here if comments are provided on back of form.       Were latitude and longitude in Section A provided by	a   Dther/Source: 2001 ADJ ek the measurement used.   Image: second structure   Image: second structure   Image: second structure   Description:   Image: second structure   Description: Image: second structure I				
below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.         Benchmark Utilized: HCFRM NO.210125       Vertical Datum: NAVD 1988         Indicate elevation datum used for the elevations in items a) through h) below. □ NGVD 1929 ☑ NAVD 1988 ☑ 0         Datum used for building elevations must be the same as that used for the BFE.       Chect         a) Top of bottom floor (including basement, crawlspace, or enclosure floor)       59.92         b) Top of the next higher floor       71.92         c) Bottom of the lowest horizontal structural member (V Zones only)	A the measurement used. A the measurement used. A feet meters A				

Signature

Telephone 713-895-8080

Date 8/6/2015

### **ELEVATION CERTIFICATE**, page 2

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bld 1 MAGNOLIA BEND DR	Policy Number:		
City HOUSTON	State TX	ZIP Code 77024	Company NAIC Number:

## SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments C2e. Pool Equipment. Benchmark - HCFRM NO. 210125 = TOP OF HCFCD BRASS DISK STAMPED "W100-BM21" IN EAST SIDEWALK OF VOSS RD. BRIDGE OVER BUFFALO BAYOU. ELEVATION = 58.80 FEET (NAVD 1988, 2001 ADJ.)

Signature

Date 8/6/2015

#### SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1.	Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent
	grade (HAG) and the lowest adjacent grade (LAG).
	a) Top of bottom floor (including basement, crawlspace, or enclosure) is 🗍 feet 🗌 meters 🗋 above or 🗋 below the HAG.
	b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet feet devices above or below the LAG.
E2.	For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor
	(elevation C2.b in the diagrams) of the building is [feet meters above or below the HAG.
E3.	Attached garage (top of slab) is feet 🗌 meters 🗋 above or 🗌 below the HAG.
	Tap of platform of machinery and/or aquipment convising the building in

⊑4.	Top of plation of machinery	anu/or equ	upment servicing	ine building is _			Delow the HAG.

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

#### SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name

Address	City	State	ZIP Code
Signature	Date	Telephone	

Comments

Check here if attachments.

#### SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. The following information (Items G4–G10) is provided for community floodplain management purposes.


G4. Permit Number	G5. Date Permit Issued	G6. Date	Certificate Of C	ompliance/Occupancy Issued	
G7. This permit has been issued for:	New Construction     Substantial Ir	nprovement			]
G8. Elevation of as-built lowest floor (in	cluding basement) of the building:	feet	meters	Datum	
G9. BFE or (in Zone AO) depth of flood	ling at the building site:	feet	meters	Datum	
G10. Community's design flood elevation	n:	feet	meters	Datum	
Local Official's Name	Т	tle			
Community Name	T	elephone			
Signature	D	ate			
Comments					
				Check here if attach	ıments.

# **ELEVATION CERTIFICATE, page 3**

# Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. N 1 MAGNOLIA BEND DR	Policy Number:		
City HOUSTON	State TX	ZIP Code 77024	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



# **ELEVATION CERTIFICATE**, page 4

# **Building Photographs**

Continuation Page

# IMPORTANT: In these spaces, copy the corresponding information from Section A.

····· •········ •······ •······			
Building Street Address (including Apt., Unit, Suite, and/or Bldg 1 MAGNOLIA BEND DR	. No.) or P.O. Route a	and Box No.	Policy Number:
City HOUSTON	State TX	ZIP Code 77024	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



POOL AREA



FOR INSURANCE COMPANY USE