

## LEGAL DESCRIPTION

ALL THAT CERTAIN 145.022 acre tract or parcel of land lying and being situated in the John W. Kenney Survey, Abstract 242, the John Fitzgibbons Survey, Abstract 37 and the Richard Graham Survey, Abstract 171, Austin County, Texas, being all of that same parcel said to contain 145.022 acres conveyed to Highway 36 Venture, LLC by instrument recorded in File #1739250 of the Official Public Records of Austin County (O.P.R.A.C.). Said 145.022 acre tract being more particularly described by metes and bounds as follows:

BEGINNING at a 1/2 inch iron rod found in the northeast right of way line of State Highway 36 (Volume 223, Page 327 and Volume 223, Page 328, Deed Records of Austin County (D.R.A.C.)) for the south corner of a tract said to contain 8.217 acres conveyed to James Michael Krupala, et al by instrument recorded in File #102481 O.P.R.A.C., same being the west corner of the herein described tract;

THENCE with the southeast line of said James Michael Krupala, et al tract and the northwest line of the herein described tract, North 32°29'55" East, a distance of 1563.86 feet to a 1 1/2 inch iron pipe found, North 04°22'32" East, a distance of 764.11 feet to a 1/2 inch iron rod found and North 31°22'43" East, a distance of 114.43 feet to a 1/2 inch iron rod found;

THENCE with the east line of said James Michael Krupala, et al tract and the west line of the herein described tract, North 02°21'50" West, at 2200.08 feet pass a 1/2 inch iron rod found for the northeast corner of said James Michael Krupala, et al tract and the southeast corner of a tract said to contain 33.918 acres conveyed to Paul Thomas Krupala, Jr. by instrument recorded in File #102530 O.P.R.A.C. and continuing with the east line of said Paul Thomas Krupala, Jr. tract and the west line of the herein described tract, for a total distance of 3900.23 feet to a 1/2 inch iron rod set in the southwest line of the B.N.S.F. Railroad right of way (Volume W, Page 323 and Volume W, Page 336, D.R.A.C.);

THENCE with the southwest right of way of said railroad, South 28°02'34" East, a distance of 366.97 feet to a 1/2 inch iron rod found with cap marked "RPLS 4194";

THENCE with an offset in railroad right of way, North 24°52'14" East, a distance of 31.34 feet to a 1/2 inch iron rod set;

THENCE with the southwest right of way of said railroad, South 28°02'34" East, a distance of 89.74 feet to a 1/2 inch iron rod found with cap marked "RPLS 4194";

THENCE with the southwest right of way of said railroad, 50 feet from and parallel with the centerline of the main track, along a curve to the left having a central angle of 18°14'53", a radius of 5779.58 feet, an arc length of 1840.74 and a chord which bears South 37°03'06" East, a distance of 1832.97 feet to a 1/2 inch iron rod found with cap marked "RPLS 4194" for the northwest corner of a tract said to contain 25 acres conveyed to John Valton Sessums, III, et al and described by instrument recorded in Volume 134, Page 268, et seq. D.R.A.C. and the upper northeast corner of the herein described tract;

THENCE with the west line of said John Valton Sessums, III, et al tract and the east line of the herein described tract, South 02°33'27" West, a distance of 1114.64 feet to a 1/2 inch iron rod found with cap marked "RPLS 4194", South 16°48'27" West, a distance of 2636.55 feet to a 1/2 inch iron rod found with cap marked "RPLS 4194" and South 29°53'01" West, a distance of 24.00 feet to a grader blade found at a fence corner post for a reentrant corner of the herein described tract;

THENCE with the fenced and occupied common line between said John Valton Sessums, III, et al tract and the herein described tract, South 55°32'29" East, a distance of 517.12 feet to an axle found for the lower northeast corner of the herein described tract, in the northwest line of a tract said to contain 71 acres conveyed to John Valton Sessums, III, et al and described by instrument recorded in Volume 134, Page 105, et seq. D.R.A.C.;

THENCE with the west line of said called 71 acre John Valton Sessums, III, et al tract, South 31°49'50" West, a distance of 1712.92 feet to a point in a fence corner post found in the northeast right of way line of State Highway 36;

THENCE with the northeast right of way line of State Highway 36 along a curve to the right having a central angle of 02°46'12", a radius of 11394.00 feet, an arc length of 550.85 and a chord which bears North 36°11'27" West, a distance of 550.79 feet to a concrete highway monument found;

## STREET WIDENING EASEMENTS


Right—of—way easements for widening streets or improving drainage shall be maintained by the landowner until a street or drainage improvements are actually constructed on the property. The County has the right at any time to take possession of any street widening easement for construction, improvement or


## OWNER'S RESPONSIBILITIES


The building of all streets, bridges or culverts is the responsibility of the owners in accordance with the plans prescribed by Commissioners Court. Commissioners Court assumes no obligations to build or maintain any of the streets shown on this plat or of constructing any of the bridges or drainage improvements. Upon completion of all obligations by the Developer and written approval from the Commissioners Court, the County will assume full responsibility for maintenance of the streets. The County will assume no responsibility for the drainage ways or easements in the subdivision, other than those draining or protecting the streets.

The County assumes no responsibility for the accuracy of representations by other parties in this plat. Flood plain data, in particular, may change depending on subsequent development.

The owners of land covered by this plat must install at their own expense all traffic control devises and signage that may be required before the streets in the subdivision have finally been accepted for maintenance by the County.







FINAL PLAT OF CREEKWOOD SUBDIVISION

27 LOTS
A SUBDIVISION OF 145.022 ACRES
JOHN FITZGIBBONS SURVEY, ABSTRACT 37
RICHARD GRAHAM SURVEY, ABSTRACT 171
JOHN W. KENNEY SURVEY, ABSTRACT 242
AUSTIN COUNTY, TEXAS



203 S. JACKSON BRENHAM, TEXAS (979) 836-7937 FAX (979) 836-7936