

Jay Hicks Inspection Service
"STRUCTURAL & MECHANICAL INSPECTION REPORT"

COVER PAGE

(832) 867-6253

Alan Harper

Texas Real Estate Commission Professional License # 21133

Property Occupied
 Vacant
 Other

Client Present
 Owner Present
 Agent Present

Slab on Grade
 Pier and Beam
 Raised Foundation

New Construct
 Existing Property
 Historical Home

Client: **Charlotte Mills**

Property Address: **1216 9th Ave N**

City: **Texas City**

Pin # **191795A**

State **Texas**

Zip **77590**

Inspection Type: Structural Mechanical Structural/Mechanical

House is a **1** story dwelling. Supra Key Equipped Yes No

Date of Inspection: **March 28, 2019** Time **9:30** AM PM Term

Weather Conditions: Sunny Cloudy Windy Raining Thunder/Lightening

Reference:

Agent: **Becky Cornelius 713-208-1814**



Returned Checks \$50 plus all bank charges

Repair reinspection 1/2 inspection fee or \$100 minimum

THIS REPORT IS TO BE USED SOLELY FOR THE BENEFIT OF THE PROSPECTIVE CLIENT (ONLY) LISTED IN THIS REPORT. THIS REPORT IS NOT TRANSFERABLE TO ANY OTHER FUTURE CLIENTS OR INDIVIDUALS WITHOUT WRITTEN PERMISSION FROM JAY HICKS INSPECTION SERVICES.

This report is not a warrantee or guarantee of any kind. Consult your agent about warrantee companies.

PROPERTY INSPECTION REPORT

Jay Hicks Inspection Services

Prepared For: **Charlotte Mills**
 Concerning: **1216 9th Ave N**
 By: **Alan Harper** **191795A** **Texas** **77590**
TREC Licensed # 21133

This property inspection report may include an inspection agreement (contract), addenda, and other information related to property conditions. If any item or comment is unclear, you should ask the inspector to clarify the findings. It is important that you carefully read ALL the information. This report may not be complete without the attachments.

This inspection is subject to the rules ("Rules") of the Texas Real Estate Commission ("TREC"), which can be found at www.trec.texas.gov

The TREC Standards of Practice (Sections 535.227 - 535.233 of the rules) are the minimum standards for inspections by TREC licensed inspectors. An inspection addresses only those components and conditions which are present, visible, and accessible at the time of the inspection. While there may be other parts, components, or systems present, only those items specifically noted as being inspected were inspected. The inspector is NOT required to turn on decommissioned equipment, systems, utility services or apply an open flame or light a pilot to operate any appliance. The inspector is NOT required to climb over obstacles, move furnishings or or stored items. The inspection report may address issues that are code based or may refer to a particular code; however, this is NOT a code compliance inspection and does NOT verify compliance with a manufacturer's installation instructions. The inspection does NOT imply insurability or warrant ability of the structure or it's components. Although some safety issues may be addressed in this report, this inspection is NOT a safety/code inspection and the inspector is NOT required to identify all potential hazards.

In this report, the inspector shall indicate, by checking the appropriate boxes on the form, whether each item was inspected, not inspected, not present or deficient and explain the findings in the corresponding section in the body of the report form. The inspector must check the Deficient (D) box if a condition exists that adversely and materially affects the performance of a system or component or constitutes a hazard to life, limb or property as specified by the TREC Standards of Practice. General deficiencies include inoperability, material distress, water penetration, damage, deterioration, missing components, and unsuitable installation. Comments may be provided by the inspector whether or not an item is deemed deficient. The inspector is not required to prioritize or emphasize the importance of one deficiency over another.

Some items reported as Deficient may be considered life-safety upgrades to the property. For more information, refer to Texas Real Estate Consumer Notice Concerning Recognized Hazards or Deficiencies below.

THIS PROPERTY INSPECTION IS NOT A TECHNICALLY EXHAUSTIVE INSPECTION OF THE STRUCTURE, SYSTEMS OR COMPONENTS. The inspection may not reveal all deficiencies. A real estate inspection helps to reduce some of the risk involved in purchasing a home, but it cannot eliminate these risks, nor can the inspection anticipate future events or changes in performance due to changes in use or occupancy. It is recommended that you obtain as much information as is available about this property, including any seller's disclosures, previous inspection reports, engineering reports, building/remodeling permits, and reports performed for or by relocation companies, municipal inspection departments, lenders, insurers, and appraisers. You should also attempt to determine whether repairs, renovation, remodeling, additions, or other such activities have taken place at this property. It is not the inspector's responsibility to confirm that information obtained from these sources is complete or accurate or that this inspection is consistent with the opinions expressed in previous or future reports.

ITEMS IDENTIFIED IN THE REPORT DO NOT OBLIGATE ANY PARTY TO MAKE REPAIRS OR TAKE OTHER ACTIONS, NOR IS THE PURCHASER REQUIRED TO REQUEST THAT THE SELLER TAKE ANY ACTION. When a deficiency is reported, it is the client's responsibility to obtain further evaluations and/or cost estimates from qualified service professionals. Any such follow-up should take place prior to the expiration of any time limitations such as option periods. Evaluations by qualified tradesmen may lead to the discovery of additional deficiencies which may involve additional repair costs. Failure to address deficiencies or comments noted in this report may lead to further damage of the structure or systems and add to the original repair costs. The inspector is not required to provide follow-up services to verify that proper repair have been made.

Property conditions change with time and use. For example, mechanical devices can fail at any time, plumbing gaskets and seals may crack if the appliance or plumbing fixture is not used often, roof leaks can occur at any time regardless of the apparent condition of the roof, and the performance of the structure and the systems may change due to changes in use or occupancy, effects of weather, etc. These changes or repairs made to the structure after the inspection may render information contained herein obsolete or invalid. This report is provided for the specific benefit of the client named above and is based on observations at the time of the inspection. If you did not hire the inspector yourself, reliance on this report may provide incomplete or outdated information. Repairs, professional opinions or additional inspection reports may affect the meaning of the information in this report. It is recommended that you hire a licensed inspector to perform an inspection to meet your specific needs and to provide you with current information concerning this property.

TEXAS REAL ESTATE CONSUMER NOTICE CONCERNING HAZARDS OR DEFICIENCIES

Each year, Texans sustain property damage and are injured by accidents in the home. While some accidents may not be avoidable, many other accidents, injuries, and deaths may be avoided through the identification and repair of certain hazardous conditions. Examples of such hazards include:

- malfunctioning, improperly installed, or missing ground fault circuit protection (GFCI) devices for electrical receptacles in garages, bathrooms, kitchens, and exterior areas;
- malfunctioning arc fault protection (AFCI) devices;
- ordinary glass in locations where modern construction techniques call for safety glass;
- malfunctioning or lack of fire safety features such as smoke alarms, fire-rated doors in certain locations, and functional emergency escape and rescue openings in bedrooms;
- malfunctioning carbon monoxide alarms;
- excessive spacing between balusters on stairways and porches;
- improperly installed appliances;
- improperly installed or defective safety devices; and
- lack of electrical bonding and grounding.

To ensure that consumers are informed of hazards such as these, the Texas Real Estate Commission (TREC) has adopted **Standards of Practice requiring licensed inspectors to report these conditions as "Deficient" when performing an inspection for a buyer or seller, if they can be reasonably determined.**

These conditions may not have violated building codes or common practices at the time of the construction of the home, or **they may have been "grandfathered" because they were present prior to the adoption of codes prohibiting such conditions.** While the TREC Standards of Practice do not require inspectors to perform a code compliance inspection, TREC considers the potential for injury or property loss from the hazards addressed in the Standards of Practice to be significant enough to warrant this notice.

Contract forms developed by TREC for use by its real estate licensees also inform the buyer of the right to have the home inspected and can provide an option clause permitting the buyer to terminate the contract within a specified time. Neither the Standards of Practice nor the TREC contract forms require a seller to remedy conditions revealed by an inspection. The decision to correct a hazard or any deficiency identified in an inspection report is left to the parties to the contract for the sale or purchase of the home.

INFORMATION INCLUDED UNDER "ADDITIONAL INFORMATION PROVIDED BY INSPECTOR", OR PROVIDED AS AN ATTACHMENT WITH THE STANDARD FORM, IS NOT REQUIRED BY THE COMMISSION AND MAY CONTAIN CONTRACTURAL TERMS BETWEEN THE INSPECTOR AND YOU, AS THE CLIENT. THE COMMISSION DOES NOT REGULATE CONTRACTURAL TERMS BETWEEN PARTIES. IF YOU DO NOT UNDERSTAND THE EFFECT OF ANY CONTRACTURAL TERM CONTAINED IN THIS SECTION, OR ANY ATTACHMENTS, CONSULT AN ATTORNEY.

ADDITIONAL INFORMATION PROVIDED BY INSPECTOR

See the attached agreement page.

All directions are front street facing the house (front door).

Future performance can not be determined on any item(s).

If you have any concerns, you, the client named on this report, should contact technical personnel to evaluate any and all comments.

It is understood that my opinion and testing methods may differ from the opinions of other inspectors, contractors, or licensed technicians.

ATTENTION CLIENTS

Detailed limitations regarding the scope of this report are outlined in the attached

Inspection and Liability Limitation Agreement

located attached to this report

and on the **Foundation Information** section located on page 4 or 16 of this report.

THE REPORT IS INCOMPLETE IF THESE ITEMS ARE NOT ENCLOSED IN THIS REPORT.

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficiency

| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|----------------|
|---|----|----|---|----------------|

I. STRUCTURAL SYSTEMS


- Foundations

Comments: *large cracks in garage floor - photo*

- Type: concrete pier and beam block and beam raised foundation
Vantage Point not accessible crawled from sides using flashlight
 Foundation is performing as intended - Can not determine future performance

"Normal Settlement Indicated"

- Recommend professional foundation repair company inspect and repair as needed
- Previous foundation repairs indicated - see warranty for details:
- Binding, out of square, non-latching twisted doors or frames:
- Framing or frieze board separations:
- Sloping floors, counter tops, cabinet doors, or window/door casings:
- Wall, floor, or ceiling cracks:



Important Notice >>> *The condition of the foundations is reported on the day of inspection. This report is of the general condition (Not an engineers report), Future performance can not be determined after that day. If you have any concerns. You should contact a structural engineer. It is always recommended to get a second opinion on the foundation performance*

FOUNDATION INFORMATION:

The following evidence and consequences are generally associated with foundation differential movement: the structure and loss and gain of moisture content of framing lumber. It is not uncommon for foundations to reveal some systems of differential movement. At the time of inspection, this inspector may have observed evidences and consequences of differential movement. Unless noted otherwise, these evidences and consequences may not be excessive and do not indicate the immediate presence of significantly deflected foundation or foundation failure. Therefore, if indicated, any discrepancy should be evaluated by a Structural Engineer or foundation repair company. Expansive soils that are common in the "Gulf Coast" area can dramatically adversely affect the performance of a foundation. Variations in moisture content produces swelling and shrinkage of the soil which can result in differential heaving and settlement of a foundation. The opinion rendered in this report does not apply to future changing conditions and structural consequences affected by thermal/climatic conditions, moisture or any other conditions that affect foundation movement. Differential movement in the foundation can occur rapidly under certain conditions and the future performance or stability of the foundation cannot be predicted. If in-depth information is desired on the foundation, soil stability or any part thereof, a Structural Engineer should be consulted.

Foundation movement may not necessarily be the cause of cracks in the home gypsum board (sheetrock) and brick veneer. Expansion and contraction of the home's framing may cause the following: 1) Horizontal cracking of sheetrock at the inside corners of windows is due to thermal expansion/contraction of the window framing. 2) Cracks in corners of raised ceilings are most commonly the result of thermal expansion/contraction in attic framing. 3) Minor separations in brick/sheetrock connections are commonly due to different expansion/contraction rates of different materials. 4) Cracks in top "soldier brick" rows are commonly caused by framing movement. 5) Foundation corners that chip off are caused from improper removal of foundation wooden form boards or by frictional forces from the movement between the brick veneer and concrete foundation. 6) Minor cracks may appear in brick veneer due to normal structural movement of walls installed without brick expansion joints or at the weak areas of brick walls under windows.

Alan Harper T.R.E.C. # 21133


I = Inspected NI = Not Inspected NP = Not Present D = Deficiency

| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|----------------|
|---|----|----|---|----------------|

- | I | NI | NP | D | INSPECTED ITEM |
|-------------------------------------|--------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | B. Grading and Drainage Comments <input type="checkbox"/> High soil level: <input type="checkbox"/> Deficient/Improper drainage around the foundation <input checked="" type="checkbox"/> Erosion: <input type="checkbox"/> Heavy foliage <i>right side of garage</i> <input type="checkbox"/> Missing downspout splash blocks <input type="checkbox"/> Damaged or missing gutters or downspout: <input type="checkbox"/> Low area next to slab: |

There should be approximately 4 " of slab exposed between the bottom of the brick or siding and the ground. This allows the early detection of ants, termites, and etc...

- | I | NI | NP | D | INSPECTED ITEM |
|-------------------------------------|--------------------------|--------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | C. Roof Covering Materials <input checked="" type="checkbox"/> Field Glasses <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Asphalt shingles Roof slopes are not determined Comments: <input checked="" type="checkbox"/> Aging (NOTED) <input type="checkbox"/> Curling: <input type="checkbox"/> Loose shingles: <input type="checkbox"/> Remove Debris: <input type="checkbox"/> Missing Shingles |



- | I | NI | NP | D | INSPECTED ITEM |
|-------------------------------------|--------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> Nails pushing up shingles: <input checked="" type="checkbox"/> Damaged shingles: <i>garage right rear, front left-photo</i> |

****This inspection is neither intended nor implied to certify that the roof assembly is free of active leaks.****

- | I | NI | NP | D | INSPECTED ITEM |
|-------------------------------------|--------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | D. Roof Structure and Attic Access: <input type="checkbox"/> Good Insulation Type: <input type="checkbox"/> Blanket Approximate Depth: <u>0</u> inches Comments: <input type="checkbox"/> Radiant barrier in use: |



- | I | NI | NP | D | INSPECTED ITEM |
|-------------------------------------|--------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Water damaged roof decking: <i>right side - photo</i> |

****Important Notice**** A professional roofer should inspect the roof and make the appropriate recommendations.

Roofs are inspected only from the ground/ we do not walk on the roof(s). The condition of the roof is reported on the day of the inspection. The report is a general condition of the roof material. Future performance can NOT be determined after today. If you have ANY concerns, you should contact a roofing company for an evaluation. This company does not issue WPI-8 certificates. It is always recommended to get a second opinion on the roofs performance.

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

I NI NP D **INSPECTED ITEM**

E.

Walls (Interior and Exterior)

NOTE: Items marked " not inspected" may not be installed yet.
NOTE: Bed rooms are numbered front to back and from left to right (front street facing).

Interior Walls:

Comments:

Type: Sheetrock Paneling Wallpaper Other

Fresh paint:

Repairs/patching *rear living room*

Cracks *front right bedroom, dining room, kitchen, middle bedroom*

Holes

Discolorations *garage right side*

Water penetration:

Nails pushing through sheetrock:

Exterior Walls:

T-111 Hardy Plank Stone Stucco
 Wood Aluminum Siding

Cracks in Mortar/Bricks

Siding deteriorating *rear and left side of garage*

Facia boards/trim deteriorating *around door to garage*

F.

Ceilings and Floors

Ceilings:

Comments: *floor is spongy in front right bedroom closet*

Fresh paint:

Cracks: *bedroom hallway, front living room, dining room, rear living room-photo, right rear bedroom*

Holes:

Discolorations: *multiple in rear living room*

Repairs:

Water penetration:

Nails pushing through sheetrock:

Floors: Wood: Vinyl

Floor is uneven

Floor is not level

Vinyl flooring is ripped/torn:

Tile is missing:

Ceramic tile is cracked:

Carpet is damaged/stained:

Wood floor is warped/discolored/damaged:



We do Not do invasive moisture penetration tests. The inspection is visual only.
Some cracks and separations are caused by structural or foundation movement.


Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

| | | | | |
|---|----|----|---|-----------------------|
| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|-----------------------|

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | G. Doors (Interior and Exterior) <i>Comments:</i> <input checked="" type="checkbox"/> Damaged and / or missing door stops: <input type="checkbox"/> Missing Doors: <input checked="" type="checkbox"/> Door sticks in frame: <i>front right bedroom closet door</i> <input type="checkbox"/> Door knobs damaged/missing <input type="checkbox"/> Door not square in frame: <input type="checkbox"/> Damaged or missing weather stripping or gaskets <input type="checkbox"/> Warped Door: <input type="checkbox"/> Door hinge damaged or loose: <input type="checkbox"/> Need 20 minute fire rated door between the house and the garage: <input type="checkbox"/> Adjust door striker plate <input checked="" type="checkbox"/> Damaged doors: <i>door to garage</i> <input type="checkbox"/> Wood rot/ water penetration indicated to exterior doors: <input type="checkbox"/> Missing and /or damaged door screens: Garage Doors <input checked="" type="checkbox"/> Present <input type="checkbox"/> Not Present Door Type: <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Wood <input type="checkbox"/> Other <input checked="" type="checkbox"/> Door is bent or damaged: <input type="checkbox"/> Glass is broken or damaged: |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|---|

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | H. Windows All sleeping rooms MUST be equipped with emergency escape and rescue openings. Recommend removal of all bars on windows and doors. <i>Comments:</i> <input checked="" type="checkbox"/> Single pane aluminum windows <input type="checkbox"/> Missing and / or damaged screens: <input checked="" type="checkbox"/> Cracked and/or missing glass: <i>garage right side - photo</i> <input type="checkbox"/> Damaged window springs: <input type="checkbox"/> Insulated windows are fogged <input type="checkbox"/> Damaged or missing locks: <input type="checkbox"/> Safety glass is required (if window covering(s) not present) <input type="checkbox"/> Damaged window glazing/weather stripping: <input type="checkbox"/> Recaulk around exterior of window(s) <input type="checkbox"/> Window will not open: |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|---|



- | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | I. Stairways: Interior and Exterior <input type="checkbox"/> Baluster/spindle spacing: Should have a maximum opening of 4" (TREC Guidelines) <input type="checkbox"/> Stairway: Missing hand railing if over 4 steps / Improper: <input type="checkbox"/> Missing stair stringer (step supports): |
|-------------------------------------|--------------------------|--------------------------|--------------------------|---|

- | | | | | |
|--------------------------|--------------------------|-------------------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | J. Fireplaces and Chimneys <i>Not all areas of the flue liners are accessible for inspection.</i> <i>Chimneys should be cleaned annually.</i> <i>Crown / Cap is not accessible for inspection.</i> <input type="checkbox"/> Wood burning <input type="checkbox"/> Gas Only <input type="checkbox"/> Combination gas and wood: |
|--------------------------|--------------------------|-------------------------------------|--------------------------|--|

- Comments:*
- | | |
|---|--|
| <input type="checkbox"/> Build up indicated in flue liners / should be cleaned: <input type="checkbox"/> Remove combustible material near firebox: <input type="checkbox"/> Missing fire blocking at attic level: <input type="checkbox"/> Loose firebricks and or cracks indicated in firebox: <input type="checkbox"/> Damper does not operate properly: <input type="checkbox"/> Inoperative circulating fan: | <input type="checkbox"/> Improper lintel and hearth extension: <input type="checkbox"/> Improper location for gas log lighter valve: <input type="checkbox"/> Improper/missing combustion air vents: <input type="checkbox"/> Improper chimney structure: <input type="checkbox"/> Improper chimney termination: <input type="checkbox"/> Improper coping, crown cap, spark arrestor: |
|---|--|

- | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | K. Porches, Balconies, Decks, and Carports <i>Comments:</i> <input type="checkbox"/> Baluster/spindle spacing: Should have a maximum opening of 4" (TREC Guidelines) <input type="checkbox"/> Not Secured and / or wobbles: <input type="checkbox"/> Wood rot and / or water damaged indicated: |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--|

Alan Harper T.R.E.C. #21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

I NI NP D INSPECTED ITEM

II. ELECTRICAL SYSTEMS

A. Service Entrance and Panels

Wiring Type: Copper Aluminum Copper/Aluminum mixed
 Location: Front Back Right Side Left Side Garage

Comments: fuse panel still in use located in right rear bedroom closet, sub panel in middle bedroom closet - improper

- Power supply wire too close to walkway:
- Lack of a secure connection to grounding electrode system
- Wire color: White wires used as power wires (Noted):
- Insulation deficiency:
- Unsecured panel:
- Unsecured meter can:
- Panel installed in hazardous location: fuse panel-photo garage sub panel
- Missing breaker knockouts: garage sub panel
- Panel is not bonded or grounded:
- Federal Pacific Electric (FPE) service panel and breakers in use
- Missing/deficient ARC fault devices: (New construction only)
- Multiple wires to breaker:



Breaker size improper: Amp breaker in use on A/C Should be AMP breaker
 Breaker size improper: Amp breaker in use on A/C Should be AMP breaker

Recommend licensed electrician inspect and repair entire electrical system as needed.

Recommend a licensed electrician inspect and issue a report containing their state license number and contact information detailing their findings and all needed repairs.

Note: Only items visually accessible at the time of inspection are commented on


Note: This inspection does NOT address electrical design, capacity, wiring / breaker adequacy

B. Branch Circuits - Connected Devices and Fixtures

Comments: incoolest polarity front right bedroom rear and right walls

Plugs:

- Damaged:
- Inoperable:
- Missing Cover(s)
- Not securely mounted: rear living room near door to half bath
- Missing/deficient conduit:



- Missing junction box(s): attic - photo
- Missing junction box covers attic
- Cloth wire connected to Romex - improper
- Exposed /uncapped wiring:

The following receptacles are NOT GFCI protected

- | | | |
|---|--|--|
| <input checked="" type="checkbox"/> Kitchen | <input type="checkbox"/> Master Bath Room | <input type="checkbox"/> Hot tub |
| <input type="checkbox"/> Wet Bar | <input type="checkbox"/> Jacuzzi | <input type="checkbox"/> Crawl Space |
| <input checked="" type="checkbox"/> Garage | <input checked="" type="checkbox"/> Half Bath faulty | <input type="checkbox"/> Swimming pool/Spa light |
| <input type="checkbox"/> Exterior | <input checked="" type="checkbox"/> Hall Bath faulty | <input type="checkbox"/> Laundry/utility |

Recommend a licensed electrician inspect and repair the entire electrical system as needed

Smoke Alarm(s)

- Hard wired system
- Individually installed
- Units are NOT present in all sleeping rooms
- Unit(s) are not present in each story of the dwelling
- Unit(s) are not present in bedroom hallways
- Damaged/deficient:

Door Bell(s) and Chimes

- Inoperable:
- Missing Cover(s):

Note: Only accessible branch circuits, connected devices and fixtures are commented on.

Texas Real Estate Commission memorandum effective January 1, 2009 requires the following: "The inspector shall report as deficient the absence of, improper installation or improper operation of Ground Fault Circuit "GFCI" devices in all bathrooms, all exterior, garages, kitchens (all kitchen counter areas) crawl spaces, unfinished basements, or in laundry, utility and wet bar areas. (TREC inspectors can not grandfather GFCI's)

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

I NI NP D **INSPECTED ITEM**

III. HEATING, VENTILATION AND AIR CONDITIONING SYSTEMS

A. Heating Equipment See Cooling Equipment
Unit Type: Central Air Window Unit Heat Pump Space Heater
Comments: *all in wall gas heaters have gas valves turned off - unable to test*

Unit # N/A
 Unit is heating as intended:
 Unit is NOT heating as intended:
Supply Air:
Return Air:
Differential: 0

Unit # N/A
 Gas Unit is heating as intended: Gas
 Electric Unit is NOT heating as intended: Electric
Supply Air:
Return Air:
Differential: 0

Unit # N/A
 Unit is heating as intended:
 Unit is NOT heating as intended:
Supply Air:
Return Air:
Differential: 0

Unit # N/A
 Gas Unit is heating as intended: Gas
 Electric Unit is NOT heating as intended: Electric
Supply Air:
Return Air:
Differential: 0

Unit # N/A
 Unit is heating as intended:
 Unit is NOT heating as intended:
Supply Air:
Return Air:
Differential: 0

Unit # N/A
 Gas Unit is heating as intended: Gas
 Electric Unit is NOT heating as intended: Electric
Supply Air:
Return Air:
Differential: 0

Proper operating differential temperature is between 30 and 40 degrees Fahrenheit

- Flexible gas line can not terminate into pilot apparatus.
- Improper gas line in use. (MUST be yellow flex)
- Missing flexible gas line
- Missing drip leg (gas trap):.
- Unit is NOT raised 18 inches off of garage floor
- Lack of protection from physical damage:
- Flame impement, uplifting flame or improper flame color:
- Recommend removal of space heater from wall
- Unit is not accessible
- Passageway in attic is not floored between attic entrance and system
- Gas appliance connector(s) are concealed or extend through walls, floors, partitions, ceilings, or appliance housings - Improper
- Recommend a licensed HVAC technician inspect and repair the entire HVAC system as needed.
- Recommend a licensed A/C Heat technician inspect and issue a report containing their state license number and contact information detailing their findings and all needed repairs.**
- Window unit is not mounted properly:
- Gas leak detected:
- Improper location of gas shut off valve(s):
- Improper or missing gas shut off valve:
- Gas valve is inaccessible
- Inappropriate location:
- Inadequate access or clearance(s):
- Deficient thermostat:
- Excessive scale build up:

The following applicaplicable components of the heating system are commented on:
Unit performance, thermostat controls/limit controls, burner assembly/compartment, condition of flame, vent pipe clearance and routing, combustion/draft air, and gas supply lines and shut off valves. Heat exchangers are **NOT** disassembled to inspect internal parts. Testing for carbon monoxides performed but a definitive condition of the heat exchanger can not be determined without disassembly of the unit by a licensed HVAC company. Electrical heat strips are no accessible to evaluate. If an in depth evaluation of the heating system is desired, consult a licensed HVAC company.

See section C (page 10) for information on furnace vent(s)

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|----------------|
|---|----|----|---|----------------|

B. Cooling Equipment See Heating Equipment
 Unit Type: Central Air Window Unit Heat Pump Space Heater
 Approximate ambient temperature: 89
 Comments: all window units cool properly

Unit # N/A AMPS
 Unit is cooling as intended:
 Unit is NOT cooling as intended:

Return Air: _____
 Supply Air: _____
 Differential: 0

Proper operating differential range is between 15 and 20 degrees Fahrenheit

Unit # N/A AMPS
 N/A Unit is cooling as intended:
 Unit is NOT cooling as intended:

Return Air: _____
 Supply Air: _____
 Differential: 0

Unit # N/A AMPS
 Unit is cooling as intended:
 Unit is NOT cooling as intended:

Return Air: _____
 Supply Air: _____
 Differential: 0

Unit # N/A AMPS
 N/A Unit is cooling as intended:
 Unit is NOT cooling as intended:

Return Air: _____
 Supply Air: _____
 Differential: 0

- Missing drain pan drain line:
- Reinsulate refrigerant pipe::
- Rust in Auxiliary drain pan:
- Water in the auxiliary drain pan
- Damaged/deficient thermostat
- Inadequate access and clearances
- Inadequate air circulation on condensing unit
- Passageway in attic is not floored between attic entrance and system
- Recommend licensed A/C Heat technician inspect and repair entire A/C heat system as needed
- Recommend a licensed A/C Heat technician inspect and issue a report containing their state license number and contact information detailing their findings and all needed repairs.**

If the filter is missing, the evaporator should be cleaned. Air conditioning systems are not tested if the ambient temperature is less than 60 degrees Fahrenheit. Evaporator casings, plenums, and transitions are not disassembled and tape is not removed. Inaccessible components are not inspected.

C. Duct Systems, Chases, and Vents

Comments:

Ducts:

- Damaged A/C ducts or insulation
- Improper or inadequate clearances of ducts and/or plenums
- A/C duct is not secured to the plenum
- A/C ducting is not suspended in attic

Chases:

- Gas pipes, electrical wiring, junction boxes, or sewer vents in chase - Improper

Vents:

- Reseal around all vents at roof level
- Re-Seal around dryer vent pipe at roof level
- Improper vent pipe on gas water heater:
- Re-seal around water heater vent pipe at roof level
- Improper vent pipe on gas furnace:
- Reseal around kitchen vent pipe at roof level
- Improper vent cap on gas water heater:
- Reseal around bath room vent pipe(s) at roof level
- Improper vent cap on gas furnace
- Re-seal around furnace vent pipe at roof level
- Missing filters:
- Improper return air location:
- Deficient air register
- Inadequate air flow at supply register(s)
- Missing/damaged grills:
- Recommend licensed A/C Heat technician inspect and repair entire A/C heat system as needed

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|----------------|
|---|----|----|---|----------------|

IV. PLUMBING SYSTEM

- | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A. Plumbing Supply, Distribution, and Fixtures Static water pressure reading: 58 psi. Must be between 40-80 psi. Water meter location: <input checked="" type="checkbox"/> Front <input type="checkbox"/> Back <input checked="" type="checkbox"/> Left side <input type="checkbox"/> Right side Main shut off location: <input type="checkbox"/> Front <input type="checkbox"/> Back <input type="checkbox"/> Left side <input type="checkbox"/> Right side <input checked="" type="checkbox"/> N/A Water pipe material: <input type="checkbox"/> Copper <input type="checkbox"/> Galvanized <input checked="" type="checkbox"/> PVC <input type="checkbox"/> PEX Hoses <i>Comments:</i> <input type="checkbox"/> Water pressure is low when more than 1 faucet is in use at a time. <input type="checkbox"/> Recommend licensed plumber inspect and repair entire plumbing system as needed. |
|-------------------------------------|--------------------------|--------------------------|--------------------------|---|

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | a. Kitchen Sink, Wet Bar, Utility Sink, and Laundry Sink: <i>Comments: hot and cold faucets switched</i> faucet: <input type="checkbox"/> Stem packing leaks: supply pipes/valves: <input type="checkbox"/> Missing/leaking shut off valve(s) under sink(s) spray attachments: <input type="checkbox"/> Does not operate properly: <input checked="" type="checkbox"/> Recommend licensed plumber inspect and repair entire plumbing system as needed. |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--|

- | | | | | |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | b. Laundry Connections / Sink(s): <i>Drain lines are not physically tested</i> <i>Comments:</i> <input type="checkbox"/> Hot/cold faucets are not marked |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--|

- | | | | | |
|--------------------------|--------------------------|-------------------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | c. Master Bath <i>Comments:</i> Lavatory(s): <input type="checkbox"/> Stem packing leaks: <input type="checkbox"/> Hot/cold faucets are not marked <input type="checkbox"/> Missing waste stop: <input type="checkbox"/> Broken waste stop: <input type="checkbox"/> Damaged/cracked sink: <input type="checkbox"/> Unit is loose from wall - improperly Tub/Shower: <input type="checkbox"/> Stem packing leaks <input type="checkbox"/> Hot/cold faucets are not marked <input type="checkbox"/> Missing tub drain plug: <input type="checkbox"/> Broken tub drain plug <input type="checkbox"/> Open joints indicated / re-caulk or re-grout: <input type="checkbox"/> Damaged tub <input type="checkbox"/> Shower diverter is not operating properly Commode(s): <input type="checkbox"/> Shut off valve leaks: <input type="checkbox"/> Commode Base is not secured to floor: <input type="checkbox"/> Toilet runs <input type="checkbox"/> Tank is loose from Commode Base: <input type="checkbox"/> Recommend licensed plumber inspect and repair entire plumbing system as needed. |
|--------------------------|--------------------------|-------------------------------------|--------------------------|--|

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | d. Hall Bath <i>Comments:</i> Lavatory(s): <input type="checkbox"/> Stem packing leaks: <input type="checkbox"/> Hot/cold faucets are not marked <input type="checkbox"/> Missing waste stop: <input type="checkbox"/> Broken waste stop: <input type="checkbox"/> Damaged/cracked sink: <input type="checkbox"/> Unit is loose from wall - improperly Tub/Shower: <input type="checkbox"/> Stem packing leaks <input type="checkbox"/> Hot/cold faucets are not marked <input type="checkbox"/> Missing tub drain plug: <input type="checkbox"/> Broken tub drain plug <input checked="" type="checkbox"/> Open joints indicated / re-caulk or re-grout: around tub spout - photo <input type="checkbox"/> Damaged tub <input checked="" type="checkbox"/> Shower diverter is not operating properly Commode(s) <input type="checkbox"/> Shut off valve leaks: <input type="checkbox"/> Tank is loose from Commode Base: <input type="checkbox"/> Toilet runs <input type="checkbox"/> Commode Base is not secured to floor: <input checked="" type="checkbox"/> Recommend licensed plumber inspect and repair entire plumbing system as needed. |
|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--|



Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

INSPECTED ITEM

IV. PLUMBING SYSTEM (Cont'd)

Water Supply System And Fixtures (Cont'd)

I NI NP D

e. Hall Bath

Comments:

Lavatory(s):

- Stem packing leaks:
 - Missing waste stop:
 - Damaged/cracked sink:
- Hot/cold faucets are not marked
 - Broken waste stop:

Tub/Shower(s):

- Stem packing leaks
 - Missing tub drain plug:
 - Open joints indicated / re-caulk or re-grout:
- Unit is loose from wall - improperly
 - Hot/cold faucets are not marked
 - Broken tub drain plug

Commodes:

- Damaged tub
 - Shut off valve leaks:
 - Toilet runs
- Shower diverter is not operating properly
 - Tank is loose from Commode Base:
 - Commode Base is not secured to floor:

Recommend licensed plumber inspect and repair entire plumbing system as needed.

I NI NP D

f. Hall Bath

Comments:

Lavatory(s):

- Stem packing leaks:
 - Missing waste stop:
 - Damaged/cracked sink:
- Hot/cold faucets are not marked
 - Broken waste stop:

Tub/Shower(s):

- Stem packing leaks
 - Missing tub drain plug:
 - Open joints indicated / re-caulk or re-grout:
- Unit is loose from wall - improperly
 - Hot/cold faucets are not marked
 - Broken tub drain plug

Commodes:

- Damaged tub
 - Shut off valve leaks:
 - Tank is loose from Commode Base:
 - Commode Base is not secured to floor:
 - Toilet runs
- Shower diverter is not operating properly

Recommend licensed plumber inspect and repair entire plumbing system as needed.

I NI NP D

g. Half Bath

Comments:

Lavatory(s):

- Stem packing leaks:
 - Missing waste stop:
 - Damaged/cracked sink:
- Hot/cold faucets are not marked
 - Broken waste stop:

Commodes:

- Shut off valve leaks:
 - Tank is loose from Commode Base:
 - Commode Base is not secured to floor:
 - Toilet runs
- Unit is loose from wall - improperly

Recommend licensed plumber inspect and repair entire plumbing system as needed.

I NI NP D

h. Other

Comments:

Water supply line (s): Water leaks indicated:

Outside faucet (s): Missing handles:

Recommend licensed plumber inspect and repair entire plumbing system as needed.

Recommend outside faucet back flow preventers be installed

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|----------------|
|---|----|----|---|----------------|

IV. PLUMBING SYSTEM (Cont'd)

B. Drains, Wastes, and Vents

Comments:

Kitchen: - Hall Bath:
Laundry Room: Drain lines are not physically tested Hall Bath:
Master Bath: Half Bath:
Guest Bath: Half Bath:
Wet Bar:

- Deficient installation/termination of plumbing vent system
- Recommend licensed plumber inspect and repair entire plumbing system as needed.

C. Water Heating Equipment

Energy Source: Gas Electric Number of units 1
Location: Attic Garage Laundry room Other
Type: Tankless Standard 40 Gallon Tank

Comments: there is a really strong rotten egg smell when water is on

- Lack of protection from physical damage to unit located in a garage: T&P drain line is improperly sized
- Electric or Gas Water heater should be raised 18" off of garage floor Drain pan drain line is missing
- Corrosion noted on pipe connections; Corroded T&P valve
- Temperature & Pressure valve does not turn - inoperable: Obstructed T&P valve
- Temperature & Pressure valve drain lines runs uphill: Damaged T&P valve
- Temperature & Pressure valve drain line is missing - Improper: Leaking T&P valve
- Temperature & Pressure valve drain line should terminate to outside: Broken or missing parts or controls
- Power wire- Romex type wiring should be in conduit Damaged drain pan
- Rusted tank case Missing drain pan
- CO/Gas leak detected (TIF 8800) Unsafe location
- Improper flexible gas line in use (should be yellow flex) Inappropriate location
- Missing gas shut off valve: Inadequate access and clearances
- Gas line is missing drip leg (to catch moisture & sediment) Improper drain line material
- Lack of a burner shield Inadequate/improper flame
- Unit does not heat Deficient accessibility
- Cold water supply valve handle is broken Expansion tank is missing
- Gas supply line can NOT pass through wall, ceiling, floor, or cabinet Unit does not heat
- Passageway in attic is not floored between attic entrance and system Deficient combustion and dilution air
- Recommend licensed plumber inspect and repair entire water heating system as needed:

Recommend a licensed plumber inspect and issue a report containing their state license number and contact information detailing their findings and all needed repairs.
See section C (page 10) for information on water heater vent system

Water temperature should be max. temperature of 130 degrees
Temperature and Pressure relief (T&P) valves may or may NOT be tested due to the possibility the the valve may not re-seat (causing a water leak). The valve should be tested by the home owner annually.

D. Hydro - Massage Therapy Equipment

Comments:

- Unit is inoperable Recaulk or regROUT around unit
- Vacuum switch does not operate Unit is leaking
- Ports and /or valves do not work properly Faucet Drips:
- Warning: THIS UNIT IS NOT GFCI PROTECTED. Inaccessible pump/motor

Recommend licensed plumber inspect and repair entire plumbing system as needed.

E. Other/Gas Distribution Systems

Comments:

- Gas meter location: Front Back Left side Right side
- Improper gas line
- Gas line is not supported
- Deficient installation/termination of plumbing vent system
- System is not grounded
- Recommend licensed plumber inspect and repair entire plumbing system as needed.

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

| | | | | |
|---|----|----|---|-----------------------|
| I | NI | NP | D | INSPECTED ITEM |
|---|----|----|---|-----------------------|

V. APPLIANCES

A. Dishwasher

Comments:

- Unit is inoperable:
- Unit does not drain properly:
- Rusted dish racks:
- Damaged door springs:
- Damaged dish racks or missing rollers
- Drain line should loop to the highest point of the sink then down to drain line:
- Damaged door gasket:
- Not secured to cabinet:
- Deficient control panel:
- Damaged door latch or door disconnect:
- Visible leaks indicated:

B. Food Waste Disposers

Comments:

- Unit is inoperable:
- Romex wiring should be in conduit:
- Damaged rubber splash guard:
- Unusual vibrations or noises:
- Visible leaks indicated:

C. Range Hood and Exhaust Systems

Comments:

- Unit is inoperable:
- Unit is not properly secured:
- Unusual sounds or vibrations:
- Improper/damaged/missing vent pipe:
- Terminates outside
- Recirculating vent
- Vent pipe does not terminate outside:
- Missing/damaged filter:
- Deficient switches:
- Light is out:

D. Ranges, Cooktops, and Ovens

Comments:

- Range Type: Electric Gas
- There should be a working vent system when a gas range is in use.
 - Improper flexible gas line in use (should be yellow flex)
 - Gas supply line passes through wall, ceiling, floor or cabinet
 - Element on range does not operate properly:
 - Missing Anti-Tip Device
 - Missing gas shut off valve:
 - Combustible material are within 30 " of cooktop burners - improper
 - Inaccessible gas shut off valve
 - Unit is inoperable:
 - Control panel/knobs are damaged:
 - Damaged/missing door handle:
 - Light is out

Ovens

- Oven type: Electric Gas Convection
- Oven light is out or is not covered:
 - Door does not open/close properly
 - Improper flexible gas line in use (should be yellow flex)
 - Improper gas connector material:
 - LED Control panel does not work

Oven Temperature

All units are tested on bake setting at 350 degrees.

| | | | | |
|-------------|-----------------------|--------------|---|-----------------------------|
| Single unit | <u>341</u> degrees | Broiler O.K. | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |
| Upper Unit | <u> </u> degrees | Broiler O.K. | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Lower Unit | <u> </u> degrees | Broiler O.K. | <input type="checkbox"/> Yes | <input type="checkbox"/> No |

If temperature variance is not within 25 degrees, calibration is recommended.

E. Microwave Ovens

(Built -in only. Counter top units are NOT tested.)

Comments:

- Unit is inoperable:
- Handle is broken:
- Missing/damaged lights /lenses;
- Glass panel is broken:
- Turn table doe not turn:
- Unit is not properly secured:

Alan Harper T.R.E.C. # 21133

I = Inspected NI = Not Inspected NP = Not Present D = Deficient

I NI NP D **INSPECTED ITEM**

V. APPLIANCES (cont'd)

- g. Mechanical Exhaust Vents and Bathroom Heaters**
Comments:
 Unit is inoperable Heat lamp
 Exhaust fan vent should terminate to atmosphere (Not Attic Area): Unit is noisy:
 Unit is loose at ceiling or wall: Missing cover(s):
 Individual components do not work: Vent / Light / Heat Lamp Remove wall unit:
 Gas heater is not vented to exterior of building

- h. Garage Door Operators**
Comments:
 Unit does Not reverse - Recommend Adjustments: Tested Not Tested
 Missing or damaged components
 Improperly installed photo-electric sensors (can not be higher than 6" above garage)
 Door locks or side ropes that have not been removed or disabled
 Unit is inoperable:

- j. Dryer Vent**
Comments:
 Damaged louver cover: Inadequate vent pipe material:
 Missing louver cover: Improper/routing length of vent pipe
 Dryer exhaust line should terminate to atmosphere: Damaged louver cover:
 Duct(s) that are not made of metal with a smooth interior finish

VI. OPTIONAL SYSTEMS

An additional fee is charged for the inspection of the following systems.

- A. Landscape Irrigation (Sprinkler) Systems** Number of Stations: _____
Comments:
 Missing rain or moisture sensor: Inoperative zone valves
 Surface water leaks Missing back flow prevention device
 Damaged sprinkler head(s) Damaged control panel
 Missing shut off valve between water meter and back flow device

- B Swimming Pools, Spas, Hot Tubs, and Equipment and Equipment**
Comments: If checked - Refer to separate POOL REPORT (attached):

- C. Outbuildings**
Comments:
 Roof leaks: Plugs are not GFCI protected:
 Compromised structure: Heat /cool does not work (if applicable)

- D. Private Water Wells (A coliform analysis is recommended)**
Pump type: Above ground: Submersible Other:
Estimated proximity to septic system: _____ Ft.
Comments:
 Unit is inoperable: Damaged controls:
 Damaged pressure switch Damaged/inoperable gauge

- D. Private Sewage Disposal (Septic) Systems**
System type: Gravity fed Aerobic Other:
Estimated proximity to water well: _____ Ft.
Location of field bed: Front Back Left side Right side Unknown
Comments:
 Odor present Damaged controls
 Inoperative aerator or dosing pump Seepage detected

Additional Comments

Attached is a "Liability Limitation Agreement". Please read carefully. Acceptance and reliance upon this inspection report is contingent upon acceptance and understanding of this liability agreement.

Important Inspection and Liability Limitation Agreement

Agreement

We are a general real estate inspection company. We are licensed and regulated by the Texas Real Estate Commission. Our inspection and inspection forms are designed to adhere to guidelines in the 'Rules of the Texas Real Estate Commission' for home inspectors effective January 1, 2018 and all subsequent amendments. {This Report complies with the January 1, 2009 requirements from the T.R.E.C.}

(1) What We Do:

We perform a visual inspection of accessible areas and items and report to you the general conditions of inspected areas and/or items. Our inspection is limited to items specifically listed in this report only. We inspect and report to you if an item is performing the function for which it was designed or is deficient. We will explain our report to you or your designated agent. We perform our inspection in a professional and workmanlike manner. Our report of the inspection and its contents are based solely on the condition and appearance existing at the time of inspection. We do not address or comment on the condition or functional abilities of any item past the date and time of inspection. If we report that an item is not functioning or is deficient and is in need of replacement, we urge you to have the item examined by a specialist prior to making the final purchase of the property. We also advise you to re-check the functional ability of systems to insure no defects have occurred after the date of our inspection and prior to closing. If a structure has been unoccupied for an extended period of time, it is not uncommon for defects to occur, particularly in plumbing joints or HVAC systems.

We are not liable for damage or defects which may have been cosmetically masked or altered or are not completely visual and apparent under normal conditions. Weather conditions may affect the Inspector's ability to detect defects. Example: Minor areas of

moisture penetration may not be visible at different times of the day or with low levels of humidity.

The information contained in this report is the sole possession of the buyer.

(2) What We Do Not Do:

We do not offer guarantees, warranties or insure the future performance or condition of any item, whether inspected or not. If you desire a guarantee, warranty, insurance policy or certification you must obtain such products and information from a company in that business endeavor. We do not inspect any item we cannot see in a normal manner of inspection.

We do not move furniture, rugs, carpet, paintings or any other furnishings or stored items in the course of our inspection.

We do not enter areas with less than proper clearance space needed, or areas, which in the opinion of the Inspector, is unsafe

We do not walk on wood shake, wood shingle, tile or any roof areas we may damage or any roof area which the Inspector considers unsafe to walk. These areas will be viewed either from the attic or ground or both, whichever is applicable.

We do not dismantle any item or system to check component parts, including gas fired heat exchangers.

We do not inspect for building codes, soil analysis, design adequacy, capacity, efficiency, sizing, value, flood plain location, pollution, environmental hazards or habitability.

We do not inspect for termites or any other insect infestation. We do not inspect security systems.

We do not inspect for, nor comment on, cosmetic damage.

We do not operate equipment or systems outside the parameters of manufacturers recommendations.

We do not re-inspect repair work (all repairs are to be done by licensed professional repair tradesman)

(3) What You Do:

You agree not to allow any third party not associated with the negotiations and consummation of the sale of the inspected property to have access to or rely on information contained in this report. You agree to notify the Inspector within sixty days from the date of this inspection of any items disputed in this report and to allow a re-inspection of the disputed item prior to any repairs. You agree to limit any liabilities incurred by us and/or our associates which pertain to this inspection to the amount of the fee paid for this inspection and release our company and its associates from any further liability. You are to put into writing to our company any disputes. Communications must be consistent in that the party originally accompanying the inspector will be the party resolving the problem. You agree you will not post any information on any social media which may be derogatory or inflammatory towards Jay Hicks, Jay Hicks Inspection Services, their associates, or employees.

DISPUTE RESOLUTION: In the event of a dispute between the parties relating to this agreement, the parties or their representatives will meet promptly in an effort to resolve the dispute amicably. Upon the request of any party to this agreement, all unresolved disputes (not limited to breach of contract action), shall be submitted for binding arbitration in accordance with the Better Business Bureau Rules of Arbitration then in effect, and then neither party shall have a right to bring a suit in court. You agree to pay any and all fees incurred by all parties concerned. Any and all litigation, arbitration, or third party dispute resolution of any kind must take place in Galveston county, Texas.

You agree any payment made for inspection services that are subsequently dishonored will result in an additional \$100.00 fee.
RE-INSPECTION FEE \$100.00. (To come back and finish job / due to utilities not on or outside temperature too low for A/C.)

You attest that the inspector performing this inspection has made no oral representation that differ from the contents of this agreement.

You agree to the provisions and limitations of this contract and report by your reliance upon it whether you sign it or not.

You agree to pay a \$75.00 (seventy five dollars) billing fee for inspections not paid for at the time/day of inspection.

These inspections are visual only and structure and equipment is determined operable (unless otherwise indicated) at the time of inspection only. **Any** use of this report constitutes acceptance of the above listed terms and conditions.

No warranties or guarantees are offered for inspected components.

I HAVE READ THIS AGREEMENT AND I UNDERSTAND AND ACCEPT THESE CONDITIONS:

Address: 1216 9th Ave N

Report # 0

Date: March 28, 2019

Client's Signature

Real Estate Inspector

Professional Inspector