

APPLIANCES • CABINETS

Specifications for Project
SAMSUNG PACKAGE AND REFRIGERATOR

Mary Garcia - Misc Cod

9715 Burnet Road

Austin

8328664920

Mary Garcia

mgarcia@factorybuilderstores.com



To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

SAMSUNG PACKAGE AND REFRIGERATOR

Mary Garcia - Misc Cod

SAMSUNG PACKAGE AND REFRIGERATOR





Factory Builder Stores

factorybuilderstores.com

Mary Garcia

8328664920

BT Quote 107105

Version 2.2

Fri, Jul 24, 2020 4:15 PM CDT



steelcod.com/sp/fbst/BNQNTQUC

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

NX58H5600SS

5.8 cu. ft. Freestanding Gas Range with Convection

Features

- 5 Gas Burners
 - Right Front: 17K BTU
 - Left Front: 15K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: 9.5K BTU
 - (Oval with Griddle)
- Large Oven Capacity 5.8 cu. ft.
- Cast Iron 3 Piece Grates
- Griddle
- Convection Oven
- Storage Drawer
- Grate Indicator Marks

Convenience

- Auto Oven Light
- Auto Shut-Off Option
- Proofing
- Sabbath Mode
- Delay Start
- Child Safety Lock
- Self Clean
- 4 Easy Cook Presets
- 2 Chrome Oven Racks





Versatile Cooktop



Convection Oven

Available Color



Stainless Steel

Signature Features

CONVECTION OVEN

• The convection fan system is great for baking and broiling because heat is distributed thoroughly and food cooks evenly. Enjoy faster results each time.

GRIDDLE

• Cook a variety of breakfast foods or grilled sandwiches at once on the removable stovetop griddle.

LARGE CAPACITY

• Our extra-spacious 5.8 cu. ft. large-capacity oven easily handles turkey roasters and large baking sheets.

GRATE INDICATOR MARKS

• Indicator marks located on the grates allow cookware to be ideally placed for precise cooking.



Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."* —J.D. Power


NX58H5600SS

5.8 cu. ft. Freestanding Gas Range with Convection

Installing Your Range

*30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

** 15" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Total Power (BTU)

56,000 BTU

Power Source

120 V/60 Hz

Black Enamel 5 Burner Cooktop

Right Front: 17000 BTU

• Left Front: 15000 BTU

• Right Rear: 5000 BTU

• Left Rear: 9500 BTU

• Center Rear: 9500 BTU (Oval with Cast Iron Griddle)

• Bake: 150°F - 550°F

Convection Bake: 150°F - 550°F

Bake Burner: 18000 BTU

• Broil Burner: 13500 BTU

Convection Roast: 150°F - 550°F

Proofing

• Sabbath Mode

Storage Drawer

Capacity: 0.7 cu. ft.

Warranty

One (1) Year All Parts and Labor Five (5) Years Gas Cooktop

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:

25" x 19" x 21 1/8"

Outside Net Dimensions: $29^{3}/_{4}$ " x $46^{19}/_{32}$ " x $23^{11}/_{16}$ "

Weight: 200 lbs.

Shipping Dimensions & Weight (WxHxD)


Dimensions:

 $32^{7}/_{8}$ " x $50^{9}/_{16}$ " x $30^{1}/_{8}$ "

Weight: 216 lbs.

Color	Model#	UPC Code
Stainless Steel	NX58H5600SS	887276977423

Dimensions



SAMSUNG

*Samsung received the highest numerical score for ranges, cooktops and ovens in the proprietary J.D. Power 2014 Kitchen Appliance Study⁵⁴. Study based on 15,380 total responses measuring 17 ranges, cooktops and oven brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visitidpower.com.

ME16K3000AS

1.6 cu. ft. OTR Microwave

Features

- 1.6 cu. ft. Oven Capacity
- 2-Speed/300 CFM Ventilation System
- LED Display
- Cooking Presets
- Eco Mode
- Microwave Distribution System: Turntable

Convenience

- Interior Light: Incandescent (1)
- Cooktop Lighting: High/Low/Off
- Vent Fan Control: On/Off









LED Display

Black

Available Colors



Signature Features

1.6 CU. FT. CAPACITY

- Accommodates a variety of snacks and meals.
- Enough room to accommodate everyday meals.

2-SPEED/300 CFM VENTILATION SYSTEM

- Powerful ventilation system that eliminates steam, fumes, and odor from the kitchen.
- Quiet system clears the air with 300 cubic feet per minute of turbo ventilation.


LED DISPLAY

- Striking ice blue LED display provides a stylish accent to enhance any kitchen interior.
- Time and setting are clearly visible for greater cooking convenience.

ME16K3000AS


1.6 cu. ft. OTR Microwave

Installing Your Microwave



This microwave oven is designed for adaptation to the following three types of ventilation:

- A. Outside Top Exhaust (Vertical Duct)
- B. Recirculating (Non-Vented Ductless)
- C. Outside Back Exhaust (Horizontal Duct)
- The space between the cabinets must be 30" wide and free of obstructions.
- This microwave oven is for installation over ranges up to 36" wide.
- The microwave must be level. Use a level to make sure the cabinet bottom is level. If the cabinets have a front overhang only, with no back or side frame, install the mounting plate down the same distance as the front overhang depth. This will keep the microwave level.



Specifications

- Oven Cavity: 1.6 cu. ft.
- Power Output: 1000 W
- Power Consumption: 1580 W/13.5 A
- Power Source: 120 V/60 Hz
- Control Method: Digital (Membrane Touch)
- Display: LED
- Cooking Control: 10 Power Levels Including Defrost
- Cooking Timer: Digital, up to 99 Minutes, 99 Seconds
- Microwave Distribution System: Turntable
- Glass Turntable Diameter: 11 8/16"
- Vent Fan: 300 CFM
- Vent Fan Control: On/Off
- Cooktop Lighting: High/Low/Off

Warranty

One (1) Year All Parts and Labor Ten (10) Years Parts on Magnetron

Product Dimensions & Weight (WxHxD)

Cavity Dimensions: $19^{5}/_{16}$ " x $9^{5}/_{8}$ " x $14^{3}/_{8}$ "

Outside Net Dimensions: $29^{7}/_{8}$ " x $16^{1}/_{2}$ " x $15^{1}/_{8}$ "

Weight: 44.2 lbs. (Stainless) 43.3 lbs. (White, Black)

Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $33^{3}/_{8}$ " x $19^{15}/_{16}$ " x $19^{7}/_{16}$ "

Weight: 51.8 lbs. (Stainless) 50.8 lbs. (White, Black)

Color Model # UPC Code

 Stainless Steel
 ME16K3000AS
 887276120287

 White
 ME16K3000AW
 887276120300

 Black
 ME16K3000AB
 887276120270

FOR EASIER INSTALLATION AND PERSONAL SAFETY, WE RECOMMEND THAT TWO PEOPLE INSTALL THIS MICROWAVE OVEN. IMPORTANT: Do not grip or use handle during installation.

 $NOTE: If your \ cabinet \ is \ metal, use \ the \ nylon \ grommet \ around \ the \ power \ cord \ hole \ to \ prevent \ cutting \ of \ the \ cord.$

NOTE: We recommend using filler blocks if the cabinet front hangs below the cabinet bottom shelf.

IMPORTANT: If filler blocks are not used, case damage may occur from overtightening screws.

NOTE: When mounting the microwave oven, thread power cord through hole in bottom of top cabinet. Do not pinch cord or lift oven by pulling cord.



DW80M2020US

Samsung Dishwasher



Signature Features

Stainless Steel Interior Door

• The interior door is covered with stainless steel that's more durable, hygienic, and quieter.*

Height-Adjustable Upper Rack

• Easily fit dish ware of various shapes and sizes.

Digital Water Leakage Sensor

• Identifies leaks as small as 2.4 ounces and shuts itself off before water can escape.

Available Color



Stainless Steel



Stainless Steel Interior Door



Height-Adjustable Upper Rack

Features

- Fully Integrated Top Control
- Advanced Wash System
- ENERGY STAR® rated: 249 kWh/Year
- Touch Control
- 4 Wash Cycles
- 5 Options
- 14 Place Settings

Convenience

- Child Lock
- Delay Start
- Height-Adjustable Upper Rack


^{*}Than similar competitors models.

DW80M2020US

SAMSUNG


Samsung Dishwasher

Installation Specifications



Dimensions

Side View Rear View



Features

- 4 Wash Cycles: Auto, Normal, Heavy, Express 60
- 5 Options: Hi-Temp Wash, Sanitize (Anti-bacterial NSF), Delay Start, Child Lock, Heated Dry

Convenience

- Child Lock
- Digital Water Leakage Sensor
- Height-Adjustable Upper Rack
- Polypropylene Racking
- Upper Rack: 2 Cup Shelves
- Silverware Basket

Warrantv

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Product Dimensions & Weight (WxHxD)

Dimensions:

23³/₄" x 33³/₄" x 24⁵/₈"

Weight: 62.9 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $26^{1}/_{2}$ " x 35" x $29^{1}/_{2}$ "

Weight: 78 lbs.

ColorModel #UPC CodeStainless SteelDW80M2020US887276196381

22 cu. ft. Side-By-Side Counter Depth Refrigerator



Signature Features

Built-in Look with Counter Depth

Built-in look, for a seamless fit. The smooth and streamlined exterior design features beautiful flat doors, a minimal display dispenser, and easy to open recessed handles that blend beautifully into your cabinetry, adding function and style to your kitchen.

Fingerprint Resistant Finish

A finish that withstands everyday smudges, so you spend less time cleaning.

All-Around Cooling

Multi-air vents keep every item on every shelf evenly cooled.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Built-in Look with Counter Depth



Fingerprint Resistant Finish

Design

- Built-in Look with Counter Depth
- Fingerprint Resistant Finish
- Minimal Display Dispenser: external filtered water and ice
- LED Lighting
- Four Gallon Door Bins
- Two Clear Drawers

Convenience

- Wi-Fi and Bixby Enabled
- Adjustable Top Shelf
- Door Alarm
- Water Filter Indicator
- Sabbath Mode

Performance

- All-Around Cooling
- In-Door Ice Maker Stores up to 4.4 lbs of ice

Rating



ENERGY STAR® rated: 640 kWh/yr



RS22T5201SR


22 cu. ft. Side-By-Side Counter Depth Refrigerator

Installation Specifications


- 1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.0 cu. ft.

Refrigerator: 14.6 cu. ft.

- 4 Tempered Glass Shelves
- 2 Clear Drawers, 1 with Flip Cover
- 5 Door Bins
 - 3 Gallon Bins
 - 2 Door Bins
- LED Lighting

Freezer: 7.4 cu. ft.

- External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- In-Door Ice Maker
- 5 Tempered Glass Shelves
- 1 Drawer with Flip Cover
- 2 Door Bins
- LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

One (1) Year Parts and Labor on Refrigerator Five (5) Years Parts and Labor on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor *Compressor, evaporator, condenser, drier and connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles, doors and dispenser): $35^{7}/_{8}$ " x $70^{1}/_{16}$ " x $28^{5}/_{8}$ "

Dimensions (WxHxD without hinges and door): $35^{7}/_{8}$ " x $68^{5}/_{8}$ " x 24"

Dimensions (WxHxD with hinge and door, no handle): $35^{7}/_{8}$ " x $70^{1}/_{16}$ " x $28^{5}/_{8}$ "

Weight: 238 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $37^{3}/_{4}$ " x $75^{3}/_{8}$ " x $30^{1}/_{8}$ "

Weight: 247 lbs

Color	Model #	UPC Code
Fingerprint Resistant		
Stainless Steel	RS22T5201SR	887276372174
Fingerprint Resistant		
Black Stainless Steel	RS22T5201SG	887276372167