

METES AND BOUNDS DESCRIPTION TRACT 4

STATE OF TEXAS COUNTY OF MILAM

Being a 21.98 acre tract of land, out of the P. Sapp Survey, Abstract No. 335, Milam County, Texas, and being out of and a part of that certain called 193.56 acre tract of land described to River Land Holdings, LLC, recorded in Document No. 2021-1230 of the Official Records of Milam County, Texas, said 21.98 acres being more particularly described by metes and bounds as follows;

BEGINNING at a calculated point in the approximate centerline of County Road No. 302 from which a 1/2 inch iron rod with yellow cap marked "TLS 6410" set for reference on the east margin of said road bears N 67°41'17" E a distance of 18.90 feet, located on the west line of said 193.56 acre tract, for the northwest corner of this, ;

THENCE departing said road and crossing said 193.56 acre tract, N 67°41'17" E, passing said reference rod at 18.90 feet, and continuing for a total distance of 1468.76 feet to a 5/8 inch iron rod with red cap found at a northeasterly interior corner of said 193.56 acre tract, same being a southwesterly corner of a called 323.863 acre tract of land described to Stephen M. Pruett (852/117), for an angle point of this;

THENCE along the north line of said 193.56 acre tract, common boundary with said 323.863 acre tract, N 63°01'54" E a distance of 668.65 feet to a 5/8 inch iron rod with red cap found at the most easterly northeast corner of said 193.56 acre tract, being an interior corner of said 323.863 acre tract, for the northeast corner of this;

THENCE along the east line of said 193.56 acre tract, common boundary with said 323.863 acre tract, S 22°18'43" E a distance of 488.28 feet to a 1/2 inch iron rod with yellow cap marked "TLS 6410" set for the southeast corner of this:

THENCE crossing said 193.56 acre tract the following courses and distances:

S 67°40'36" W a distance of 394.32 feet to a 1/2 inch iron rod with yellow cap set for an angle point,

S 40°21'49" W a distance of 176.96 feet to a 1/2 inch iron rod with yellow cap set for an angle point,

S $64^{\circ}03'43"$ W a distance of 288.18 feet to a 1/2 inch iron rod with yellow cap set for an angle point,

S 67°41'50" W a distance of 577.02 feet to a 1/2 inch iron rod with yellow cap set for an angle point,

S $89^{\circ}05'12''$ W a distance of 83.12 feet to a 1/2 inch iron rod with yellow cap set for an angle point,

S 60°30'06" W a distance of 242.81 feet to a 1/2 inch iron rod with yellow cap set for an angle point, and

S 67°40'30" W passing a 1/2 inch iron rod with yellow cap set for reference on the east margin of said road at 393.05 feet and continuing a total distance of 411.95 feet to a calculated point in the approximate centerline of said road, located on the west line of said 193.56 acre tract for the southwest corner of this;



THENCE along the west line of said 193.56 acre tract, with the approximate centerline of said road, N 22°17'58" W a distance of 434.00 feet to the **POINT OF BEGINNING**.

All bearings and distances are based on the State Plane Coordinate System, Texas Central Zone, NAD 1983.

This description to accompany a plat of like date representing an on the ground survey supervised by me Tyler Tumlinson, Registered Professional Land Surveyor.

June 20, 2021

Tyler Tumlinson RPLS No. 6410 Firm #10193858 02524 Tract 4

