



★ SECOND FLOOR

SCALE: 1/4" = 1'-0"
 FLOOR FINISHES: 2\"/>

BATHROOM SYMBOLS

- TOWEL BAR
- TOWEL HOOK
- TOWEL RING
- TP HOLDER

WATER HEATER NOTE

WATER HEATER LOCATED IN ATTIC. (SEE PLAN SHEET 2012.004)

FLOOR FINISHES

- PRIMARY FLOOR COVERING: WOOD
- DRESSG. & BATH 2 & 3: TILE
- BEDROOMS 1, 2 & 3: CARPET
- CLOSETS: CARPET

LEGEND

[Line Style]	2X4 WALLS
[Line Style]	2-2X4 WALLS (REF. ENGR)
[Line Style]	2X6 WALLS (REF. ENGR)
[Line Style]	APPLIED BRICK/STONE
[Line Style]	CEILING: 12\"/>

INSULATION NOTE:
 BUILDER TO REFER TO ENERGY COMPLIANCE REPORT FOR SPECIFIC REQUIRED VALUES

BATHUB & SHOWERS

BATHUB AND SHOWER FLOORS AND WALLS ABOVE BATHUBS WITH INSTALLED SHOWER HEADS AND IN SHOWER COMPARTMENTS SHALL BE FINISHED WITH A NONABSORBENT SURFACE. SUCH WALL SURFACE SHALL EXTEND TO A HEIGHT NOT LESS THAN 6 FT. ABOVE THE FLOOR. 2012.2 IRC 2012

ATTIC ACCESS

ATTICS CONTAINING APPLIANCES SHALL BE PROVIDED WITH A PAUL DOWN STAIRWAY WITH A CLEAR OPENING NOT LESS THAN 22 INCHES IN WIDTH AND A LOAD CAPACITY OF NOT LESS THAN 350 POUNDS

EGRESS REQUIREMENTS IRC 2012

2010.1 IRC 2012 EMERGENCY ESCAPE AND RESCUE REQUIRED
 BATHROOMS WITH INSTALLED SHOWER HEADS SHALL HAVE AT LEAST ONE OPERABLE EMERGENCY ESCAPE AND RESCUE WINDOW OR OTHER MEANS OF EGRESS AND RESCUE THAT SHALL MEET ALL REQUIREMENTS AS A WINDOW. 2010.10 IRC 2012 EMERGENCY ESCAPE AND RESCUE REQUIRED
 ALL EMERGENCY ESCAPE AND RESCUE WINDOWS SHALL HAVE A MINIMUM NET CLEAR OPENING OF 57 SQ. FT.
 EXCEPTION: GUEST ROOM OPENINGS SHALL HAVE A MINIMUM NET CLEAR OPENING OF 57 SQ. FT.
 2010.10.1 IRC 2012 EMERGENCY ESCAPE AND RESCUE REQUIRED
 THE MINIMUM NET CLEAR OPENING WIDTH SHALL BE 20 INCHES (18\"/>

21-001-21
 REVIEW SET
 18-Oct-21
 HO12-PARADISE VALLEY V2
 3 OF 9

HO12
 JEUDE
 REMODEL

JEUDE REMODEL
 CHAMPIONS EAST LOT: 203 BLOCK: 11
 13431 PARADISE VALLEY DRIVE
 HOUSTON, TEXAS 77069
 PROJECT FILE: R:\ACAD DWG FILES\2021-H DRAWING FILES\HO12-TJ 13431 PARADISE VALLEY\HO12-PARADISE VALLEY V2

 CITYDESIGN
 LAND PLANNING RESIDENTIAL DESIGN
 WEBSITE: DWELLDIGNEED.com

CITYDESIGN
 18FIFTEEN SHEARN SUITE 101
 HOUSTON, TX 77007
 OFFICE: 281-569-8850

DATE	21-001-21
PROJECT	HO12-PARADISE VALLEY V2
DESCRIPTION	REMODEL
DRAWING	FLOOR FINISHES
DESIGNED BY	JEUDE
DRAWN BY	JEUDE
CHECKED BY	JEUDE
APPROVED BY	JEUDE
DATE	18-Oct-21