



# SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2019

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. **This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.**

CONCERNING THE PROPERTY AT 5535 Berry Creek Dr Houston TX 77017

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller ✓ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? 7/1/2022 (approximate date) or never occupied the Property

**Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)**  
*This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.*

Item	Y	N	U
Cable TV Wiring	X		
Carbon Monoxide Det.		X	
Ceiling Fans	X		
Cooktop		X	
Dishwasher	X		
Disposal	X		
Emergency Escape Ladder(s)		X	
Exhaust Fans	X		
Fences	X		
Fire Detection Equip.		X	
French Drain		X	
Gas Fixtures		X	
Natural Gas Lines	X		

Item	Y	N	U
Liquid Propane Gas:		X	
-LP Community (Captive)		X	
-LP on Property		X	
Hot Tub		X	
Intercom System		X	
Microwave		X	
Outdoor Grill		X	
Patio/Decking		X	
Plumbing System		X	
Pool		X	
Pool Equipment		X	
Pool Maint. Accessories		X	
Pool Heater		X	

Item	Y	N	U
Pump: <u>sump</u> grinder		X	
Rain Gutters		X	
Range/Stove	X		
Roof/Attic Vents	X		
Sauna		X	
Smoke Detector	X		
Smoke Detector - Hearing Impaired		X	
Spa		X	
Trash Compactor		X	
TV Antenna		X	
Washer/Dryer Hookup	X		
Window Screens	X		
Public Sewer System	X		

Item	Y	N	U	Additional Information
Central A/C	X			X electric gas number of units: <u>1</u>
Evaporative Coolers		X		number of units: _____
Wall/Window AC Units		X		number of units: _____
Attic Fan(s)		X		if yes, describe: _____
Central Heat	X			electric X gas number of units: <u>1</u>
Other Heat		X		if yes, describe: _____
Oven		X		number of ovens: _____ electric gas other: _____
Fireplace & Chimney		X		wood gas logs mock other: _____
Carport		X		attached not attached
Garage	X			X attached not attached
Garage Door Openers		X		number of units: _____ number of remotes: _____
Satellite Dish & Controls	X			X owned leased from: _____
Security System	X			X owned leased from: _____
Solar Panels		X		owned leased from: _____
Water Heater	X			electric X gas other: _____ number of units: <u>1</u>
Water Softener		X		owned leased from: _____
Other Leased Items(s)		X		if yes, describe: _____

(TXR-1406) 09-01-19 Initialed by: Buyer: \_\_\_\_\_ and Seller: DB, KB Page 1 of 6

Concerning the Property at 5535 Berry Creek Dr. Houston TX 77017

Underground Lawn Sprinkler	<input checked="" type="checkbox"/>	automatic	manual	areas covered:
Septic / On-Site Sewer Facility	<input checked="" type="checkbox"/>	if yes, attach Information About On-Site Sewer Facility (TXR-1407)		

Water supply provided by:  city  well  MUD  co-op  unknown  other: \_\_\_\_\_

Was the Property built before 1978?  yes  no  unknown

(If yes, complete, sign, and attach TXR-1906 concerning lead-based paint hazards).

Roof Type: Shingles Age: 11 years (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)?  yes  no  unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair?  yes  no If yes, describe (attach additional sheets if necessary): \_\_\_\_\_

**Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

Item	Y	N	Item	Y	N	Item	Y	N
Basement		<input checked="" type="checkbox"/>	Floors		<input checked="" type="checkbox"/>	Sidewalks		<input checked="" type="checkbox"/>
Ceilings		<input checked="" type="checkbox"/>	Foundation / Slab(s)		<input checked="" type="checkbox"/>	Walls / Fences		<input checked="" type="checkbox"/>
Doors		<input checked="" type="checkbox"/>	Interior Walls		<input checked="" type="checkbox"/>	Windows		<input checked="" type="checkbox"/>
Driveways		<input checked="" type="checkbox"/>	Lighting Fixtures		<input checked="" type="checkbox"/>	Other Structural Components		<input checked="" type="checkbox"/>
Electrical Systems		<input checked="" type="checkbox"/>	Plumbing Systems		<input checked="" type="checkbox"/>			
Exterior Walls		<input checked="" type="checkbox"/>	Roof		<input checked="" type="checkbox"/>			

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): \_\_\_\_\_

**Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

Condition	Y	N	Condition	Y	N
Aluminum Wiring		<input checked="" type="checkbox"/>	Radon Gas		<input checked="" type="checkbox"/>
Asbestos Components		<input checked="" type="checkbox"/>	Settling	<input checked="" type="checkbox"/>	
Diseased Trees: <u>oak wilt</u>		<input checked="" type="checkbox"/>	Soil Movement		<input checked="" type="checkbox"/>
Endangered Species/Habitat on Property		<input checked="" type="checkbox"/>	Subsurface Structure or Pits		<input checked="" type="checkbox"/>
Fault Lines		<input checked="" type="checkbox"/>	Underground Storage Tanks		<input checked="" type="checkbox"/>
Hazardous or Toxic Waste		<input checked="" type="checkbox"/>	Unplatted Easements		<input checked="" type="checkbox"/>
Improper Drainage		<input checked="" type="checkbox"/>	Unrecorded Easements		<input checked="" type="checkbox"/>
Intermittent or Weather Springs		<input checked="" type="checkbox"/>	Urea-formaldehyde Insulation		<input checked="" type="checkbox"/>
Landfill		<input checked="" type="checkbox"/>	Water Damage Not Due to a Flood Event		<input checked="" type="checkbox"/>
Lead-Based Paint or Lead-Based Pt. Hazards <u>ext.</u>	<input checked="" type="checkbox"/>		Wetlands on Property		<input checked="" type="checkbox"/>
Encroachments onto the Property		<input checked="" type="checkbox"/>	Wood Rot		<input checked="" type="checkbox"/>
Improvements encroaching on others' property		<input checked="" type="checkbox"/>	Active infestation of termites or other wood destroying insects (WDI)		<input checked="" type="checkbox"/>
Located in Historic District		<input checked="" type="checkbox"/>	Previous treatment for termites or WDI	<input checked="" type="checkbox"/>	
Historic Property Designation		<input checked="" type="checkbox"/>	Previous termite or WDI damage repaired	<input checked="" type="checkbox"/>	
Previous Foundation Repairs	<input checked="" type="checkbox"/>		Previous Fires		<input checked="" type="checkbox"/>
Previous Roof Repairs		<input checked="" type="checkbox"/>	Termite or WDI damage needing repair		<input checked="" type="checkbox"/>
Previous Other Structural Repairs		<input checked="" type="checkbox"/>	Single Blockable Main Drain in Pool/Hot Tub/Spa*		<input checked="" type="checkbox"/>
Previous Use of Premises for Manufacture of Methamphetamine		<input checked="" type="checkbox"/>			

(TXR-1406) 09-01-19 Initialed by: Buyer: \_\_\_\_\_ and Seller: DB, KB

Concerning the Property at 5535 Berry Creek Dr. Houston TX 77017

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Prior to purchase the foundation was repaired on July 9, 2002 + inspected by Structural Engineer. Report given to JPMorgan Chase. The house was treated for termites and buck wall in master bedroom studs were replaced. The house was inspected for Lead based paint by CAM Environmental Services and no lead paint was found.

\*A single blockable main drain may cause a suction entrapment hazard for an individual.

**Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice?** yes  no  If yes, explain (attach additional sheets if necessary): \_\_\_\_\_

**Section 5. Are you (Seller) aware of any of the following conditions?\*** (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

**Y N**

- X Present flood insurance coverage (if yes, attach TXR 1414).
- X Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
- X Previous flooding due to a natural flood event (if yes, attach TXR 1414).
- X Previous water penetration into a structure on the Property due to a natural flood event (if yes, attach TXR 1414).
- X Located wholly  partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE AO, AH, VE, or AR) (if yes, attach TXR 1414).
- X Located  wholly  partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
- X Located  wholly  partly in a floodway (if yes, attach TXR 1414).
- X Located  wholly  partly in a flood pool.
- X Located  wholly  partly in a reservoir.

If the answer to any of the above is yes, explain (attach additional sheets as necessary): Found information on Harris County Flood Education Map.

\*For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

Concerning the Property at 5535 Berry Creek Dr, Houston TX 77017

**Section 6. Have you (Seller) ever filed a claim for flood damage to the Property with any insurance provider, including the National Flood Insurance Program (NFIP)?\***  yes  no If yes, explain (attach additional sheets as necessary): \_\_\_\_\_

\*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the structure(s).

**Section 7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business Administration (SBA) for flood damage to the Property?**  yes  no If yes, explain (attach additional sheets as necessary): \_\_\_\_\_

**Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)**

**Y N**

Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time.

Homeowners' associations or maintenance fees or assessments. If yes, complete the following:  
Name of association: \_\_\_\_\_  
Manager's name: \_\_\_\_\_ Phone: \_\_\_\_\_  
Fees or assessments are: \$ \_\_\_\_\_ per \_\_\_\_\_ and are:  mandatory  voluntary  
Any unpaid fees or assessment for the Property?  yes (\$ \_\_\_\_\_)  no  
If the Property is in more than one association, provide information about the other associations below or attach information to this notice.

Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:  
Any optional user fees for common facilities charged?  yes  no If yes, describe: \_\_\_\_\_

Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.

Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)

Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.

Any condition on the Property which materially affects the health or safety of an individual.

Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.  
If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).

Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.

The Property is located in a propane gas system service area owned by a propane distribution system retailer.

Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

If the answer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary): \_\_\_\_\_



Concerning the Property at 5535 Berry Creek Dr Houston TX 77017

**ADDITIONAL NOTICES TO BUYER:**

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit [www.txdps.state.tx.us](http://www.txdps.state.tx.us). For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (6) The following providers currently provide service to the Property:

Electric: <u>Champion Energy Services</u>	phone #: <u>877-653-5090</u>
Sewer: <u>City of Houston</u>	phone #: <u>311</u>
Water: <u>City of Houston Water Dept.</u>	phone #: <u>713-371-1400</u>
Cable: <u>Direct TV</u>	phone #: <u>844-499-0739</u>
Trash: <u>City of Houston</u>	phone #: <u>311</u>
Natural Gas: <u>CenterPoint Energy</u>	phone #: <u>713-659-2111</u>
Phone Company: <u>N/A</u>	phone #: <u>_____</u>
Propane: <u>N/A</u>	phone #: <u>_____</u>
Internet: <u>AT&amp;T Fiber</u>	phone #: <u>844-658-0908</u>

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer _____	Date _____	Signature of Buyer _____	Date _____
Printed Name: _____		Printed Name: _____	

(TXR-1406) 09-01-19 Initialed by: Buyer: \_\_\_\_\_, \_\_\_\_\_ and Seller: DB, KB Page 6 of 6



ADDENDUM FOR SELLER'S DISCLOSURE OF INFORMATION ON LEAD-BASED PAINT AND LEAD-BASED PAINT HAZARDS AS REQUIRED BY FEDERAL LAW

CONCERNING THE PROPERTY AT 5535 Berry Creek Dr, Houston (Street Address and City)

A. LEAD WARNING STATEMENT: "Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-paint hazards is recommended prior to purchase."

NOTICE: Inspector must be properly certified as required by federal law.

B. SELLER'S DISCLOSURE:

- 1. PRESENCE OF LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS (check one box only):
(a) Known lead-based paint and/or lead-based paint hazards are present in the Property (explain):
(b) Seller has no actual knowledge of lead-based paint and/or lead-based paint hazards in the Property.
2. RECORDS AND REPORTS AVAILABLE TO SELLER (check one box only):
(a) Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the Property (list documents): Analysis of Paint Chip Samples for lead - CAM Environmental Services
(b) Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the Property.

C. BUYER'S RIGHTS (check one box only):

- 1. Buyer waives the opportunity to conduct a risk assessment or inspection of the Property for the presence of lead-based paint or lead-based paint hazards.
2. Within ten days after the effective date of this contract, Buyer may have the Property inspected by inspectors selected by Buyer. If lead-based paint or lead-based paint hazards are present, Buyer may terminate this contract by giving Seller written notice within 14 days after the effective date of this contract, and the earnest money will be refunded to Buyer.

D. BUYER'S ACKNOWLEDGMENT (check applicable boxes):

- 1. Buyer has received copies of all information listed above.
2. Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

E. BROKERS' ACKNOWLEDGMENT: Brokers have informed Seller of Seller's obligations under 42 U.S.C. 4852d to: (a) provide Buyer with the federally approved pamphlet on lead poisoning prevention; (b) complete this addendum; (c) disclose any known lead-based paint and/or lead-based paint hazards in the Property; (d) deliver all records and reports to Buyer pertaining to lead-based paint and/or lead-based paint hazards in the Property; (e) provide Buyer a period of up to 10 days to have the Property inspected; and (f) retain a completed copy of this addendum for at least 3 years following the sale. Brokers are aware of their responsibility to ensure compliance.

F. CERTIFICATION OF ACCURACY: The following persons have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer Date Seller Date
Buyer Date Seller Date
Other Broker Date Listing Broker Date



The form of this addendum has been approved by the Texas Real Estate Commission for use only with similarly approved or promulgated forms of contracts. Such approval relates to this contract form only. TREC forms are intended for use only by trained real estate licensees. No representation is made as to the legal validity or adequacy of any provision in any specific transactions. It is not suitable for complex transactions. Texas Real Estate Commission, P.O. Box 12188, Austin, TX 78711-2188, 512-936-3000 (http://www.trec.texas.gov)



# ANALYSIS OF PAINT CHIP SAMPLES FOR LEAD

CAM Environmental Services 312 S. Richey Pasadena, Texas 77506 Phone (713) 475-9003 Fax (713) 472-2117

**Report To** Mr. Clint Hamilton  
2305 View  
Pasadena, Tx 77502

**Sample Date:** 5/6/2002  
**Receipt Date:** 5/6/2002  
**CAM Project No:** 00006865  
**Charge Number:**

**Attention:** Clint Hamilton

**Project:** 5535 Berry Creek

**Quality Assurance**

Spike Sample Recovery 101.8%  
Duplicates Repeatability 0  
Lead Conc.  
(% By Wt)

Sample ID. Laboratory ID	Sample Location	Lead Conc. (% By Wt)
1 391863	outside trim wood	<.01
2 391864	inside hallway trim sheetrock	<.01

Procedure: NIOSH 7082 (Issue 2; 08/15/94)

Reporting Limit (RL) = 0.01% (equals the lowest lead value the lab can confidently report for paint chip samples)

Analyzed By: Frank Garza

Frank Garza

Tony Dang  
Tony Dang, Laboratory Manager





# City of Houston Code Enforcement

Houston Public Works  
Houston Permitting Center

**DO NOT REMOVE**

Address: 5835 BERRY CREEK  
Project #: 21060936

The worked checked below has been approved  
by the inspector

<input type="checkbox"/> Ground	<input type="checkbox"/> Slab	<input type="checkbox"/> Frame	<input type="checkbox"/> Rough	<input type="checkbox"/> Cover	<input type="checkbox"/> Gas
<input type="checkbox"/> Temp cut-in	<input type="checkbox"/> Piers	<input type="checkbox"/> Brick-tie	<input type="checkbox"/> Windstorm	<input checked="" type="checkbox"/> Final	
<input type="checkbox"/> Name Change	<input type="checkbox"/> Other	<u>Red ipu</u>			

### This Approval Is For:

- Structural Only 832-394-8840
- Plumbing Only 832-394-8870
- Mechanical Only 832-394-8850
- Electrical Only 832-394-8860
- Habitability Only 832-394-8841
- Occupancy/Life Safety Only 832-394-8880
- Signs Administration Only 832-394-8890

This tag indicates approval by the inspector for only one trade, as indicated above. **DO NOT** cover work until you have received approval from all other inspectors for all work which requires cover inspection.

Inspector ID 229 Initial DS Date 6/18/24  
3342

Date	Description
May-02	Home Inspection
May-02	Lead Based Paint Sample taken by Clint Hamilton with CAM Environmental Services - Negative results.
Jun-02	Previous owner had house treated for Termites and Master bedroom back wall studs replaced and electrical panel replaced.
Jul-02	Medrano Foundation Inc. repaired house foundation and Structural Engineer approved repair.
Oct-02	House purchased by current owner.
Q1 - 2006	Renovations include kitchen countertops, backsplash, range hood replaced, drywall throughout house, hardwood floors refinished, slate tile, baseboards, casing, crown molding, French doors and recessed lights installed.
Apr-11	Roof replaced with 30 years shingles.
Apr-12	Front, back and kitchen windows replaced with Energy Efficient Windows from Window World - includes lifetime transferable warranty.
Jul-12	Trane air condition installed and replaced all duct work throughout house.
Oct-12	Front door replaced with Energy Efficient door.
Dec-12	Exterior of house painted.
Apr-14	Bedrooms and Restroom windows replaced with Energy Efficient Windows from Window World - includes lifetime transferable warranty.
Dec-16	Main sewer line replaced.
Jun-21	House repiped due to Winter Storm Uri. House repiped and water heater replaced by Modern Plumbing. The main waterline at meter to all facets replaced. Pex Uponor used in house and PVC for the main water line to the house. City Permit requested and approved by City of Houston. Drywall, master bedroom floor repaired, and interior repainted.
Jun-22	Backdoor replaced.