

## **SELLER'S DISCLOSURE NOTICE**

©Texas Association of REALTORS®, Inc. 2022

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

exceed the minimum discl	osures req	uirec	l by t	ne C	Jode.							_
CONCERNING THE P	ROPERT	Y A1	<u> 252:</u>	3 37	th Street Galveston X	775	50					_
AS OF THE DATE S	SIGNED E UYER MA	3Y ( XY W	SELL VISH	LEF I TO	R AND IS NOT A DOBTAIN. IT IS	4 S	UBSTI	TUTI	CONDITION OF THE PRO E FOR ANY INSPECTION ANTY OF ANY KIND BY S	NS	OF	₹
the Property? □ Property			19	98	(a	ppro	oximate	da	ow long since Seller has c te) or □ never occup	ccu ied	pie th	d e
Section 1. The Prope This notice does not es	rty has th tablish the	item	ems	be d	arked below: (Ma conveyed. The cont	ract	will det	ermin	(N), or Unknown (U).) e which items will & will not o			
Item	Y N U	Item					NU	Ite			N	
Cable TV Wiring	世口口				opane Gas:			_	mp: ☐ sump ☐ grinder			
Carbon Monoxide Det.		-1	_P C	com	munity (Captive)	-		_	in Gutters			
Ceiling Fans		-I	_P o	n P	roperty				nge/Stove			
Cooktop			Hot Tub					_	of/Attic Vents	100		
Dishwasher		Ir	nterc	com	System				una			
Disposal		N	/licro	wa	ve				noke Detector 💢 5		1	Ц
Emergency Escape Ladder(s)	<b>4</b> 00	Outdoor Grill						lm	noke Detector – Hearing paired		1	
Exhaust Fans		F	atio	/De	cking			Sp				
Fences		F	luml	bing	g System	1	40		ash Compactor			
Fire Detection Equip.						_			Antenna			므
French Drain		F	loo	Εqι	uipment				asher/Dryer Hookup			
Gas Fixtures  Pool Maint. Accesso			int. Accessories			_	ndow Screens					
Natural Gas Lines		F	Pool	Hea	ater		2	Pυ	blic Sewer System		白	Ц
Item		Υ	Ņ	U	Addition							
Central A/C 20/3			☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐									
Evaporative Coolers					number of units:							
Wall/Window AC Units			number of units: number of units:									
Attic Fan(s)			□ □ if yes, describe:									
Central Heat			□ □ □ □ electric □ gas number of units:									
Other Heat				if yes describe:								
Oven	□ □ number of ovens: / lelectric gas □ other:											
Fireplace & Chimney				□ □ □ wood □ gas logs □ mock □ other:								
Carport												
Garage												
Garage Door Openers												
Satellite Dish & Contro	ols						from					
Security System												
Solar Panels												
Water Heater	Ø											
Water Softener	□ □ □ owned □ leased from											
Other Leased Item(s)												
(TXR-1406) 07-08-22	Initia	led b	у: Вс	uyer:	:  a	and S	Seller: 🛮 🎉	Z	DZ  Pa	ige 1	of 6	3

Concerning the Property at 2523 37th Street	Galveston X 7	7550	)												
Undérground Lawn Sprinkler 🔲 🗗 🔲 automatic 🗎 manual areas covered:															
Septic / On-Site Sewer Facility							<u> </u>								
Water supply provided by: Disty Dwell DMID Dogon Dunknown Dother:							01)								
Water supply provided by:															
Was the Property built before 1978?  on one unknown															
(If yes, complete, sign, and attack	(If yes, complete, sign, and attach TXR-1906 concerning lead-based paint hazards).							te)							
Roof Type: Shingles Age: 2013 (approximate) Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof							roof								
Is there an overlay roof covering on the Property (shingles or roof covering placed over existing sningles or roof							.00.								
covering)? Wes I no I unknown															
Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have							iave								
defects, or are need of repair?  uses to no If yes, describe (attach additional sheets if necessary):															
$\mathcal{N}\mathcal{H}$															
		- North						_							
Section 2. Are you (Seller) aware	of any defe	ects	or	malfun	ctions	in any of the following? (Mark	Yes	s (Y)							
if you are aware and No (N) if you	are not awa	ıre.)													
Tr. N. N.	4			Υ	NI	Item	Υ	N							
	tem Floors				N	Sidewalks	i								
Ducomon	Foundation /	Slal	h(c)			Walls / Fences BAK Fence	_								
	nterior Walls		D(S)		-	Windows Original									
or in	ighting Fixtu					Other Structural Components									
						Other Structural Components		_							
2.001.00.00	Plumbing Sys	Stell	15					_							
	Roof	-			No.										
If the answer to any of the items in S	Section 2 is ye	es,	exp	lain (atta	ich add	ditional sheets if necessary):									
Living Room C	2) Wine	do	ws	cor	ered	is/ bood panels.	,	If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary):							
Broken during a strongwinds. All landows originals  Seller will add the missing windows in the living room (new windows to be installed prior to closing															
Broken during a	strong	wi	no	NB.		All landous origine	Ls_								
Seller will add the missing wir	ndows in the I	ivin	g ro	<b>√</b> g. oom (nev	windo	M Landows crigine was to be installed prior to closing	Ls_								
Seller will add the missing wir Section 3. Are you (Seller) aware	<u>strong</u> ndows in the I e of any of	living the	g ro	oom (nev	windo condit	W Windows Grigine  ws to be installed prior to closing  tions? (Mark Yes (Y) if you a	re av	vare							
Seller will add the missing wir Section 3. Are you (Seller) aware and No (N) if you are not aware.)	ndows in the l	living	g ro	oom (new lowing	windo condit	ws to be installed prior to closing tions? (Mark Yes (Y) if you a	re av	vare							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)	e of any of	the	fol	lowing	condit	W Windows Grigine was to be installed prior to closing tions? (Mark Yes (Y) if you are	re av	vare							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition	e of any of	the	fol	lowing Con	condit dition	ions? (Mark Yes (Y) if you a	re av	vare N							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring	e of any of	the Y	fol N 位	Con Rade	<b>dition</b> on Gas	ions? (Mark Yes (Y) if you a	Y	N Z							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components	e of any of	Y 🗆	fol N 位	Con Rade Settl	dition on Gas	ions? (Mark Yes (Y) if you a	Y	N D							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □	e of any of	Y	N D	Con Rade Settl Soil	dition on Gas	tions? (Mark Yes (Y) if you and the second s	Y □	N D							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak wilt □ Endangered Species/Habitat on Pro	e of any of the perty	Y D	N D D	Con Rade Settl Soil Subs	dition on Gas ng Movem	nent Structure or Pits	Y O	N D							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:   Condition  Diseased Trees:   Condition  Aluminum Wiring  Asbestos Components  Diseased Trees:   Condition  Figure 1  Figure 2  Figure 2  Figure 2  Figure 3  Figure 3  Figure 3  Figure 3  Figure 3  Figure 4  Figure 3  Figure 4  Figure	e of any of the perty	Y O	fol N 位 位	Con Rade Settl Soil Subs Unde	dition on Gas ng Movem surface	nent Structure or Pits and Storage Tanks	Y O	N D D D D							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste	perty	Y	Fol N d d d d d d	Con Rade Settl Soil Subs Unde	dition on Gas ng Movem surface ergrour atted E	nent Structure or Pits and Storage Tanks Easements	Y O	NDD包包口口							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste Improper Drainage	perty	Y	fol N d d d d d d d	Con Rado Settl Soil Subs Undo Unpl	dition on Gaseng Movement Garden Gaseng Garden Gaseng Garden Gard	nent Structure or Pits Structure Tanks Easements d Easements	Y O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt Endangered Species/Habitat on Profault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs	perty	Y		Con Rado Settl Soil Subs Undo Unpo	dition on Gas ng Movem surface ergrour atted Ecordec-forma	nent Structure or Pits Structure Tanks Easements DE Easements Structure Insulation	Y O	N国国国国国国国国							
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt Endangered Species/Habitat on Profault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill	perty	Y		Con Rade Settl Soil Subs Unde Unp Unrea Wate	dition on Gas ng Movem surface ergrour atted E cordec -formae er Dam	nent Structure or Pits and Storage Tanks Easements d Easements aldehyde Insulation lage Not Due to a Flood Event	Y O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt	perty  Hazards	Y	For English and Andrews and An	Con Rado Settl Soil Subs Undo Unpl Urea Wate	dition on Gasenger Damands of Condition	nent Structure or Pits Structure Tanks Easements DE Easements Structure Insulation	Y O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Profult Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property	perty  Hazards	Y		Con Rado Settl Soil Subs Undo Unpl Urea Wate Wetl	dition on Gasenger Damands of Rot	nent Structure or Pits Structu	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt	perty  Hazards	Y	For English and Andrews and An	Con Rade Settl Soil Subs Unde Unpe Urea Wate Wood Activ	dition on Gas ng Movem atted Ecordec forma er Dam ands od Rot re infest	ment Structure or Pits Statements Statement	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt selected Endangered Species/Habitat on Profesult Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other	perty  Hazards	Y		Con Rade Settl Soil Subs Unde Unpe Urea Wate Wood Active dest	dition on Gas ng Movem atted Ecordect forma ands od Rot re infestoring	ment e Structure or Pits and Storage Tanks Easements d Easements aldehyde Insulation age Not Due to a Flood Event on Property estation of termites or other wood insects (WDI)	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other	perty  Hazards	Y		Con Rado Settl Soil Subs Undo Unpo Urea Wate Wetl Wood Active dest Prev	dition on Gas ng Movemented E cordect formater Dam ands of d Rot re infest roying ious tree	nent Structure or Pits Structu	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Profeult Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other Located in Historic District Historic Property Designation	perty  Hazards	Y		Con Rado Settl Soil Subs Undo Unpo Unre Wate Wate Wood Active dest Prev Prev	dition on Gas ng Movemented Ecordece-formaer Dame ands od Rot re infestoying ious training to the country to th	ment Estructure or Pits Ind Storage Tanks Easements Id Easements Idehyde Insulation Inage Not Due to a Flood Event In Property Estation of termites or other wood Insects (WDI) Eatment for termites or WDI	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on ProFault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other Located in Historic District Historic Property Designation Previous Foundation Repairs	perty  Hazards	Y		Con Rade Settl Soil Subs Unde Unpe Wate Wate Wood Active dest Prev Prev	dition on Gas ng Movem surface ergrour atted E cordec -forma er Dam ands o d Rot re infes roying ious tra ious te	ment e Structure or Pits and Storage Tanks Easements d Easements didehyde Insulation age Not Due to a Flood Event on Property estation of termites or other wood insects (WDI) eatment for termites or WDI	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Profeault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other Located in Historic District Historic Property Designation Previous Roof Repairs	perty  Hazards	Y		Con Rade Settl Soil Subs Unde Unpe Urea Wate Wood Activ dest Prev Prev Terr	dition on Gas ng Movem surface ergrour atted E cordec -forma er Dam ands o d Rot e infes roying ious tra ious te ious F nite or	nent e Structure or Pits nd Storage Tanks Easements d Easements dldehyde Insulation nage Not Due to a Flood Event on Property estation of termites or other wood insects (WDI) eatment for termites or WDI earmite or WDI damage repaired ires WDI damage needing repair	Y C C C C C C C C C C C C C C C C C C C								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Profeault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other Located in Historic District Historic Property Designation Previous Roof Repairs Previous Other Structural Repairs	perty  Hazards	Y		Con Rado Settl Soil Subs Undo Unre Wate Wetl Woo Activ dest Prev Prev Prev Terr Sing	dition on Gas ng Movem surface ergrour atted E cordec forma er Dam ands o d Rot e infes roying ious tra ious te ious F ious F le Blo	ment e Structure or Pits and Storage Tanks Easements d Easements didehyde Insulation age Not Due to a Flood Event on Property estation of termites or other wood insects (WDI) eatment for termites or WDI	Y O O O O O O O O O O O O O O O O O O O								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: □ oak wilt □  Endangered Species/Habitat on Profeault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Springs  Landfill  Lead-Based Paint or Lead-Based Ptencroachments onto the Property  Improvements encroaching on other  Located in Historic District  Historic Property Designation  Previous Foundation Repairs  Previous Other Structural Repairs  Previous Other Structural Repairs	perty  Hazards  rs' property	Y		Con Rado Settl Soil Subs Undo Unre Wate Wetl Woo Activ dest Prev Prev Prev Terr Sing	dition on Gas ng Movem surface ergrour atted E cordec -forma er Dam ands o d Rot e infes roying ious tra ious te ious F nite or	nent e Structure or Pits nd Storage Tanks Easements d Easements dldehyde Insulation nage Not Due to a Flood Event on Property estation of termites or other wood insects (WDI) eatment for termites or WDI earmite or WDI damage repaired ires WDI damage needing repair	Y C C C C C C C C C C C C C C C C C C C								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak wilt ☐ Endangered Species/Habitat on Profeault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Ptencroachments onto the Property Improvements encroaching on other Located in Historic District Historic Property Designation Previous Foundation Repairs Previous Roof Repairs Previous Other Structural Repairs Previous Use of Premises for Manual	perty  Hazards  rs' property	Υ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		Con Rado Settl Soil Subs Undo Unre Wate Wetl Woo Activ dest Prev Prev Prev Terr Sing	dition on Gas ng Movem surface ergrour atted E cordec forma er Dam ands o d Rot e infes roying ious tra ious te ious F ious F le Blo	nent e Structure or Pits nd Storage Tanks Easements d Easements dldehyde Insulation nage Not Due to a Flood Event on Property estation of termites or other wood insects (WDI) eatment for termites or WDI earmite or WDI damage repaired ires WDI damage needing repair	Y C C C C C C C C C C C C C C C C C C C								
Section 3. Are you (Seller) aware and No (N) if you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: □ oak wilt □  Endangered Species/Habitat on Profeault Lines  Hazardous or Toxic Waste  Improper Drainage  Intermittent or Weather Springs  Landfill  Lead-Based Paint or Lead-Based Pt  Encroachments onto the Property  Improvements encroaching on other  Located in Historic District  Historic Property Designation  Previous Foundation Repairs  Previous Other Structural Repairs  Previous Other Structural Repairs	perty  Hazards  S' property	Y		Con Rado Settl Soil Subs Undo Unre Wate Wate Woo Activ dest Prev Prev Prev Terr Sing Tub	dition on Gas ng Movem surface ergrour atted E cordec -forma er Dam ands o d Rot re infes oying ious tra ious te ious Fi nite or le Blo Spa*	ment Structure or Pits Ad Storage Tanks Easements A Ea	Y C C C C C C C C C C C C C C C C C C C								

Concerning the Property at 2523 37th Street Galveston X 77550
If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):
Foundation replaced I repair 2012-2013
New plumbing thronglitont House 2013
*A single blockable main drain may cause a suction entrapment hazard for an individual.
Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice?   yes the notion of the Property that is in need of repair, which has not been previously disclosed in this notice?  yes the notion of the Property that is in need of repair, which has not been previously disclosed in this notice?  yes the notion of the Property that is in need of repair, which has not been previously disclosed in this notice?  yes the notion of the Property that is in need of repair, which has not been previously disclosed in this notice?
Section 5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)
Y. N. Present flood insurance coverage.
Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of
water from a reservoir.
Previous flooding due to a natural flood event.
Previous water penetration into a structure on the Property due to a natural flood.
Located wholly partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR).
☐ ☐ Located ☐ wholly ☐ partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
□ ☑ Located □ wholly □ partly in a floodway.
□ □ Located □ wholly □ partly in a flood pool.
□ □ Located □ wholly □ partly in a reservoir.
If the answer to any of the above is yes, explain (attach additional sheets as necessary):
Home Insurance conerage - flood, five natural winds
Homeowny Has currently
*If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).
For purposes of this notice:
"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.
"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded), and (B) has a two-tenths of one percent annual chance of flooding which is considered to be a moderate risk of flooding.
"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.
"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).
"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.
"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.
(TXR-1406) 07-08-22 Initialed by: Buyer: and Seller: ELL DZ Page 3 of 6

Concerning the Prope	rty at 2523 37th Street	Galveston X 77550		
*	NA			
	. /			
	and a why provide H	senactione and Wi	ler) received any written no are either licensed as no If yes, attach copies and	inspection reports from inspectors or otherwise complete the following:
Inspection Date,	Туре	Name of Inspecto		No. of Pages
Approx 2014	General	linkhoron.		Unlanoron
Note: A buyer sh	ould not rely on the	e above-cited reports	s as a reflection of the curre	ent condition of the Property.
Section 10. Che	A buyer should o	obtain inspections fr tion(s) which you ( ☐ Senior Citizen	Seller) currently claim for	the Property:
Section 13. Do	es the Property h	ave working smok	and Safety Code?" Li uii	ccordance with the smoke
or unknown, expl	lain. (Attach addition	onal sheets if neces	mily or two-family dwellings to h	ave working smoke detectors
installed in acc including perfor in your area, yo	cordance with the requ rmance, location, and p ou may check unknown	urements of the building nower source requiremer above or contact your lo	ts. If you do not know the building official for more information	ng code requirements in effect mation.
A buyer may re family who will impairment fror	equire a seller to install I reside in the dwelling In a licensed physician	I smoke detectors for the g is hearing-impaired; ( and (3) within 10 days a no hearing-impaired and	e hearing impaired if: (1) the buye 2) the buyer gives the seller wr fter the effective date, the buyer r specifies the locations for install ich brand of smoke detectors to in	er or a member of the buyer's itten evidence of the hearing makes a written request for the lation. The parties may agree
Seller acknowled including the braterial informa	oker(s), has instru	ments in this notice cted or influenced	are true to the best of Selle Seller to provide inaccurat	er's belief and that no person e information or to omit any
Signature of Sel	ler	Date	Signature of Seller	Date
	enor Zan	ιογ <del>-4</del>	Printed Name:	a Zamora
Filliou Name				Page 5 of 6
(TXR-1406) 07-08-2	22 Initialed	by: Buyer:	and Seller: E2	

## ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review Information Regarding Windstorm and Hail Insurance for Certain Properties (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the

county and any municipality in which the military insta	allation is located.
(5) If you are basing your offers on square footage, n items independently measured to verify any reported	neasurements, or boundaries, you should have those information.
(6) The following providers currently provide service to the	ne Property:
Electric: Amigo Energy	phone #:
Sewer:	phone #:
Water: Why	phone #:
Cable: Dish (gha)	phone #:
Trash: Cith	phone #:
Natural Gas: Tox Gas Service	phone #:
Phone Company: T- Mobile	phone #:
Propane: N/A	phone #:
Internet: ATST	phone #:
The College Disclosure Notice was completed by S	eller as of the date signed. The brokers have relied on on to believe it to be false or inaccurate. YOU ARE UR CHOICE INSPECT THE PROPERTY.
	Signature of Buyer Date
Signature of Buyer Date	Signature or buyer
Printed Name: BNor Tanvora	Printed Name: Dilia Camora

1720 Heights Blvd., Ste A Houston, TX 77008713-584-3062

Initialed by: Buyer:

(TXR-1406) 07-08-22

Porchlight Realtors

and Seller:

Page 6 of 6

Maria Carmen Quiroz