### **VALUE SERIES - STANDARD FEATURES**

## **FOUNDATION**

- Post-tension slab professionally engineered and per community soils report recommendations
- Concrete 3' lead walk to driveway on attached garages
- 4' public walk (broom finish, picture framed, per city requirements)
- Concrete front porch (broom finish, picture framed)
- 3' x 3' concrete stoop at rear door

### **FRAMING**

- Treated base plates
- Panel Truss Framing
- 1st Floor 8' Ceiling Height; 2nd Floor 8' (if applicable)
- Windstorm Areas
  - OSB entire house, wrap with HomeGuard house wrap
- Non Windstorm Areas
  - Structural T-Ply if available
- TechShield roof decking on house only
- 3/4" Textured HARDI
- Trim Boards Front Elevation Windows only and House Corners 3/4" x 4"
- HARDI Fiber Cement board for Frieze, Fascia, and Soffit- Frieze and Fascia
- HARDI Fiber Cement Board Textured
- HARDI Continuous soffit venting at sides and rear (as per plan) Textured
- Shutters per plan Black Plastic Louvered 15" x 60"

# **INSULATION**

- T-Ply all exterior walls (if available)
- R-13 Batts walls at Living areas (Exterior walls)
- R-22 Batts in attic and slopes
- R-38 Blown-in flat ceilings (accessible areas)
- Poly sealed base plates, exterior doors, windows, plumbing & wire holes
- Third-party prescriptive inspection required before drywall install

### **PLUMBING**

- PVC drain lines
- Pex supply lines
- 2 hose bib connections
- · Ice maker connection at kitchen refrigerator
- Electric 40 Gallon Standard Water Heater

Selections and materials are effective on the date of publication and subject to change without notice.



### **VALUE SERIES - STANDARD FEATURES**

## PLUMBING (Continued..)

- Drop in sink Stainless steel 6" depth, 60/40 bowl
- 1/3 HP garbage disposal
- Moen Single Lever Chrome Moen 67425 (if available)
- Primary Bath
  - o 2 Piece Round Commode
  - Single White Oval Drop In Vanity Sink per Plan
  - 30" x 60" Steel Tub
  - Moen Chateu Chrome 64922 (if available)
- Secondary Bath
  - o 2 Piece Round Commode
  - White Oval Drop In Vanity Sinks per Plan
  - 30" x 60" Steel Tub
  - Shower Pan Acrylic shower base (if applicable)
  - Moen Chateu Chrome 64922 (if available)

#### WINDOWS

• Tan Vinyl Frames - Double Pane Low E glass - Prairie Grill Front Elev. Only

### **ELECTRICAL**

- Primary Bedroom
  - Block and Wire for Ceiling Fan; Seagull fixture 77064-962 (if available)
- Secondary Bedrooms
  - Block and Wire for Ceiling Fan; Seagull fixture 77064-962 (if available)
- Family Room
  - 2 Seagull fixtures 77064-962 or per Plan (if available)
- Detector
  - Smoke Detectors per code (AC power with battery backup) FYR-I12040
  - Carbon Monoxide Detectors per code FYR-9000114E

## PAINT / TEXTURE / SHEETROCK

- Rounded sheetrock corners excluding windows
- Exterior Paint
  - Primer- PPG- Primer- A-100 as needed
  - Paint- PPG- A-100 Exterior Latex Flat. A82
  - B42W41, Finish with SW-A-100 Exterior Latex Flat, A82 Series
  - One interior color choice: PPG1005-2 Elusion

Selections and materials are effective on the date of publication and subject to change without notice.



### **VALUE SERIES - STANDARD FEATURES**

# PAINT / TEXTURE / SHEETROCK (Continued...)

- Walls and Ceilings Flat Finish
  - Prime- PPG- Builders Solution Flat Latex
  - Finish- PPG- Builders Solution Flat Latex (two coats)

### **TRIM**

- 6'-8" Six panel fiberglass (rot resistant jamb) Front Door
- 6'-8" 1/2 Lite fiberglass (rot resistant jamb) Back Door

### **CABINETS**

- Upper: 30" Flat Panel Sheldon Stain No Crown
- Base: 35" Cabinets No shoe mold
- Primary Bath & Secondary Baths Vanity Cabinet 32" (same selection as Kitchen)

#### **COUNTERTOPS**

- Kitchen: Laminate with 4" backsplash
- Bath: Laminate with 4" backsplash (same selection as Kitchen)

## **WALL TILE**

- All Tub and Shower Surrounds
  - Level 1 12x12 Tile 72" AFF Laid Straight

# **HVAC**

- Lennox
- 16 Seer Single Stage Equipment (410A)
- Programmable Thermostat UT32 Titan 3H/2C or similar

## **HARDWARE**

- Front and Back Door: Deadbolt Builder Basic 32D / Passage Builder Basic 32D
- Interior and exterior door hardware Brushed Nickel
- Garage Door: Entry Lock Builder Basic 32D
- Privacy on Primary bedroom, Primary bath, Primary commode room (if applicable), and Secondary bathroom(s) and powder. Passage on all other doors.

Selections and materials are effective on the date of publication and subject to change without notice

