Diana Coleman/Top Producer/Keller Williams NE

Additional info			
Year Replaced:			
Roof	<u> </u>		
AC I	Jnit 1	Unit 2	Unit 3
Heater (Jnit 1	Unit 2	Unit 3
Water Heater \	Jnit 1 <u>2015</u>	Unit 2	
Cooktop (gas or	electric)	Induction	ggannes signs of the green with standing grades and the second of the constant constant and the second of the seco
Microwave (conv	rection-YorN)	and the second second	<u>kang gandagan sama and sama nagan pagan ang gasa ang manan - a man magan m</u>
Oven (convection	n-Yor N) (# of units _	_) 2 ovens	s, electric
Dishwasher		Kitche	<u>naid,</u> Dec. 2018
Pool			
Pool or spa Heate	er	the Bank	
Pool pump			
		- 11 - 12	*** ** *
Fireplace (# units) (gas logs and/c	or wood)	
Fireplace (# units		or wood) rand and/or year	
Fireplace (# units	Name & B	rand and/or year	mily room, kitchen, primary bedroom & hallv
in a la la la casa senta	Name & B	rand and/or year	mily room, kitchen, primary bedroom & hallv
Interior paint	Name & B	rand and/or year	
Interior paint Exterior paint	Name & B 2022- living 	rand and/or year g & dining room, fa	
Interior paint Exterior paint Carpet	Name & B 2022- living 2021 - pr 2022- Wo	rand and/or year g & dining room, fa	
Interior paint Exterior paint Carpet Wood/tile	Name & B 2022- living 2021 - pr 2022- Wo	rand and/or year g & dining room, fa	
Interior paint Exterior paint Carpet Wood/tile Utilities (Ave/Mo	Name & B 2022- living 2021 - pr 2022- Wo	rand and/or year g & dining room, fa	

Information and estimates provided above are true and accurate to the best of my knowledge.

Diana Coleman/Top Producer/Keller Williams NE

Special Features/upgrades of this home:

Insulated windows, updated kitchen with Colonial White	
steel appliances, huge family room with gorgeous gas to Private backyard-backs to wooded greenbelt that runs of	
walking distance of elementary school & neighborhood parameter was distanced by the elementary school & neighborhood parameter was distanced by the elementary school & neighborhood parameter was distanced by the elementary school & neighborhood parameter was distanced by the elementary school & neighborhood parameter was distanced by the elementary was distanced by the e	pool.
Maintenance Schedule:	
Heating system:	
Service date (last):	
How often are systems checked:	
Any parts replaced? NOYes	
If yes, please describe with date:	
<u> </u>	1 × 1 × 1 × 1 × 1 × 1
	te transfer of the second seco
Cooling system:	•
Service date (last):	
How often are systems checked:	
Any parts replaced?NoYes	
If yes, please describe with date:	and the second second
, ,	

Information and estimates provided above are true and accurate to the best of my knowledge.