

ALL NEW WINDOWS TO MEET ENERGY CODE
MAXIMUM U-FACTOR OF 0.40 AND SHGC OF 0.25

WINDOW SIZE NOTE:

AT LEAST ONE (1) OPERABLE, EXTERIOR WINDOW IS REQUIRED FOR EACH SLEEPING ROOM, THAT EGRESS WINDOW SHALL HAVE A MAXIMUM SILL HEIGHT OF 44" ABOVE THE FINISH FLOOR, AND MUST HAVE A NET CLEAR OPERABLE AREA 5.0 SQ. FT. (MINIMUM 24" HIGH & 20" WIDE.) RE: R310.1

NOTE: OWNER/CONTRACTOR PLEASE VERIFY

ENERGY CODE NOTE:

GENERAL CONTRACTOR TO FOLLOW THE ENERGY CODE


REPORT ATTACHED TO THIS SET OF PLANS

FOR WINDOWS, ROOF & WALL INSULATION, A/C UNITS

OR ANY OTHER ENERGY CODE REQUIREMENTS.

PROVIDE SAFETY GLAZING IN ALL SPECIFIC HAZARDOUS LOCATIONS IN ACCORDANCE WITH THE REQUIREMENTS OF IRC SECTION R308.

ALL EXTERIOR WALL TO USE 7/16" O.S.B. (MIN) NAIL 6" O.C. AT EDGES, & 12" O.C. AT FIELD W/8d NAILS TYP. (U.O.N.)





MTZ CAD SERVICES INC.
2500 STRAWBERRY PASADENA TX 77502
AutoCAD® DRAFTING
Tel: (713) 477-0559 Cell: (713) 419-0638

DESIGN & PLANNING SERVICES

ALL DRAWINGS HAVE BEEN REVIEWED AND
COMPLY TO SUITE OWNER'S SPECIFICATIONS.
ALL REASONABLE ATTEMPTS AND PRECAUTIONS
HAVE BEEN MADE TO AVOID OWNER CONFLICT.
THE OWNER AND/OR CONTRACTOR SHALL
VERIFY AND APPROVE ALL DIMENSIONS, DETAILS
AND SPECIFICATIONS BEFORE CONSTRUCTION
MAY COMMENCE.



Designer: Prisciliano Martinez

CUSTOMER: FRANCISCO CAMPOS HOUSE REPAIRS & SMALL REMODELING ADDRESS: 741 WINDING RD. PASADENA TX. 77504

ELEVATIONS

Revisions:

1 09/10/21 FOR CONSTRUCTION

ADDRESS:

1 09/10/21 FOR CONSTRUCTION

Date: 09/1
Drawn:
Approved:

Sheet Title: EXTERIOR ELEVATIONS

A.003