

A-01.1 SECOND FLOOR PLAN

S/D SMOKE DETECTORS SHALL BE HARD-WIRED AND INTER-CONNECTED WITH BATTERY BACKUP

ALL PENETRATIONS ON THE FIRE WALLS MUST HAVE THE 3MTM FIRE BARRIER SEALANT CP 25WB+

NO OVERHANG FROM THE ROOF AT THE PROPERTY LINE.



DS-01 DOOR SCHEDULE



WS-01 WINDOW SCHEDULE



City of Houston
20112801
REVIEWED FOR COMPLIANCE
Performance of this review does not relieve the applicant from compliance with all applicable code and regulations.
081327

N O R T H

DESIGNER
713-515-0158

PROJECT TITLE: NEW NAIL & SPA SALON

U R B A N L U X
RESIDENTIAL DEVELOPMENT
4902 NICHOLS ST

LEGAL INFORMATION:
BOUNDARY SURVEY

CODE SUMMARY:

FOR SEAL IF REQUIRED

8-21-2020
BONNIE S. HARDEN, JR.
REGISTERED ARCHITECT
STATE OF TEXAS

DRAWINGS ISSUED FOR:

08/21/2019	FIRST PROPOSAL

REVISIONS

NO	DATE	DESCRIPTION
	01/22/2020	

DRAWN BY: AM | CHECKED BY: AM | DATE: 01/22/2020

SHEET TITLE:
ARCHITECTURAL
EXISTING FLOOR PLAN

SCALE: 1/4"

DRAWING NUMBER: A-02 | SHEET #