MISC. EXTERIOR SPEC SHEET

		Bolin		
	Location (throughout unless specified otherwise)	Collection/Series	Color	Photo
Windows	Throughout*	Builder Series 1100	White (int/ext)	
Overhead Garage Door	Garage	Short Raised Panel	See "Paint" page	
Front Door	Main Entry	TDL - 6 lite	Stain - Jacobean	
Exterior Doors	Back door	Full Lite Double Door	See "Paint" page	
Siding	All elevations* (per plan)	Lap Siding	See "Paint" page	
Soffit & Fascia (at roof line)	All elevations* (per plan)	Soffit (perforated if needed)	See "Paint" page	
Roof	Throughout (includes all decorative awnings)	Certainteed 30 yr shingle	Moire Black	
Roof	Decorative Awnings - RED LINE CHANGE	Certainteed 30 yr shingle	Moire Black	
Shutters		14.50 in. x 34.75 in. Open Louvered Polypropylene Shutters Poir in Green	White	
Gutters	Throughout	Typical 4" rectangle downspouts / Typical ogee Profile Gutters	Black	
Flatwork	Driveway & Sidewalk	N/A	Typical Gray	

METAL SPEC SHEET

	Bolin										
	Location (throughout unless specified	Style	Finish	Color	Handrail	Posts/Finials	Dimensions	Photo	Other/Misc.		
Interior Railing	1st Floor to 2nd Floor	Modern (handrail only)	Stained Handrail w/ painted metal brackets	Stain/Match- flooring color	Square Profile (wood)	Square Post	TBD				
Exterior Fencing	At backyards to separate units	Fence: Vertical wood pickets with 2x12 rot board Gate at each Front Door: Metal with vertical pickets	Matte / Stain	Black (metal); Stained (wood)	N/A	N/A	6' H (Gate & Fence)				

MILLWORK DRYWALL SPEC SHEET

			В	olin			
	Location (throughout unless specified otherwise)	Model/Description	Material	Primed (Y or N)	Dimensions	Image	Notes
Interior Doors	Throughout	2 panel "Cambridge" - Raised w/ smooth finish	Molded/MDF (Hollow Core)	Y	Per door schedule (adjusted)		Boring of doors to match interior door hardware; use std hinges, paint with door
Baseboards	Throughout*	Square	MDF	Y	1x 6		
	Bathrooms	Square	Pine	Υ	1x 6		
Quarter Round/Shoe Mold	Throughout	Quarter round	White paint grade wood	Y	Standard		Install after wood floors
Door Casing - Interior Doors	Throughout	Square (45 miter corners)	MDF	Y	1x4		1x 4 sides & header
Door Casing - Exterior Doors	Throughout	Square (45 miter corners)	MDF	Y	1x4		1x 4 sides & header
Window Sill	*Operable windows only	1" x 6" solid pine sills	Pine	N	1x6		
Crown Molding	N/A						
Closet Built-Ins	Throughout			•	Typical Metal Rods and	Shelves	

				Bolin				
	Location (throughout unless specified	Paint / Stain	Brand	Color Name/Number	Photo	Finish	Product Spec	Primer Info
Interior Walls	Throughout	Paint	sw	Snowbound SW7004		Flat	Builder's Solution	N/A
Interior Trim (baseboards and doors)	Throughout	Paint	sw	Snowbound SW7004		Satin	Solo	N/A
Interior Shiplap	Throughout	Paint	sw	Snowbound SW7004		Flat	Builder's Solution	N/A
Interior Ceilings	Throughout	Paint	sw	Snowbound SW7004		Flat	Builder's Solution	N/A
Interior - Cabinet	Kitchen				Pre-finished Cabine	try		
Exterior - Lap Siding/Window Trim	Per Plan	Paint	sw	Extra White SW 7006	SW 7006 Extra White Interior / Exterior Location Number: 257-C1	Satin	A-100	SouthWest Builders Exterior Primer
Exterior - Soffit/Fascia	Per Plan (Except Board & Batten)	Paint	sw	Extra White SW 7006	SW 7006 Extra White Interior / Exterior Location Number: 257-C1	Satin	A-100	SouthWest Builders Exterior Primer
Exterior	Rear Door (exterior side ONLY)	Paint	sw	Extra White SW 7006	SW 7006 Extra White Interior / Exterior Location Number: 257-C1	Satin	A-100	SouthWest Builders Exterior Primer
Exterior	Garage Door	Paint	sw	Iron Ore SW 7069	SW 7069 Iron Ore Interior / Exterior Location Number: 251-C7	Satin	A-100	South West Builders Exterior Primer
Exterior	Shutters	Paint	sw	Iron Ore SW 7069	SW 7069 Iron Ore Interior / Exterior Location Number: 251-C7	Satin	A-100	SouthWest Builders Exterior Primer
Exterior	Front Door (Interior & Exterior)	Stain	Minwax	Jacobean		N/A	N/A	N/A

CABINETRY SPEC SHEET

					Bolin				
	Location (throughout unless specified	Door Style	Door Finish	Door Color	Photo	Frameless/Full Overlay	Glass (if app)	Soft close doors/drawers	Additional Features/Options
Kitchen	Perimeter Cabinets	Shaker	Pre-finished	White		Full-Overlay	N/A	Y	
Kitchen	Island Cabinets	Shaker	Pre-finished	Gray		Full-Overlay	N/A	Y	N/A
Master Bathroom	Double Sink Vanity	Shaker	Pre-finished	White		Full-Overlay	N/A	Y	N/A
2nd and 3rd Bathroom	Single Sink Vanity	Shaker	Pre-finished	White		Full-Overlay	N/A	Y	N/A

Refer to Approved Cabinet Drawings for final dimensions/layout

COUNTERTOP SPEC SHEET

							Bolin							
	Location (throughout unless specified	Material Type	Color	Photo	Finish	Thickness	Laminated Edge	Edge Profile	Overhangs	Backsplash	Ledge	# Faucet Holes (QTY)	Cut-out / Sinks (QTY)	Cut-out /Appliances
Kitchen	Perimeter & Island	Quartz	Shell White		Polished	Зст	N/A	Square	1 1/4" counter; 12" at island	N/A	N/A		(1) Single- Basin Sink Cutout	N/A
Powder Room					N/A	- Pedestal S	Sink	•		•				N/A
Master Bathroom	Double Sink Vanity & Shower Bench	Quartz	Shell White		Polished	3cm	N/A	Square	1 1/4"	Y - 4" Back and Sides	N	3-hole faucet (8" widspread) (QTY 2)	(2) Rectangular Sink Cutouts	N/A
2nd and 3rd Bathroom	Single Sink Vanity	Quartz	Shell White		Polished	Зст	N/A	Square	1 1/4"	Y - 4" Back and Wall Side	z	III tauceti (QIY	(1) Rectangular Sink Cutout	N/A

TILE SPEC SHEET

	Bolin											
	Photo	Material	Туре	Finish	Size	Cuts	Pattern	Orientation	Tile Height	Transition		
Kitchen Backsplash		Ceramic	Subway	Matte	3" x 12"	N/A	70/30	Horizontal	Up to bottom of upper cabinets/microwave above stove			
Powder Room - Floors					N/A -	LVP flooring (no	ot tile)					
Master Bathroom - Floor & Walls (includes shower curb)		Porcelain		Matte	12" x 24"		90 degree / grid	Parallel to Vanity		White Metal Square Schluter		
Master Bathroom - Shower Floor ONLY		Porcelain	Mosaic	Matte	11x11		Grid		N/A			
2nd and 3rd Bathroom - Floor		Porcelain		Matte	12" × 24"		90 degree / grid	Parallel to Vanity				
2nd and 3rd Bathroom - Tub/Shower Walls		Porcelain		Matte	12" x 24"		90 degree / grid	Horizontal	To the ceiling	White Metal Square Schluter		
Utility Room - Floor		Porcelain		Matte	12" x 24"	N/A	90 degree / grid	Parallel to Door	N/A			
		1/8" GROUT LIN	ES ON ALL N	ON-MOS	AIC TILE UNLES	S NOTED OTH	ERWISE			-		

SOFT FLOORING SPEC SHEET

	Bolin										
	Photo	Material	Туре	Finish	Size	Install Method					
Throughout (plus powder room and stairs)		Vinyl Plank	.3 mm (12 mil) wear layer	Matte	9" W × 7/32" H × 60" L	Per Contractor					
Secondary bedrooms and closets		Carpet	EverStrand (polyester)	Tufted	5/32 gauge; 0.5 pile height	12 ft rolls; use with 3/8" or 1/2" pad					
Treads & Bullnose Trim (risers are part of the "trim" package)	Coordinating product OR s	tained/finished to	o match plank	s - will require	an approval of the co	lor match					
· · · · · · · · · · · · · · · · · · ·	Coordinating product OR s	tained/tinished to	o match plank	s - will require	an approval of the co	lor match					

PLUMBING TRIM SPEC SHEET

					Bol	in				
		Favoet/Trim							Red	ture
Location	Finish	# Holes/Spread	Qty	Installation	Photo	Dimensions	Material	Qty	Installation	Photo
Kitchen Sink	Matte Black	1	1	Type	J	31.5" x 18" x 9"	Stainless Steel	1	Type	
Master Bathroom - Vanity	Matte Black	3/8 in. Widespread	2		<u>ili</u>	9" H x 4" D	White Porcelain	2	Undermount	0
Master Bathroom - Tub	Matte Black	3	1	Wall-mount	70	59" x 30"	Acrylic	1	Center Drain	
Master Bathroom - Shower	Matte Black	1 head, 1 control	1	Wall-mount		Shower Liner	(with bend	h - PE	R PLAN)	
Powder Room - Vanity	Matte Black	1 Hole	1		1	24"L x 19"W x 7"H	Vitreous China	1	Pedistal	T
2nd and 3rd Bathroom - Vanity	Matte Black	1 Hole	1		1	9" H x 4" D	White Porcelain	2	Undermount	0
2nd and 3rd Bathroom - Tub/Shower	Matte Black	1 head, 1 control, 1 spout	1	Wall Mount		30" x 60"	Steel	1	Alcove w/ apron	
All Bathrooms						2-piece Tailet with Elongated Seat in White - Provided by Plumber				
				**Similar ite	ems can be substituted at ar	ny time based on mo	iterial avail	ability		

LIGHTING SPEC SHEET

			Bolin				
	Туре	Finish	Dimensions	Installation Type	Photo	Bulb Type	Qty
Kitchen	Island Pendants	Black	Shade: 6" W x 7" H	Hardwire		(1) E12 linear candelabra	3
Powder Room	Vanity			Resses Cans	s		
Master Bathroom	Vanity			Resses Cans	3		
2nd and 3rd Bathroom	Vanity			Resses Cans	s		
Exterior Lights	Garage	Black	Wall Mount	Hardwire		LED Included	4
			tituted at any time base			•	
	ALL BULBS	ARE IO DE LED 3000	K - ALL CANS ARE TO	DE O" Uniess Noted	OTHERWISE		

HARDWARE SPEC SHEET

	Bol	in		
	Finish	Photo	Notes	Installation Notes
Front Door & Exterior Door(s)	Iron Black			
Interior Doors	Iron Black			
Cabinet Hardware	Black	1		
Closet Rods	Chro	ome/Oblong or stained wo	od - dependent on bud	get*
Bathroom Accessories - Master	Matte Black	90	not all items might be used Quantity: 2	See Diagram
Bathroom Accessories - 2nd , 3rd Bathroom	Matte Black		not all items might be used Quantity: 2	See Diagram
Bathroom Accessories - Powder Room	Matte Black	9 0	not all items might be used Quantity: 1	See Diagram
Address Plaque/Numbers				See Diagram
Standard bathroom accessory locations will be	the default for height	s/proximity to toilet, etc.	 - Further detail can be	confirmed in field.

GLASS MIRROR SPEC SHEET

			Вс	olin				
	Area	Туре	Detail	Finish	Dimensions	Image	Qty	Installation Notes
Kitchen	N/A							
Powder Bathroom	Mirror	Wall Mount	Rounded Corners	Black Metal Frame	24" W x 36" H		1	Center Above Sink at 78" AFF
Master Bathroom	Mirror	Sheet	Frameless		Full width of vanity x 42" H* (as to allow 6" space between top of mirror and centerline of J box above - if app)		1	Start at (Sits on) top of quartz backsplash
Master Bathroom	Shower Glass	Frameless	Door & Fulll height panels	Match Hardware Color	Per Plan		1	Ensure vertical blocking in place prior to sheetrock
2nd and 3rd Bathroom	Mirror	Sheet	Frameless		Full width of vanity x 42" H* (as to allow 6" space between top of mirror and centerline of J box above - if app)		1	Start at (Sits on) top of quartz backsplash
Other								

APPLIANCE SPEC SHEET

Bolin				
	Туре	Overall Dimensions	Finish	Photo
Range	30" Slide-in Front Control Gas Range	30"	SS	
Microwave	30 Inch Wide 1.6 Cu. Ft. 950 Watt Over the Range Microwave with Two- Speed 300 CFM External Venting	30"	SS	
Dishwasher	GE Dishwasher, Top Controls	24"	SS	

ONLY OVERALL DIMENSIONS GIVEN - REFER TO SPEC SHEETS FOR CUT-OUT DIMENSIONS