

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2022

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT: 12218 Cobblestone Drive, Houston, Texas 77024-4221

							_			ONDITION OF THE PROPE			
										IY INSPECTIONS OR WARF		NII	E5
				1. 11	15	NOTA WARRANTY	OF	ΑN	IY K	IND BY SELLER, SELLER'S			
AGENTS, OR ANY OTHER													
Seller ⊠ is □ is not occu	лру	ing	the	pro	per	ty. If unoccupied (by	Sell	er)	, ho	พ long since Seller has occup	oiec	th th	е
Property?										_ (approximate date) or $\; \square$ n	eve	er	
occupied the Property													
Section 1. The Property h	as 1	the	ite	ms	ma	rked below: (Mark Y	es (Ύ).	No	(N), or Unknown (U).)			
						•	•			which items will & will not conv	⁄eγ.		
Item	γ	N	U	It	em	•	Y	N	U	Item	Ϋ́	N	U
Cable TV Wiring	l .	-	H	_	Natural Gas Lines		X	<u> </u>	H	Pump: ☐ sump ☐ grinder	Ė	X	
Carbon Monoxide Det.	 	Х		_		Gas Piping:	+^`	Х	Н	Rain Gutters	X	<u> </u>	
Ceiling Fans	X	<u> </u>				k Iron Pipe		X	П	Range/Stove	X		
Cooktop	X			_	Сор		X		П	Roof/Attic Vents	X		
	1,					ugated Stainless		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	П	0		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Dishwasher	X					Tubing		X		Sauna		X	
Disposal	Х			Hot Tub		Х			Smoke Detector	Х			
Emergency Escape	X			Intercom System			Х		Smoke Detector Hearing		Х		
Ladder(s)							_^	Ш	Impaired				
Exhaust Fan	X					wave	X		Ш	Spa		Χ	
Fences	Х				Outdoor Grill			Х	Ш	Trash Compactor	igspace	Х	
Fire Detection Equipment	Х	_		_	Patio/Decking		X		Ш	TV Antenna	$oxed{oxed}$	Х	
French Drain		Х				oing System	X		Ш	Washer/Dryer Hookup	Х		
Gas Fixtures	X			_	Pool		Х		Ш	Window Screens	Х		
Liquid Propane Gas	<u> </u>	Х		P	Pool Equipment		X		Ш	Public Sewer System	Х		
- LP Community (Captive)		Х		Р	Pool Maint. Accessories		X						
- LP on Property		Х		Р	Pool Heater								
Item					1 U	Additional Informa							
Central A/C				X	┷	⊠ electric □ gas n	umb	er	of u	nits: 2			
Evaporative Coolers						number of units:							
Wall/Window AC Units)	_	number of units:							
Attic Fan(s))	4	if yes, describe:							
Central Heat			;	X	1	⊠ electric □ gas number of units: 2							
Other Heat			_)	4	if yes, describe: number of ovens: 2 □ electric ⊠ gas □ other							
Oven			_	X	+							_	
Fireplace & Chimney				X		□wood ⊠ gas log	⊔n	100	ck [」 other			

Initialed by: Buyer: ___ and Seller: MM,

Χ

□ attached □ not attached

□ attached ⋈ not attached

number of units: 1 number of remotes: 2



Garage Door Openers

Carport

Garage

Satellite Dish & Controls	X							
Security System		Х	□ owned □ leased from:					
Solar Panels		X	□ owned □ leased from:					
Water Heater	X		□ electric ⊠ gas □ other number of unit	number of units: 1				
Water Softener		X	□ owned □ leased from:					
Other Leased Item(s)		X	if yes, describe:					
Underground Lawn Sprinkler	Х	☑ automatic ☐ manual areas covered; front and back gras						
Septic / On-Site Sewer Facility		X	if Yes, attach Information About On-Site Sewer Facility.(TX	KR-140	7)			
-	□ w	ell 🗆	MUD □ co-op □ unknown □ other:					
Was the Property built before 197	78? ⊠	yes	□ no □ unknown					
(If yes, complete, sign, and attacl	h TXF	R-1906	concerning lead-based paint hazards).					
Roof Type: Composite (Shingles Is there an overlay roof covering covering)? ☐ yes ☐ no ☒ unkr	on the	e Prop	Age: 4 years (approximate) erty (shingles or roof covering placed over existing shingles	or roof	f			
•		me lie	ed in this Section 1 that are not in working condition, that h	21/0				
defects, or are in need of repair?			——————————————————————————————————————	ave				
defects, of are in fleed of repair?	□ ye.	<u> </u>	o ii yes, describe.					
Section 2. Are you (Seller) awayou are aware and No (N) if you		_	efects or malfunctions in any of the following?: (Mark Y	es (Y)	if			
Item Y	N	Item	Y N Item	Υ	N			
Basement	Х	Floors	X Sidewalks		Х			
Ceilings	Х	Found	lation / Slab(s) X Walls / Fences		Х			
Doors	Х		or Walls X Windows		Х			
Driveways			ng Fixtures X Other Structural Compone	nts	X			
Electrical Systems		_	oing Systems X	110	$\stackrel{\sim}{\Box}$			
Exterior Walls	_	Roof	X		H			
Exterior Walls		11001			Ш			
Plumbing Systems – The selle	r perf	ormed	is Yes, explain (attach additional sheets if necessary): a hydrostatic test on 3.4.24. See attachment on HAR of the following conditions? (Mark Yes (Y) if you are aw	are and				
Condition			Y N Condition	V	N			
			X Radon Gas	<u> </u>	N X			
Aluminum Wiring								
Asbestos Components			X Settling		X			
Diseased Trees: ☐ Oak Wilt ☐		,	X Soil Movement		X			
Endangered Species/Habitat on	Prope	erty	X Subsurface Structure or Pits		X			
Fault Lines			X Underground Storage Tanks		Х			
Hazardous or Toxic Waste			X Unplatted Easements		Χ			
Improper Drainage			X Unrecorded Easements	$-\!$	X			
Intermittent or Weather Springs			X Urea-formaldehyde Insulation		Х			
Landfill			X Water Damage Not Due to a Flood Event					
Lead-Based Paint or Lead-Based	d Pt. I	lazaro	S X Wetlands on Property	Wetlands on Property X				

Initialed by: Buyer: ____, ___ and Seller: MM, ____

Wood Rot



Encroachments onto the Property

Improvements encroaching on others' property				
Located in Historic District				
Historic Property Designation				
Previous Foundation Repairs				
Previous Roof Repairs				
Previous Other Structural Repairs				
Previous Use of Premises for Manufacture of				
Methamphetamine	^			

Active infestation of termites or other wood destroying insects (WDI)		Х		
Previous treatment for termites or WDI	Х			
Previous termite or WDI damage repaired				
Previous Fires				
Termite or WDI damage needing repair				
Single Blockable Main Drain in Pool/Hot Tub/Spa*		Х		

	X	Termite or WDI damage needing repair				
Previous Use of Premises for Manufacture of	X	Single Blockable Main Drain in Pool/Hot	X			
Methamphetamine		Tub/Spa*				
If the answer to any of the items in Section 3 is Y	es, expla	in (attach additional sheets if necessary):				
Water Damage Not Due to a Flood Event – A	pipe burs	t in Jan of 2024 due to a freeze. The pipe was	fixed,			
and the sheetrock was repaired.	:4	to the dia 2000 before the bound of the bound				
Previous treatment for termites or WDI – Terminal Previous termite or WDI demonstrated and Previous terminal Previous te		•				
Previous termite or WDI damage repaired – No before we purchased the house.	NOL SUITE &	about who they used, but they were treated and	iesieu			
*A single blockable main drain may cause a suction en	trapment h	azard for an individual.				
Section 4. Are you (Seller) aware of any item, repair, which has not been previously discadditional sheets if necessary):						
			re and			
check wholly or partly as applicable. Mark No			re and			
check wholly or partly as applicable. Mark No			re and			
check wholly or partly as applicable. Mark No	(N) if yo	u are not aware.)				
 Check wholly or partly as applicable. Mark Note Y N □ ☑ Present flood insurance coverage. □ ☑ Previous flooding due to a failure or breach a reservoir. 	(N) if yo	u are not aware.)				
 Check wholly or partly as applicable. Mark Note Y N □ ☑ Present flood insurance coverage. □ ☑ Previous flooding due to a failure or breach a reservoir. 	of a rese	u are not aware.) rvoir or a controlled or emergency release of w				
 Check wholly or partly as applicable. Mark Note Y N □ ☑ Present flood insurance coverage. □ ☑ Previous flooding due to a failure or breach a reservoir. □ ☑ Previous flooding due to a natural flood even 	of a rese	u are not aware.) ervoir or a controlled or emergency release of working operty due to a natural flood event.	ater from			
 Check wholly or partly as applicable. Mark Note Y N □ ⊠ Present flood insurance coverage. □ ⊠ Previous flooding due to a failure or breach a reservoir. □ ⊠ Previous flooding due to a natural flood evenue. □ ⊠ Previous water penetration into a structure □ ⊠ Located □ wholly □ partly in a 100-year floor AH, VE, or AR). 	of a rese	u are not aware.) ervoir or a controlled or emergency release of working operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE	ater from			
 Check wholly or partly as applicable. Mark Note Y N □ ⊠ Present flood insurance coverage. □ ⊠ Previous flooding due to a failure or breach a reservoir. □ ⊠ Previous flooding due to a natural flood evenue. □ ⊠ Previous water penetration into a structure □ ⊠ Located □ wholly □ partly in a 100-year floor AH, VE, or AR). 	of a rese	u are not aware.) ervoir or a controlled or emergency release of working operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE	ater from			
 Check wholly or partly as applicable. Mark Note Y N ✓ N ✓ Present flood insurance coverage. ✓ Previous flooding due to a failure or breach a reservoir. ✓ Previous flooding due to a natural flood every previous water penetration into a structure ✓ Previous water penetration into a structure ✓ Located ☐ wholly ☐ partly in a 100-year floor AH, VE, or AR). ✓ Located ☐ wholly ☐ partly in a 500-year floor 	of a rese	u are not aware.) ervoir or a controlled or emergency release of working operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE	ater from			
 Check wholly or partly as applicable. Mark Note Y N ☑ N ☑ Present flood insurance coverage. ☑ Previous flooding due to a failure or breach a reservoir. ☑ Previous flooding due to a natural flood ever I was a previous water penetration into a structure ☑ Previous water penetration into a structure ☑ Located ☐ wholly ☐ partly in a 100-year floor AH, VE, or AR). ☑ Located ☐ wholly ☐ partly in a 500-year floor I was a partly in a floodway. ☑ Located ☐ wholly ☐ partly in flood pool. 	of a rese	u are not aware.) ervoir or a controlled or emergency release of working operty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE	ater from			
a reservoir. □ ⋈ Previous flooding due to a natural flood events of the previous water penetration into a structure wholly □ partly in a 100-year flood AH, VE, or AR). □ ⋈ Located □ wholly □ partly in a 500-year flood wholly □ partly in a floodway.	of a reservent. on the Prodplain (Sodplain (I	ervoir or a controlled or emergency release of woodersty due to a natural flood event. Special Flood Hazard Area-Zone A, V, A99, AE Moderate Flood Hazard Area-Zone X (shaded))	ater from			

Prepared with Sellers Shield

*If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).

*For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

provider, including the National Flood Insurance Program (NFIP)?* □yes ☒ no If yes, explain (attach additional sheets as necessary):
*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the structure(s).
Section 7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business Administration (SBA) for flood damage to the Property? □yes ⋈ no If yes, explain (attach additional sheets as necessary):
Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)
YN

Prepared with SELLERS SHIELD

Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property

Initialed by: Buyer: ____, ___ and Seller: MM, ____ Page 5 of 7 Prepared with Sellers Shield

with any insurance □ yes ⊠ no	provider?
example, an insura	you (Seller) ever received proceeds for a claim for damage to the Property (for nce claim or a settlement or award in a legal proceeding) and not used the proceeds to r which the claim was made? \square yes \boxtimes no
. you, explain	
	the Property have working smoke detectors installed in accordance with the smoke
-	nts of Chapter 766 of the Health and Safety Code?* ⊠ yes □ no □ unknown plain (Attach additional sheets if necessary):
ii iio oi ulikilowii, ex	Jain (Attach additional sheets if necessary).

Concerning the Property at 12218 Cobblestone Drive, Houston, Texas 77024-4221

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Initialed by: Buyer: ____, ___ and Seller: MM, ____



Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.

<u>Melissa McCown</u>		03/07/2024			
Signature of Seller		Date	Signatu	ure of Seller	Date
Printed Name: Melissa	McCown		Printed	l Name:	
ADDITIONAL NOTICES	S TO BUYER:				
registered sex offe	enders are located in	certain zip code	areas. To s	•	at no cost, to determine if sit www.txdps.state.tx.us . For I police department.
high tide bordering (Chapter 61 or 63 permit may be red	the Gulf of Mexico, t Natural Resources	he Property may Code, respective improvements.	be subject to ely) and a be Contact the	o the Open Beaches Actachfront construction co	vithin 1,000 feet of the mean t or the Dune Protection Act ertificate or dune protection h ordinance authority over
Texas Department and hail insurance information, please	of Insurance, the Pro	operty may be supliance may be Regarding Winds	ubject to addi required for storm and Ha	tional requirements to o repairs or improvement all Insurance for Certain	by the Commissioner of the btain or continue windstorm s to the Property. For more Properties (TAR 2518) and
zones or other ope Installation Compa	rations. Information retible Use Zone Study	elating to high no or Joint Land Us	oise and com se Study prep	patible use zones is ava pared for a military instal	ir installation compatible use ilable in the most recent Air lation and may be accessed ich the military installation is
, , ,	our offers on square fo any reported informat	•	ments, or bou	ındaries, you should hav	e those items independently
(6) The following provide	lers currently provide	service to the Pro	operty:		
Electric:	Discount Powe		Phone #	877-455-4674	
Sewer:	Houston		Phone #		
Water:	Houston		Phone #		
Cable:	Direct TV		Phone #		
Trash:	Texas Pride		Phone #		
Natural Gas:			Phone #		
Phone Company:	None		Phone #		
Propane:			Phone #		
Internet:	Xfinity		Phone #		
and correct and h	nave no reason to bOUR CHOICE INSPE	elieve it to be f	alse or inaco RTY.	_	e relied on this notice as true COURAGED TO HAVE AN
aaoi oi girioù bayor					
Signature of Buyer		Date	Signatu	re of Buyer	Date
Printed Name:			Printed	Name:	

Prepared with Sellers Shield