

Specifications for Project **BELLAIRE**, TX, 77402

> 4242 Richmond Ave. Houston 2812776464

**Roland Mitchell** 

rmitchell@fbsappliance.com



**O REMINDER:** To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

Powered by SteelCod

## BELLAIRE, TX, 77402

MODERN T REAL ESTATE

### BELLAIRE, TX, 77402

Contents	Page no.
HGS8655UC Bosch Range	3-4
800 Series Gas Freestanding Range 36" Stainless Steel	
HMD8053UC Bosch Microwave	5-6
800 Series Drawer Microwave 30" Stainless Steel	
SHX5AEM5N Bosch Dishwasher 24" Bar Handle Dishwasher	7-9
DAMA36SSV2 Faber Ventilation	10-11

36" Chimney Wall Hood

**FBS** A P P L I A N C E

### FBS Appliance factorybuilderstores.com

Roland Mitchell Inside sales 2812776464

BT Quote **366530** Version 1.1

Thu, Feb 1, 2024 2:20 PM CST



enterprise.steelcod.com/sp/fbst/XAZ5ZKTJ

Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only. Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

# 36" Industrial Style Gas Range

**General Properties** 

800 Series - Stainless Steel HGS8655UC





**HGS8655UC** Stainless Steel

Also available in: Black HGS8645UC Stainless Steel

First 36" Bosch range with six burners offering more flexibility in the way you cook.

#### Features & Benefits

Powerful 18,000 BTU double ring burner speeds cooking time.

Dishwasher safe grates for easy cleaning.

A full extension telescopic rack rail offers easy access to the oven cavity.

Dampened hinges softly guide the QuietClose® door shut so the oven door never slams.

Heavy-duty metal knobs for a premium look and feel.

General Properties	
Cooking modes	Bake, Convection Bake, Broil
Cleaning type	Catalytic clean coating
Type of grate	Cast iron
Knob material	Metal
Interior light	1
Kitchen timer	Yes
Sealed burners	Yes
Oven Performance	
Bake / broil burner power BTU	17,000 / 14,000 BTU
Burner Performance	
Total cooktop burners	6
Total cooktop (NG / LP) BTU	63,000 / 63,000
Power of front left burner (NG / LP) BTU	18,000 / 18,000
Power of back left burner (NG / LP) BTU	5,000 / 5,000
Power of back center burner (NG / LP) BTU	10,000 / 10,000
Power of front center burner (NG / LP) BTU	10,000 / 10,000
Power of back right burner (NG / LP) BTU	10,000 / 10,000
Power of front right burner (NG / LP) BTU	10,000 / 10,000
Technical Details	
Circuit breaker (A)	15 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Plug type	US 3-prong
Cord length (in.)	60" with plug
Energy source	Gas
Gas type	Natural gas 14.9 mbar (USA) [7" WC]
Alternative gas type	LP 27.4 mbar (USA)[11" WC]

#### **Dimensions & Weight**

Overall appliance dimensions (HxWxD)(in.)	36" x 35 15/16"" x 24 15/16" (26 1/2" with bull nose)
Required cutout size (HxWxD)(in.)	36" x 36" x 25"
Adjustable range height (in.)	35 19/32" Min. 36 39/64" Max.
Oven cavity size (cu. ft.)	3.4
Overall oven interior dimensions (HxWxD)(in.)	15" x 28 7/16" x 17 11/16"
Usable oven interior dimensions (HxWxD)(in.)	15" x 28 11/32" x 17 11/16"
Net weight (lbs)	207 lbs

#### **Accessories**-Included

Use and care manual, installation guide, LP conversion kit, 1 standard rack, 1 telescopic rack

Wok Ring

#### Accessories–Optional





HEZ9GR41UC Griddle

HEZ9YZ36UC 36" Low Backguard



HEZ9ZZ36UC 36" Rear Vent Trim Extension Stainless Steel

HEZ9TK36UC

36" Range Toe Kick

Stainless Steel

HEZ9YZ04UC Side Panel Extension Kit Stainless Steel



HEZ9LLUC Metal Pedestal Feet, Set of 4 Stainless Steel



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


# **36" Industrial Style Gas Range**

800 Series - Stainless Steel HGS8655UC



### **Installation Details**





side from cutout to side walls.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

## **30" Drawer Microwave**

800 Series - Stainless Steel HMD8053UC





HMD8053UC Stainless Steel

The 30" drawer microwave opens and closes automatically with the push of a button, and can be installed flush to cabinet.

#### Features & Benefits

Convenient automatic sensor programs simplify cooking for great results every time.

Low profile design with touch "open" and "close".

Enough room to fit a 4 qt. casserole dish.

Install under a counter or in a wall cabinet.

White touch control LCD matches Bosch wall ovens.

White
950 W
1.2 cu. ft.
1,500 W
15 A
120 V
60 Hz
48"
120V-3 prong
16 5/16" x 30" x 23 3/8"
14 13/16" x 28 1/4" x 23 1/2"
88 lbs



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

## **30" Drawer Microwave**

800 Series - Stainless Steel HMD8053UC



### **Installation Details**



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

## 24" Bar Handle Dishwasher

100 Series Premium - Stainless Steel SHX5AEM5N





SHX5AEM5N Stainless Steel

Also available in:

White	SHX5AEM2N
Black Stainless Steel	SHX5AEM4N
Black	SHX5AEM6N

A 3rd rack provides 30% more loading space<sup>1</sup> for your utensils, giving the other racks more space for dishes.

#### **Features & Benefits**

With Bosch PrecisionWash®, just scrape and load. No pre-rinsing required for a beautiful clean.

46 dBA: Quietest dishwasher brand in North America.<sup>2</sup>

RackMatic<sup>®</sup> adjusts the upper rack to 9 different positions, allowing for taller items like stemware or leaving room for pots and pans below.

Home Connect<sup>®</sup> lets you monitor and control your appliance remotely, via the Home Connect<sup>®</sup> app.

24/7 Overflow Protection System<sup>®</sup> helps prevent water leaks, even when your dishwasher is off.

General Properties	
Number of wash cycles	5 + 3 additional in Home Connect®
Number of options	3 + 4 additional in Home Connect®
dBA	46
Wash system	PrecisionWash®
Drying system	PureDry®
Third rack	Standard 3rd rack
Rack adjustability	RackMatic®
Tub material	Stainless steel/ polypropylene
Control type	Touch
Concealed water heating element	Yes
Leak protection system	24/7 Overflow Protection
NSF <sup>®</sup> -certified <sup>3</sup> sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	No
Home Connect® (Wi-Fi enabled)	Yes
Anti-Fingerprint Finish	Yes
Special features	InfoLight®
Efficiency	
Water usage per cycle	3.5 gal
Total annual energy consumption	269 kWh
Capacity	

Technical Details	
Watts	1440 W
Current	12 Amps
Volts	12 Amps
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 50"
Minimum water pressure	14 lb/sin
Length outlet hose	90 1/2"
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 22 9/16"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	67 lbs
Accessories–Optional	
Supply Hose Kit with Elbow	SMZSH1ABUC
Junction Box	SMZPCJB1UC
Junction box & Water Supply Hose Kit	SMZ3IN1UC
Dishwasher Drain Hose Extension	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Flexible Silverware Basket	SMZ4000UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC

#### Home Connect

Number of place settings 15



<sup>1</sup>Compared to Bosch dishwasher with two racks.

<sup>2</sup>Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2021. <sup>3</sup>Certification to NSF/ANSI Standard 184 for residential dishwashers.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

## 24" Bar Handle Dishwasher

100 Series Premium - Stainless Steel SHX5AEM5N



### **Installation Details**



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

## 24" Bar Handle Dishwasher

100 Series Premium - Stainless Steel SHX5AEM5N



### **Installation Details**



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904



### ATTRACTIVE, SLIM, FEATURE-PACKED DESIGN

Slim, seamless, stylish - this Energy-Efficient canopy hood will look right in any home. Designed with the Sound PRO Blower for a quieter run. It's easy to install and simple to operate, thanks to the updated chrome buttons and optional remote control.

### AVAILABLE MODELS

Model #	FUN #	Size / Color	Motor Class (CFM)
DAMA30SSV2	320.0679.087	30" Stainless Steel	295/395/600 CFM
DAMA36SSV2	320.0679.088	36" Stainless Steel	295/395/600 CFM







## DAMA

MODEL
DAMA30SSV2
DAMA36SSV2

**FUN #** 320.0679.087 320.0679.088 SIZE/MATERIAL 30" Stainless Steel 36" Stainless Steel **MOTOR CLASS** 295/395/600 CFM

295/395/600 CFM



FEATURES		PERFORMANCE		ACCESSORIES
Dimensions		Motor		HIGH3 High Ceiling Kit to 11'
Ceiling Height	Min 24" OFF - 7' ¼6" Max 30" OFF - 9' ¼6"	No. of Fan Speeds Motor Class	4 Speed 295/395/600	DUCT4 Ductless Conversion Kit
Canopy Depth- Height	19' <b><sup>15</sup>⁄16"</b> D x 6' <sup>9</sup> ⁄16" H	Variable Air Managment	Ability to set to 295, 395, 600	<b>FILTER2</b> Replacement Charcoal Filter
Ducting			CFM	MUDAMPER6
Ducted/Ductiess with	Sound PRO Motor	Yes	6" Make-up Air Kit	
	DUCT4 kit <b>Display</b>			MUDAMPER8
Duct Size	Top 6" Round	Controls	Electronic with	8" Make-up Air Kit
Lighting			White LED	REMORIG
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	Wireless Remote Control WIREBOX
# of Bulbs	Two - 1 Watt - 1 Level	Delay Shut-off	15 Minutes	Fixed Wiring Box
Grease Filters		5	15 Minutes	
Filter Type	Stainless Steel Baffle	Other		
Dishwasher Safe	Yes	ADA Compliant	With Remote Control	
		Remote Control	Purchase Separately	
		Power Cord	Included	

#### DIMENSIONAL DRAWINGS

