

FIRE SPRINKLER NOTE:
 PER SEC 504.2 OF THE 2006 IBC THIS 4-STORY TYPE V CONSTRUCTION (R-3) BUILDING MUST BE FULLY SPRINKLED IV AN NFPA 13R SPRINKLER SYSTEM IN ACCORDANCE WITH SEC. 903.3.1.2 (NFPA 13-R)

GARAGE SEPERATION NOTES
 THE PRIVATE GARAGE SHALL BE SEPARATED FROM THE DWELLING UNIT AND ITS ATTIC AREA BY MEANS OF MIN. 1/2" GYPSUM BOARD APPLIED TO THE GARAGE SIDE. GARAGE BENEATH HABITABLE ROOMS SHALL BE SEPARATED FROM ALL HABITABLE ROOMS ABOVE BY NOT LESS THAN 5/8" TYPE X GYPSUM BOARD OR EQ. SEC. 508.3.3.4.1 EXC. #2, 2006 IBC
 DOOR OPENINGS BETWEEN THE GARAGE AND THE RESIDENCE SHALL BE EQUIPPED WITH EITHER SOLID WOOD DOORS NOT LESS THAN 1-3/8" THICK, SOLID OR HONEYCOMB CORE STEEL DOORS IN COMPLIANCE WITH SEC. 714.2.3. OPENINGS FROM A PRIVATE GARAGE DIRECTLY INTO A ROOM USED FOR SLEEPING PURPOSES SHALL NOT BE PERMITTED. SEC. 508.3.3.4.1 EXC. #2, 2006 IBC

WALL TYPES LEGEND:

- 1 HR RATED WALL
- 2 HR RATED WALL (PER USTB)
- BRICK VENEER
- CMU WALL
- 2X6 STUD WALL
- 2X4 STUD WALL

WALL TYPE GENERAL NOTE:
 *ALL WALLS TO BE 2X6 CONSTRUCTION UNLESS NOTED OTHERWISE.


DKA
 DILLON KYLE ARCHITECTURE

3219 Millam Street
 Houston, Texas 77006
 713.520.8792 tel
 713.520.9639 fax
 www.dkarc.com

REGISTRATION NUMBER: 15331

COPYRIGHT INFORMATION:
 These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:



FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	Design Development	1-10-2010
	PERMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FOUNDATION SET - REVISION	2-19-2016
	FRAMING SET - REVISION	4-04-2016
	WALL PENETRATIONS	1-12-2017

1 FIRST FLOOR
 A-2.1.1 SCALE: 1/4" = 1'-0" 1 / A-2.1.1

SHEET CONTENTS:
FIRST FLOOR KEY PLAN

SHEET NUMBER:
A-2.1.1



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FOUNDATION SET - REVISION	2-19-2016
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

FIRST FLOOR
DIMENSION PLAN

SHEET NUMBER:

A-2.1.2



1 FIRST FLOOR - DIMENSION PLAN
A-2.1.2 SCALE: 1/4" = 1'-0"

FIRE SPRINKLER NOTE:
 PER SEC 504.2 OF THE 2006 IBC THIS 4-STORY TYPE V CONSTRUCTION (R-3) BUILDING MUST BE FULLY SPRINKLERED IN AN NFPA 13R SPRINKLER SYSTEM IN ACCORDANCE WITH SEC. 903.3.1.2 (NFPA 13-R)

GARAGE SEPERATION NOTES
 THE PRIVATE GARAGE SHALL BE SEPARATED FROM THE DWELLING UNIT AND ITS ATTIC AREA BY MEANS OF MIN. 1/2" GYPSUM BOARD APPLIED TO THE GARAGE SIDE. GARAGE BENEATH HABITABLE ROOMS SHALL BE SEPARATED FROM ALL HABITABLE ROOMS ABOVE BY NOT LESS THAN 5/8" TYPE X GYPSUM BOARD OR EQ. SEC. 508.3.3.4.1 EXC. #2, 2006 IBC.
 DOOR OPENINGS BETWEEN THE GARAGE AND THE RESIDENCE SHALL BE EQUIPPED WITH EITHER SOLID WOOD DOORS NOT LESS THAN 1-3/8" THICK, SOLID OR HONEYCOMB CORE STEEL DOORS IN COMPLIANCE WITH SEC. 104.2.3. OPENINGS FROM A PRIVATE GARAGE DIRECTLY INTO A ROOM USED FOR SLEEPING PURPOSES SHALL NOT BE PERMITTED. SEC. 508.3.3.4.1 EXC. #2, 2006 IBC

WALL TYPES LEGEND:

- 1 HR RATED WALL
- 2 HR RATED WALL (PER USTB)
- BRICK VENEER
- CMU WALL
- 2x6 STUD WALL
- 2x4 STUD WALL

WALL TYPE GENERAL NOTE:
 *ALL WALLS TO BE 2x6 CONSTRUCTION UNLESS NOTED OTHERWISE.


DKA
 DILLON KYLE ARCHITECTURE

3219 Millam Street
 Houston, Texas 77006
 713.520.8792 tel
 713.520.9639 fax
 www.dkarc.com

REGISTRATION NUMBER: 15331

COPYRIGHT INFORMATION:
 These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:



FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS

REV.	DESCRIPTION	DATE
	Design Development	1-10-2010
	PREMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
SECOND FLOOR KEY PLAN

SHEET NUMBER:
A-2.2.1

1 SECOND FLOOR
 A-2.2.1 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

SECOND FLOOR
DIMENSION PLAN

SHEET NUMBER:

A-2.2.2



1 SECOND FLOOR - DIMENSION PLAN
A-2.2.2 SCALE: 1/4" = 1'-0"

FIRE SPRINKLER NOTE:
 PER SEC 904.2 OF THE 2006 IBC THIS 4-STORY TYPE V CONSTRUCTION (R-3) BUILDING MUST BE FULLY SPRINKLED IN AN NFPA 13R SPRINKLER SYSTEM IN ACCORDANCE WITH SEC. 903.3.1.2 (NFPA 13-R)

WALL TYPES LEGEND:

- 1 HR RATED WALL
- 2 HR RATED WALL (PER USTB)
- BRICK VENEER
- CMU WALL
- 2X6 STUD WALL
- 2X4 STUD WALL

WALL TYPE GENERAL NOTE:
 *ALL WALLS TO BE 2X6 CONSTRUCTION UNLESS NOTED OTHERWISE.

DKA
 DILLON KYLE ARCHITECTURE

3219 Milam Street
 Houston, Texas 77006
 713.520.8792 tel
 713.520.9639 fax
 www.dkarc.com

REGISTRATION NUMBER: 15331



COPYRIGHT INFORMATION:
 These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION

**CHATEAU DRISCOLL
 2407&2409 DRISCOLL
 HOUSTON, TX 77019**

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	Design Development	1-10-2010
	PREMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
 THIRD FLOOR KEY PLAN

SHEET NUMBER:
A-2.5.1



1 THIRD FLOOR
 A-2.3.1 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	FRAMING SET - MSTR DIMS	8-30-2016
	FRAMING SET - MSTR BATH REV.	11-1-2016

SHEET CONTENTS:

THIRD FLOOR
DIMENSION PLAN

SHEET NUMBER:

A-2.5.2



1 THIRD FLOOR - DIMENSION PLAN
A-2.3.2 SCALE: 1/4" = 1'-0"

FIRE SPRINKLER NOTE:
 PER SEC 504.2 OF THE 2006 IBC THIS 4-STORY TYPE V CONSTRUCTION (R-3) BUILDING MUST BE FULLY SPRINKLED W/ AN NFPA 13R SPRINKLER SYSTEM IN ACCORDANCE WITH SEC. 903.9.1.2 (NFPA 13-R)

WALL TYPES LEGEND:

- 1 HR RATED WALL
- 2 HR RATED WALL (PER U7B)
- BRICK VENEER
- CMU WALL
- 2X6 STUD WALL
- 2X4 STUD WALL

WALL TYPE GENERAL NOTE:
 *ALL WALLS TO BE 2X6 CONSTRUCTION UNLESS NOTED OTHERWISE.

DKA
 DILLON KYLE ARCHITECTURE

3219 Millam Street
 Houston, Texas 77006
 713.520.8792 tel
 713.520.9639 fax
 www.dkarc.com

REGISTRATION NUMBER: 1 5 3 3 1



COPYRIGHT INFORMATION:
 These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.


PROJECT INFORMATION:

FRAMING SET REVISION

**CHATEAU DRISCOLL
 2407&2409 DRISCOLL
 HOUSTON, TX 77019**

ISSUES / REVISIONS

REV.	DESCRIPTION	DATE
	Design Development	1-10-2010
	PERMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016



1 FOURTH FLOOR
 SCALE: 1/4" = 1'-0"

SHEET CONTENTS:
 FOURTH FLOOR KEY PLAN

SHEET NUMBER:
A-2.4.1



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	FOUNDATION SET	4-30-2015
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

FOURTH FLOOR
DIMENSION PLAN

SHEET NUMBER:

A-2.4.2



1
A-2.4.2 **FOURTH FLOOR - DIMENSION PLAN**
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	PERMIT SET - REVISIONS	10-31-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS :
ROOF PLAN


SHEET NUMBER :

A-2.5.1

NOTE:
ALL DIMENSIONS TAKEN FROM OUTSIDE FACE OF STUD WALL TO OUTERMOST POINT OF FASCIA TRIM BOARD

ROOF LEGEND

	ASPHALT ROOF
	METAL ROOF (NOT USED)
	MODIFIED FLAT ROOF
	AREA FOR ALL ROOF PENETRATIONS



1 ROOF PLAN
A-2.5.1 SCALE : 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - REVISION	4-04-2016
	FRAMING SET - ROOF DRAINS	9-16-2016

SHEET CONTENTS:

TERRACE ROOF PLANS

SHEET NUMBER:

A-2.5.2



FOURTH FLOOR T.O.P. = 44' - 5 3/8"

4th b.o.t. = 42' - 5 1/2"

FOURTH FLOOR F.F. = 35' - 5"

FOURTH FLOOR T.O. SUBFLOOR = 35' - 4 1/4"

THIRD FLOOR T.O.P. = 33' - 7 1/8"

3rd b.o.t. = 31' - 7 1/4"

THIRD FLOOR F.F. = 23' - 6 3/4"

THIRD FLOOR T.O. SUBFLOOR = 23' - 6"

SECOND FLOOR T.O.P. = 21' - 10 1/8"

2nd b.o.t. = 18' - 11"

SECOND FLOOR F.F. = 10' - 10 1/2"

SECOND FLOOR T.O. SUBFLOOR = 10' - 9 3/4"

FIRST FLOOR T.O.P. = 9' - 2 5/8"

1st b.o.t. = 7' - 2 3/4"

F.F. = 2 1/4"

T.O. SLAB = 0"



GUARDRAIL NOTE:

PORCHES, BALCONIES OR RAISED FLOOR SURFACES LOCATED MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDS NOT LESS THAN 36 INCHES IN HEIGHT. OPEN SIDES OF STAIRS WITH A TOTAL RISE OF MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDS NOT LESS THAN 34 INCHES IN HEIGHT MEASURED VERTICALLY FROM THE NOSING OF THE TREADS. REQUIRED GUARDS SHALL HAVE INTERMEDIATE RAILS OR ORNAMENTAL CLOSURES THAT DO NOT ALLOW PASSAGE OF A SPHERE OF 4 INCHES IN DIAMETER. REQUIRED GUARDS SHALL NOT BE CONSTRUCTED WITH HORIZONTAL RAILS OR OTHER ORNAMENTAL PATTERN THAT WILL RESULT IN A LADDER EFFECT. GUARD AND HANDRAIL TO BE DESIGNED AND INSTALLED TO RESIST A 200 LB CONCENTRATED LOAD APPLIED IN ANY DIRECTION AT ANY POINT ALONG THE TOP.

HANDRAIL NOTE:

HANDRAILS MUST HAVE A MIN. HEIGHT OF 34 INCHES AND A MAX. HEIGHT OF 38 INCHES, MEASURED VERTICALLY FROM THE NOSING OF THE TREADS, AND SHALL BE PROVIDED ON AT LEAST ONE SIDE OF THE STAIRWAYS. ALL REQUIRED HANDRAILS SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS WITH TWO OR MORE RISERS FROM A POINT DIRECTLY ABOVE THE TOP RISER OF A FLIGHT TO A POINT DIRECTLY ABOVE THE LOWEST RISER OF THE FLIGHT. ENDS SHALL BE RETURNED OR SHALL TERMINATE IN NEVEL POSTS OR SAFETY TERMINALS. HANDRAILS ADJACENT TO A HALL SHALL HAVE A SPACE OF NOT LESS THAN 1 1/2 INCHES BETWEEN THE WALL AND THE HANDRAIL.

NOTE:

ALL DIMENSIONS TO ROUGH FRAMING, U.O.N.

DKA
DILLON KYLE ARCHITECTURE

3219 Millam Street
Houston, Texas 77006
713.520.8792 tel
713.520.9639 fax
www.dkarc.com

REGISTRATION NUMBER: 15331



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	FRAMING SET - STAIR REV.	8-1-2016

SHEET CONTENTS:

STAIR SECTION

SHEET NUMBER:

A-2.7.1




FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	Design Development	1-10-2010
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-4-2016
	FRAMING SET - STAIR REV.	8-1-2016

SHEET CONTENTS:
STAIR PLAN


A-2.7.2




4 ENLARGED STAIR PLAN - FOURTH
SCALE: 1/2" = 1'-0"




3 ENLARGED STAIR PLAN - THIRD TO FOURTH
SCALE: 1/2" = 1'-0"




2 ENLARGED STAIR PLAN - SECOND TO THIRD
SCALE: 1/2" = 1'-0"



1 ENLARGED STAIR PLAN - FIRST TO SECOND
SCALE: 1/2" = 1'-0"



14 HANDRAIL DETAIL
SCALE: 12" = 1'-0"






13 ENLARGED ELEVATOR PLAN (TYP.)
SCALE: 1/2" = 1'-0"

NOTE:
ALL DIMENSIONS TO ROUGH FRAMING, U.O.N.
DECORATIVE RAILING DETAILS WILL NEED TO BE APPROVED BY CITY BEFORE INSTALLATION.
THIRD PARTY STATE INSPECTOR IS REQUIRED TO INSPECT THE ELEVATOR.
VERIFY ALL ELEVATOR DIMENSIONS AND COMPONENTS BEFORE CONSTRUCTION.

GUARDRAIL NOTE:
PORCHES, BALCONIES OR RAISED FLOOR SURFACES LOCATED MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDS NOT LESS THAN 36 INCHES IN HEIGHT. OPEN SIDES OF STAIRS WITH A TOTAL RISE OF MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDS NOT LESS THAN 34 INCHES IN HEIGHT MEASURED VERTICALLY FROM THE NOSING OF THE TREADS. REQUIRED GUARDS SHALL HAVE INTERMEDIATE RAILS OR ORNAMENTAL CLOSURES THAT DO NOT ALLOW PASSAGE OF A SPHERE OF 4 INCHES IN DIAMETER. REQUIRED GUARDS SHALL NOT BE CONSTRUCTED WITH HORIZONTAL RAILS OR OTHER ORNAMENTAL PATTERN THAT WILL RESULT IN A LADDER EFFECT. GUARD AND HANDRAIL TO BE DESIGNED AND INSTALLED TO RESIST A 200 LB CONCENTRATED LOAD APPLIED IN ANY DIRECTION AT ANY POINT ALONG THE TOP.

HANDRAIL NOTE:
HANDRAILS MUST HAVE A MIN. HEIGHT OF 34 INCHES AND A MAX. HEIGHT OF 38 INCHES, MEASURED VERTICALLY FROM THE NOSING OF THE TREADS, AND SHALL BE PROVIDED ON AT LEAST ONE SIDE OF THE STAIRWAYS. ALL REQUIRED HANDRAILS SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS WITH TWO OR MORE RISERS FROM A POINT DIRECTLY ABOVE THE TOP RISER OF A FLIGHT TO A POINT DIRECTLY ABOVE THE LOWEST RISER OF THE FLIGHT. ENDS SHALL BE RETURNED, OR SHALL TERMINATE IN NIBEL POSTS OR SAFETY TERMINALS. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE OF NOT LESS THAN 1 1/2 INCHES BETWEEN THE WALL AND THE HANDRAIL.



26 ELEVATOR SECTION
SCALE: 3/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION


CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	GARAGE HEADER REV.	10-17-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:

A-5.1



SECTION 1
A-5.1 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION


CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:

A-5.2



1 SECTION 9
A-5.2 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION

**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	GARAGE HEADER REV.	10-17-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:
A-5.5



SECTION 21
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:
A-5.4



02 SECTION 10
A-5.4 SCALE: 1/4" = 1'-0"



01 SECTION X
A-5.4 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:


A-5.5




02 SECTION 5
A-5.5 SCALE: 1/4" = 1'-0"



01 SECTION 4
A-5.5 SCALE: 1/4" = 1'-0"



2 **FLUE ROUTING SECTION**
SCALE: 1/4" = 1'-0"



1 **SECTION 22**
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
BUILDING SECTIONS

SHEET NUMBER:
A-5.6



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
PERMIT SET: 9-16-2014		

SHEET CONTENTS :


INTERIOR ELEVATIONS

SHEET NUMBER :


A-7.1




9 GARAGE 105 (N)
A-7.1 SCALE: 1/2" = 1'-0"




8 VEST 102 (W)
A-7.1 SCALE: 1/2" = 1'-0"




7 VEST 102 (S)
A-7.1 SCALE: 1/2" = 1'-0"




6 VEST 102 (E)
A-7.1 SCALE: 1/2" = 1'-0"




5 VEST 102 (N)
A-7.1 SCALE: 1/2" = 1'-0"




11 STORAGE 106 (N)
A-7.1 SCALE: 1/2" = 1'-0"




4 ENTRY 101 (W)
A-7.1 SCALE: 1/2" = 1'-0"




3 ENTRY 101 (S)
A-7.1 SCALE: 1/2" = 1'-0"



10 STORAGE 106 (W)
A-7.1 SCALE: 1/2" = 1'-0"



2 ENTRY 101 (E)
A-7.1 SCALE: 1/2" = 1'-0"



1 ENTRY 101 (N)
A-7.1 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.


PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PERMIT SET	9-16-2014

SHEET CONTENTS:
INTERIOR ELEVATIONS


SHEET NUMBER:
A-7.2




14 STORAGE 106 (S)
A-7.2 SCALE: 1/2" = 1'-0"




12 ELEV. EQUIP. 103 (N)
A-7.2 SCALE: 1/2" = 1'-0"




11 STORAGE 107 (W)
A-7.2 SCALE: 1/2" = 1'-0"




10 STORAGE 107 (S)
A-7.2 SCALE: 1/2" = 1'-0"




9 STORAGE 107 (E)
A-7.2 SCALE: 1/2" = 1'-0"




8 STORAGE 107 (N)
A-7.2 SCALE: 1/2" = 1'-0"




7 WATER HEATER 104 (W)
A-7.2 SCALE: 1/2" = 1'-0"




6 WATER HEATER 104 (S)
A-7.2 SCALE: 1/2" = 1'-0"



5 WATER HEATER 104 (E)
A-7.2 SCALE: 1/2" = 1'-0"




4 WATER HEATER 104 (N)
A-7.2 SCALE: 1/2" = 1'-0"




3 GARAGE 105 (W)
A-7.2 SCALE: 1/2" = 1'-0"




13 STORAGE 106 (E)
A-7.2 SCALE: 1/2" = 1'-0"




2 GARAGE 105 (S)
A-7.2 SCALE: 1/2" = 1'-0"




1 GARAGE 105 (E)
A-7.2 SCALE: 1/2" = 1'-0"




13 CLOSET 112 (E)
A-7.3 SCALE: 1/2" = 1'-0"




12 CLOSET 112 (N)
A-7.3 SCALE: 1/2" = 1'-0"




11 BEDROOM 111 (W)
A-7.3 SCALE: 1/2" = 1'-0"




10 BEDROOM 111 (S)
A-7.3 SCALE: 1/2" = 1'-0"




9 BEDROOM 111 (E)
A-7.3 SCALE: 1/2" = 1'-0"




8 BEDROOM 111 (N)
A-7.3 SCALE: 1/2" = 1'-0"




7 STORAGE 110 (W)
A-7.3 SCALE: 1/2" = 1'-0"




6 STORAGE 110 (S)
A-7.3 SCALE: 1/2" = 1'-0"




5 STORAGE 110 (E)
A-7.3 SCALE: 1/2" = 1'-0"




4 STORAGE 110 (N)
A-7.3 SCALE: 1/2" = 1'-0"



3 ELEV. EQUIP. 103 (W)
A-7.3 SCALE: 1/2" = 1'-0"



2 ELEV. EQUIP. 103 (S)
A-7.3 SCALE: 1/2" = 1'-0"



1 ELEV. EQUIP. 103 (E)
A-7.3 SCALE: 1/2" = 1'-0"




FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE


SHEET CONTENTS:
INTERIOR
ELEVATIONS

SHEET NUMBER:


A-7.5




12 POWDER 201 (S)
A-7.4 SCALE: 1/2" = 1'-0"




11 POWDER 201 (E)
A-7.4 SCALE: 1/2" = 1'-0"




10 POWDER 201 (N)
A-7.4 SCALE: 1/2" = 1'-0"




9 HALL 200 (S)
A-7.4 SCALE: 1/2" = 1'-0"




8 HALL 200 (E)
A-7.4 SCALE: 1/2" = 1'-0"




7 HALL 200 (N)
A-7.4 SCALE: 1/2" = 1'-0"



6 BATH 115 (W)
A-7.4 SCALE: 1/2" = 1'-0"



5 BATH 115 (S)
A-7.4 SCALE: 1/2" = 1'-0"




4 BATH 115 (E)
A-7.4 SCALE: 1/2" = 1'-0"




3 BATH 115 (N)
A-7.4 SCALE: 1/2" = 1'-0"

TO BEDROOM



2 CLOSET 112 (W)
A-7.4 SCALE: 1/2" = 1'-0"



1 CLOSET 112 (S)
A-7.4 SCALE: 1/2" = 1'-0"




These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE

INTERIOR ELEVATIONS


A-7.4




5 DINING 202 (W)
A-7.5 SCALE: 1/2" = 1'-0"



3 DINING 202 (E)
A-7.5 SCALE: 1/2" = 1'-0"




9 KITCHEN 205 (W)
A-7.5 SCALE: 1/2" = 1'-0"




8 KITCHEN 205 (S)
A-7.5 SCALE: 1/2" = 1'-0"



7 KITCHEN 205 (E)
A-7.5 SCALE: 1/2" = 1'-0"



6 KITCHEN 205 (N)
A-7.5 SCALE: 1/2" = 1'-0"



1 POWDER 201 (W)
A-7.5 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.


PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE


SHEET CONTENTS:
INTERIOR ELEVATIONS

SHEET NUMBER:
A-7.5




TO HALL

10 LIVING RM. 207 (S)
A-7.6 SCALE: 1/2" = 1'-0"




9 LIVING RM. 207 (E)
A-7.6 SCALE: 1/2" = 1'-0"




TO HALL


8 LIVING RM. 207 (N)
A-7.6 SCALE: 1/2" = 1'-0"




7 PANTRY 206 (W)
A-7.6 SCALE: 1/2" = 1'-0"




6 PANTRY 206 (S)
A-7.6 SCALE: 1/2" = 1'-0"




5 PANTRY 206 (E)
A-7.6 SCALE: 1/2" = 1'-0"



4 PANTRY 206 (N)
A-7.6 SCALE: 1/2" = 1'-0"




3 WINE 204 (W)
A-7.6 SCALE: 1/2" = 1'-0"



TO KITCHEN

2 WINE 204 (E)
A-7.6 SCALE: 1/2" = 1'-0"



1 WINE 204 (N)
A-7.6 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE


SHEET CONTENTS:
INTERIOR ELEVATIONS

SHEET NUMBER:


A-7.6




9 LAUNDRY 502 (W)
A-7.7 SCALE: 1/2" = 1'-0"




8 LAUNDRY 502 (S)
A-7.7 SCALE: 1/2" = 1'-0"




7 LAUNDRY 502 (E)
A-7.7 SCALE: 1/2" = 1'-0"




5 HALL 500 (W)
A-7.7 SCALE: 1/2" = 1'-0"




6 LAUNDRY 502 (N)
A-7.7 SCALE: 1/2" = 1'-0"




4 HALL 500 (S)
A-7.7 SCALE: 1/2" = 1'-0"



3 HALL 500 (E)
A-7.7 SCALE: 1/2" = 1'-0"



2 HALL 500 (N)
A-7.7 SCALE: 1/2" = 1'-0"



1 LIVING RM. 207 (W)
A-7.7 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE


SHEET CONTENTS:
INTERIOR
ELEVATIONS

SHEET NUMBER:


A-7.7




12 BATH 505 (W)
A-7.8 SCALE: 1/2" = 1'-0"




11 BATH 505 (S)
A-7.8 SCALE: 1/2" = 1'-0"




10 BATH 505 (E)
A-7.8 SCALE: 1/2" = 1'-0"




9 BATH 505 (N)
A-7.8 SCALE: 1/2" = 1'-0"




8 CLOSET 504 (W)
A-7.8 SCALE: 1/2" = 1'-0"




7 CLOSET 504 (S)
A-7.8 SCALE: 1/2" = 1'-0"




6 CLOSET 504 (E)
A-7.8 SCALE: 1/2" = 1'-0"




5 CLOSET 504 (N)
A-7.8 SCALE: 1/2" = 1'-0"



4 BEDROOM 505 (W)
A-7.8 SCALE: 1/2" = 1'-0"



3 BEDROOM 505 (S)
A-7.8 SCALE: 1/2" = 1'-0"



2 BEDROOM 505 (E)
A-7.8 SCALE: 1/2" = 1'-0"



1 BEDROOM 505 (N)
A-7.8 SCALE: 1/2" = 1'-0"



These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

FRAMING SET REVISION

**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE

SHEET CONTENTS :


**INTERIOR
ELEVATIONS**

SHEET NUMBER :


A-7.8




7 MSTR. BATHROOM 507 (S)
A-7.9 SCALE: 1/2" = 1'-0"




6 MSTR. BATHROOM 507 (E)
A-7.9 SCALE: 1/2" = 1'-0"




5 MSTR. BATHROOM 507 (N)
A-7.9 SCALE: 1/2" = 1'-0"




4 MASTER BEDROOM 506 (W)
A-7.9 SCALE: 1/2" = 1'-0"



3 MASTER BEDROOM 506 (S)
A-7.9 SCALE: 1/2" = 1'-0"



2 MASTER BEDROOM 506 (E)
A-7.9 SCALE: 1/2" = 1'-0"



1 MASTER BEDROOM 506 (N)
A-7.9 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.


PROJECT INFORMATION:

FRAMING SET REVISION
**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE

SHEET CONTENTS :
**INTERIOR
ELEVATIONS**


SHEET NUMBER :
A-7.9



12 **BAR 402 (W)**
A-7.10 SCALE: 1/2" = 1'-0"




11 **BAR 402 (E)**
A-7.10 SCALE: 1/2" = 1'-0"




10 **BAR 402 (N)**
A-7.10 SCALE: 1/2" = 1'-0"


8 **CLOSET 510 (W)**
A-7.10 SCALE: 1/2" = 1'-0"




7 **CLOSET 510 (S)**
A-7.10 SCALE: 1/2" = 1'-0"




6 **CLOSET 510 (E)**
A-7.10 SCALE: 1/2" = 1'-0"




5 **CLOSET 510 (N)**
A-7.10 SCALE: 1/2" = 1'-0"




4 **WC 509 (W)**
A-7.10 SCALE: 1/2" = 1'-0"




3 **WC 509 (S)**
A-7.10 SCALE: 1/2" = 1'-0"



2 **WC 509 (E)**
A-7.10 SCALE: 1/2" = 1'-0"



1 **WC 509 (N)**
A-7.10 SCALE: 1/2" = 1'-0"



9 **MSTR. BATHROOM 507 (W)1**
A-7.10 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE


SHEET CONTENTS:
INTERIOR
ELEVATIONS

SHEET NUMBER:


A-7.10




10 **BEDROOM 406 (E)**
SCALE: 1/2" = 1'-0"




9 **BEDROOM 406 (N)**
SCALE: 1/2" = 1'-0"




8 **MECH. CLST 404 (W)**
SCALE: 1/2" = 1'-0"



7 **MECH. CLST 404 (S)**
SCALE: 1/2" = 1'-0"



6 **MECH. CLST 404 (E)**
SCALE: 1/2" = 1'-0"




5 **MECH. CLST 404 (N)**
SCALE: 1/2" = 1'-0"




3 **HALL 400 (S)**
SCALE: 1/2" = 1'-0"




4 **HALL 400 (W)**
SCALE: 1/2" = 1'-0"



2 **HALL 400 (E)**
SCALE: 1/2" = 1'-0"



1 **HALL 400 (N)**
SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE

NOT FOR CONSTRUCTION
This drawing set is not complete and may not be used for Regulatory Approval, Permit, or Construction.


SHEET CONTENTS:
INTERIOR ELEVATIONS

SHEET NUMBER:


A-7.11




9 **BATH 409 (S)**
A-7.12 SCALE: 1/2" = 1'-0"




8 **BATH 409 (E)**
A-7.12 SCALE: 1/2" = 1'-0"




7 **BATH 409 (N)**
A-7.12 SCALE: 1/2" = 1'-0"




6 **CLOSET 408 (W)**
A-7.12 SCALE: 1/2" = 1'-0"




5 **CLOSET 408 (S)**
A-7.12 SCALE: 1/2" = 1'-0"




4 **CLOSET 408 (E)**
A-7.12 SCALE: 1/2" = 1'-0"




3 **CLOSET 408 (N)**
A-7.12 SCALE: 1/2" = 1'-0"



2 **BEDROOM 406 (W)**
A-7.12 SCALE: 1/2" = 1'-0"



1 **BEDROOM 406 (S)**
A-7.12 SCALE: 1/2" = 1'-0"



10 **BATH 409 (W)**
A-7.12 SCALE: 1/2" = 1'-0"



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**

ISSUES / REVISIONS

REV.	DESCRIPTION	DATE


SHEET CONTENTS:

**INTERIOR
ELEVATIONS**


SHEET NUMBER:

A-7.12

LEGEND	
	SWITCH LABEL
	SINGLE POLE SWITCH
	DIMMER SWITCH
	THREE-WAY SWITCH
	FOUR-WAY SWITCH
	HINGE SWITCH
	SWITCH/DUPLEX COMBINATION SWITCHPLATE
	DUPLEX RECEPTACLE (GFI AS REQ. BY CODE)
	DUPLEX RECEPTACLE (DEDICATED)
	DUPLEX RECEPTACLE (DEDICATED)
	220V RECEPTACLE
	4 PLEX RECEPTACLE
	INSTALL RECEPTACLE ABOVE COUNTERTOP
	WEATHERPROOF RECEPTACLE
	RECESSED PICTURE LIGHT
	CEILING FAN IV LIGHT KIT
	PENDANT DOWNLIGHT
	WALL MOUNTED LIGHT
	SURFACE MOUNTED FIXTURE
	EAVE LIGHT
	FLUORESCENT FIXTURE
	ADJUSTABLE FIXTURE
	RECESSED FIXTURE
	UNDERCABINET FIXTURE
	TRACK LIGHTING
	EXHAUST FAN - RO BE CONFIRMED BY ARCH.
	SMOKE DETECTOR IV BATTERY BACKUP
	SPEAKER
	TELEPHONE JACK
	CABLE TV
	COMPUTER NETWORK
	DOOR BELL
	BOOKCASE LIGHT
	FLOOR PLUG
	HVAC - SUPPLY DIFFUSER
	HVAC - RETURN DIFFUSER



2 TYPICAL MOUNTING DIAGRAM
E-1.1 SCALE: 1" = 1'-0"



1 FIRST FLOOR - LIGHTING & SWITCHING PLAN
E-1.1 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PERMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	WALL PENETRATIONS	1-12-2017

SHEET CONTENTS:
FIRST FLOOR -
LIGHTING &
SWITCHING PLAN

SHEET NUMBER:
E-1.1

LEGEND	
	SWITCH LABEL
	SINGLE POLE SWITCH
	DIMMER SWITCH
	THREE-WAY SWITCH
	FOUR-WAY SWITCH
	HINGE SWITCH
	SWITCH/DUPLEX COMBINATION SWITCHPLATE
	DUPLEX RECEPTACLE (GFI AS REQ. BY CODE)
	DUPLEX RECEPTACLE (DEDICATED)
	DUPLEX RECEPTACLE (DEDICATED)
	220V RECEPTACLE
	4 FLEX RECEPTACLE
	INSTALL RECEPTACLE ABOVE COUNTERTOP
	WEATHERPROOF RECEPTACLE
	RECESSED PICTURE LIGHT
	CEILING FAN IV LIGHT KIT
	PENDANT DOWNLIGHT
	WALL MOUNTED LIGHT
	SURFACE MOUNTED FIXTURE
	EAVE LIGHT
	FLUORESCENT FIXTURE
	ADJUSTABLE FIXTURE
	RECESSED FIXTURE
	UNDERCABINET FIXTURE
	TRACK LIGHTING
	EXHAUST FAN - RO BE CONFIRMED BY ARCH.
	SMOKE DETECTOR IV BATTERY BACKUP
	SPEAKER
	TELEPHONE JACK
	CABLE TV
	COMPUTER NETWORK
	DOOR BELL
	BOOKCASE LIGHT
	FLOOR PLUG
	HVAC - SUPPLY DIFFUSER
	HVAC - RETURN DIFFUSER

GENERAL ELECTRICAL NOTES:

1. SYMBOLS WITH AN * REFER TO KEYED NOTES.
2. CONTRACTOR TO VERIFY ELECTRICAL SUPPLY TO SITE IS OF ADEQUATE CAPACITY TO SUPPORT ELECTRICAL DEMAND OF HOUSE.
3. TIE REBAR TO BUILDING GROUND.
4. DIMMER TO BE APPLIED TO ALL CIRCUITS. VERIFY WITH OWNER IN FIELD.

FLOOR OUTLETS:

FLOOR MOUNTED RECEPTACLES TO BE LOCATED IN FIELD BY ARCHITECT BEFORE SLAB POUR. FLOOR PLUGS TO BE BRASS TYPE WITH SCREEN ON COVER PLATE. ROUGH-IN BOX TO BE HELD BELOW FINISH CONCRETE SURFACE AND SUBSEQUENTLY CUT-OUT DURING TRIM STAGE.

SMOKE DETECTORS:


SMOKE DETECTORS SHALL BE HARD-WIRED, INTERCONNECTED, AND WITH BATTERY-BACK UP AS PER THE IRC R311. SMOKE ALARMS SHALL RECEIVE THEIR PRIMARY POWER FROM THE BUILDING WIRING. A BATTERY BACKUP SHALL BE PROVIDED. WIRING SHALL BE PERMANENT AND WITHOUT DISCONNECT EXCEPT FOR OVER CURRENT PROTECTION. SMOKE DETECTORS LABELED ON THE PLAN WILL ALSO HAVE CARBON MONOXIDE DETECTION.

FIXTURE, CONTROL AND RECEPTACLE LOCATIONS:

1. ALL LIGHT LOCATIONS TO BE VERIFIED DURING FRAMING PRIOR TO INSTALLATION. COORDINATE WITH TRUSS LAYOUT PRIOR TO INSTALLATION OF TRUSSES.
2. PROVIDE POWER AS REQUIRED FOR MECHANICAL UNITS AND APPLIANCES. SEE MANUFACTURERS CUT SHEETS FOR LOCATIONS.
3. CONFIRM LOCATIONS OF HALF-HOT OUTLETS, IF ANY, WITH OWNER IN FIELD.
4. FLOOR MOUNT RECEPTACLES TO BE LOCATED IN FIELD BY ARCHITECT BEFORE SLAB POUR. FLOOR PLUGS TO BE BRASS TYPE WITH SCREEN ON COVER PLATE.
5. DUPLEX WALL OUTLETS TYPICALLY MOUNTED IN BASE UNLESS IN CABINET OR NOTED OTHERWISE. NO ADDITIONAL COST.
6. ALL RECEPTACLES ABOVE COUNTERS TO BE HORIZONTAL.
7. SWITCHPLATE TO BE COMBINATION TOGGLE SWITCH AND G.F.I. DUPLEX RECEPTACLE.
8. DISPOSAL SWITCH MAY BE GANGED TO DISHWASHER WHERE OCCURS.
9. ALL MOUNTING HEIGHTS TO BE CONFIRMED WITH ARCHITECT.
10. LANDSCAPE LIGHTING TO BE COORDINATED WITH LANDSCAPE ARCHITECT.

FIXTURE AND CONTROL SELECTION:

1. VERIFY SELECTION OF ALL ELECTRICAL FIXTURES AND CONTROLS WITH OWNER BEFORE COMMENCING WORK. SEE LIGHT FIXTURE AND CONTROL SCHEDULES.
2. MANUFACTURERS CONTROLS - CONFIRM OPTIONS WITH OWNER.



NOTE:
ALL SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR AND REFERENCE FINISHED SURFACE OF GYPSUM BD., WOOD OR PLASTER.
ALL HVAC GRILL SIZES REFER TO ROUGH OPENING. SUBTRACT 2" FROM LENGTH AND 2" FROM THE WIDTH FOR FINISH SIZE.
REFER TO THE SOUTH UNIT FOR CEILING FIXTURES AND PLACEMENT. MATCH EVERY CEILING FIXTURE AND ITS PLACEMENT (O.H.) ON THE NORTH UNIT. TYP ALL FLOORS.



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	FRAMING SET - R1	9-19-2016
	RCP-REVISIONS	1-4-2017
	WALL PENETRATIONS	1-12-2017

SHEET CONTENTS:
FIRST FLOOR RCP

SHEET NUMBER:
E-1.2

RECEPTICLE MOUNTING LEGEND:

A.	HORIZONTAL IN BASEBOARD
B.	IN CABINETS FOR PLUGGED IN HAIR DRYER
C.	HORIZONTAL ABOVE COUNTER/DESK
D.	6" BELOW COUNTER/DESK
E.	VIF LOCATION IN BOOKCASE
F.	10" ABOVE F.F. TO CENTER LINE, VERTICAL MOUNT
G.	24" ABOVE F.F. TO CENTER LINE, HORIZONTAL MOUNT
H.	COMBINED 'N' ADJACENT SWITCH PLATE; SEE SWITCH PLATE DIAGRAMS
J.	HORIZONTAL BELOW CENTER AT ISLAND
K.	GARAGE TYPICAL MOUNTING HEIGHT
M.	SEE APPLIANCE CUT SHEET FOR TYPE AND LOCATION
N.	SOFFIT FOR SEASONAL LIGHTING
P.	CLOCK PLUG - VIF HEIGHT
R.	FOR WALL MOUNT TV - VIF RE: BRACKET
S.	FLOOR PLUG - SEE SPEC. FOR TYPE
T.	PLUG MOULD

ELECTRICAL SYMBOLS:

	110 WALL MOUNT DUPLEX OUTLET
	110 WALL MOUNT GFI DUPLEX OUTLET
	220 WALL MOUNT OUTLET
	110 FLOOR DUPLEX
	PHONE JACK
	DATA / COMPUTER
	CABLE TV
	WATER/FREEZE PROOF, HOT & COLD TEMP (ALL EXTERIOR OUTLETS TO BE GFCI PROTECTED)

REGISTRATION NUMBER: 15331



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.


PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS

REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016




1 FIRST FLOOR - ELECTRICAL PLAN
SCALE: 1/4" = 1'-0"

SHEET CONTENTS:

FIRST FLOOR
ELECTRICAL PLAN

SHEET NUMBER:

E-1.5



1
E-21 **SECOND FLOOR - LIGHTING & SWITCHING PLAN**
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
SECOND FLOOR -
LIGHTING &
SWITCHING PLAN

SHEET NUMBER:

E-2.1



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	RCP-REVISIONS	1-4-2017

SHEET CONTENTS:

SECOND FLOOR RCP

SHEET NUMBER:

E-2.2



NOTE:
ALL SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR AND REFERENCE FINISHED SURFACE OF GYPSUM BD., WOOD OR PLASTER
ALL HVAC GRILL SIZES REFER TO ROUGH OPENING. SUBTRACT 2" FROM LENGTH AND 2" FROM THE WIDTH FOR FINISH SIZE.


1 SECOND FLOOR RCP
E-2.2 SCALE: 1/4" = 1'-0"

RECEPTACLE MOUNTING LEGEND:

- A. HORIZONTAL IN BASEBOARD
- B. IN CABINETS FOR PLUGGED IN HAIR DRYER
- C. HORIZONTAL ABOVE COUNTER/DESK
- D. 6" BELOW COUNTER/DESK
- E. VIF LOCATION IN BOOKCASE
- F. 10" ABOVE F.F. TO CENTER LINE, VERTICAL MOUNT
- G. 24" ABOVE F.F. TO CENTER LINE, HORIZONTAL MOUNT
- H. COMBINED IV/ADJACENT SWITCH PLATE; SEE SWITCH PLATE DIAGRAMS
- J. HORIZONTAL BELOW CENTER AT ISLAND
- K. GARAGE TYPICAL MOUNTING HEIGHT
- M. SEE APPLIANCE OUT SHEET FOR TYPE AND LOCATION
- N. SOFFIT FOR SEASONAL LIGHTING
- P. CLOCK PLUG - VIF HEIGHT
- R. FOR WALL MOUNT TV - VIF RE. BRACKET
- S. FLOOR PLUG - SEE SPEC. FOR TYPE
- T. PLUG MOUND

ELECTRICAL SYMBOLS:

- ⊕ 110 WALL MOUNT DUPLEX OUTLET
- ⊕ 6FI 110 WALL MOUNT GFI DUPLEX OUTLET
- ⊕ 220 WALL MOUNT OUTLET
- ⊕ 110 FLOOR DUPLEX
- ▽ PHONE JACK
- ▽ DATA / COMPUTER
- TV CABLE TV
- W/P WATER/FREEZE PROOF, HOT & COLD TEMPS (ALL EXTERIOR OUTLETS TO BE GFCI PROTECTED)



1 SECOND FLOOR - ELECTRICAL PLAN
E-2.3 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS

REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:
SECOND FLOOR
ELECTRICAL PLAN

SHEET NUMBER:

E-2.3



1
E-3.1 **THIRD FLOOR - LIGHTING & SWITCHING PLAN**
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

**THIRD FLOOR -
LIGHTING &
SWITCHING PLAN**

SHEET NUMBER:


E-3.1



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019



NOTE:
ALL SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR AND REFERENCE FINISHED SURFACE OF GYPSUM BD., WOOD OR PLASTER.
ALL HVAC GRILL SIZES REFER TO ROUGH OPENING. SUBTRACT 2" FROM LENGTH AND 2" FROM THE WIDTH FOR FINISH SIZE.

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	RCP-REVISIONS	1-4-2017

SHEET CONTENTS:
THIRD FLOOR RCP


SHEET NUMBER:
E-3.2

RECEPTACLE MOUNTING LEGEND:

- A. HORIZONTAL IN BASEBOARD
- B. IN CABINETS FOR PLUGGED IN HAIR DRYER
- C. HORIZONTAL ABOVE COUNTER/DESK
- D. 6" BELOW COUNTER/DESK
- E. VIF LOCATION IN BOOKCASE
- F. 10" ABOVE F.F. TO CENTER LINE, VERTICAL MOUNT
- G. 24" ABOVE F.F. TO CENTER LINE, HORIZONTAL MOUNT
- H. COMBINED VIF/ADJACENT SWITCH PLATE; SEE SWITCH PLATE DIAGRAMS
- J. HORIZONTAL BELOW CENTER AT ISLAND
- K. GARAGE TYPICAL MOUNTING HEIGHT
- M. SEE APPLIANCE CUT SHEET FOR TYPE AND LOCATION
- N. SOFFIT FOR SEASONAL LIGHTING
- P. CLOCK PLUG - VIF HEIGHT
- R. FOR WALL MOUNT TV - VIF RE. BRACKET
- S. FLOOR PLUG - SEE SPEC. FOR TYPE
- T. PLUG MOULD

ELECTRICAL SYMBOLS:

- ⊕ 110 WALL MOUNT DUPLEX OUTLET
- ⊕ 6FI 110 WALL MOUNT GFI DUPLEX OUTLET
- ⊕ 220 WALL MOUNT OUTLET
- ⊕ 110 FLOOR DUPLEX
- ▽ PHONE JACK
- ▽ DATA / COMPUTER
- TV CABLE TV
- W/F WATER/FREEZE PROOF, HOT & COLD TEMPS (ALL EXTERIOR OUTLETS TO BE GFCI PROTECTED)



1
E-3.3 **THIRD FLOOR - OUTLET PLAN**
SCALE: 1/4" = 1'-0"

REGISTRATION NUMBER: 15331



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION

CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

THIRD FLOOR
ELECTRICAL PLAN

SHEET NUMBER:

E-3.3



1
E-4.1 **FOURTH FLOOR - LIGHTING & SWITCHING PLAN**
SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	WALL PENETRATIONS	1-12-2017

SHEET CONTENTS:

FOURTH FLOOR - LIGHTING & SWITCHING PLAN

SHEET NUMBER:

E-4.1



NOTE:
 ALL SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR AND
 REFERENCE FINISHED SURFACE OF GYPSUM BD., WOOD OR
 PLASTER
 ALL HVAC GRILL SIZES REFER TO ROUGH OPENING. SUBTRACT
 2" FROM LENGTH AND 2" FROM THE WIDTH FOR FINISH SIZE.

1 **FOURTH FLOOR RCP**
 E-4.2 SCALE: 1/4" = 1'-0"



3219 Milam Street
 Houston, Texas 77006
 713.520.8792 tel
 713.520.9639 fax
 www.dkarc.com

REGISTRATION NUMBER: 15331



COPYRIGHT INFORMATION:
 These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	PERMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISION	4-04-2016
	RCP-REVISIONS	1-4-2017

SHEET CONTENTS:
FOURTH FLOOR - RCP

SHEET NUMBER:


E-4.2

RECEPTICLE MOUNTING LEGEND:

- HORIZONTAL IN BASEBOARD (WHEN IN BRICK, COARSE WITH BRICK, V.I.F.)
- IN CABINETS FOR PLUGGED IN HAIR DRYER
- HORIZONTAL ABOVE COUNTER/DESK
- 6" BELOW COUNTER/DESK
- VIF LOCATION IN BOOKCASE
- 10" ABOVE F.F. TO CENTER LINE, VERTICAL MOUNT
- 24" ABOVE F.F. TO CENTER LINE, HORIZONTAL MOUNT
- COMBINED 'N' ADJACENT SWITCH PLATE; SEE SWITCH PLATE DIAGRAMS
- HORIZONTAL BELOW CENTER AT ISLAND
- GARAGE TYPICAL MOUNTING HEIGHT
- SEE APPLIANCE OUT SHEET FOR TYPE AND LOCATION
- SOFFIT FOR SEASONAL LIGHTING
- CLOCK PLUG - VIF HEIGHT
- FOR WALL MOUNT TV - VIF RE BRACKET
- FLOOR PLUG - SEE SPEC. FOR TYPE
- PLUG MOULD

ELECTRICAL SYMBOLS:

- 110 WALL MOUNT DUPLEX OUTLET
- 110 WALL MOUNT GFI DUPLEX OUTLET
- 220 WALL MOUNT OUTLET
- 110 FLOOR DUPLEX
- PHONE JACK
- DATA / COMPUTER
- CABLE TV
- WATER/FREEZE PROOF, HOT & COLD TEMP 5 (ALL EXTERIOR OUTLETS TO BE GFCI PROTECTED)



1 **FOURTH FLOOR - OUTLET PLAN**
E-4.3 SCALE: 1/4" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019


ISSUES / REVISIONS

REV.	DESCRIPTION	DATE
	PREMIT SET	9-16-2014
	UPDATED PRICING SET	11-20-2015
	FRAMING SET - TRUSSES	12-4-2015
	FRAMING SET - REVISIONS	4-04-2016
	WALL PENETRATIONS	1-12-2017


SHEET CONTENTS:
FOURTH FLOOR
ELECTRICAL PLAN

SHEET NUMBER:


E-4.3




29 SWITCH 14
E-5.1 SCALE : 6" = 1'-0"




19 SWITCH 11
E-5.1 SCALE : 6" = 1'-0"




9 SWITCH 8
E-5.1 SCALE : 6" = 1'-0"




4 SWITCH 4
E-5.1 SCALE : 6" = 1'-0"




28 SWITCH 15
E-5.1 SCALE : 6" = 1'-0"




8 SWITCH 7
E-5.1 SCALE : 6" = 1'-0"




3 SWITCH 5
E-5.1 SCALE : 6" = 1'-0"




17 SWITCH 10
E-5.1 SCALE : 6" = 1'-0"




7 SWITCH 6
E-5.1 SCALE : 6" = 1'-0"




2 SWITCH 2
E-5.1 SCALE : 6" = 1'-0"




26 SWITCH 12
E-5.1 SCALE : 6" = 1'-0"



16 SWITCH 9
E-5.1 SCALE : 6" = 1'-0"



6 SWITCH 5
E-5.1 SCALE : 6" = 1'-0"



1 SWITCH 1
E-5.1 SCALE : 6" = 1'-0"

* GAS LIGHT SWITCH LOCATION?



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:


FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	FRAMING SET - REVISION	4-04-2016


SHEET CONTENTS :
SWITCH ELEVATIONS

SHEET NUMBER :


E-5.1




13 SWITCH 29
E-5.2 SCALE: 6" = 1'-0"




9 SWITCH 25
E-5.2 SCALE: 6" = 1'-0"




5 SWITCH 21
E-5.2 SCALE: 6" = 1'-0"




1 SWITCH 17
E-5.2 SCALE: 6" = 1'-0"




12 SWITCH 28
E-5.2 SCALE: 6" = 1'-0"




8 SWITCH 24
E-5.2 SCALE: 6" = 1'-0"




4 SWITCH 20
E-5.2 SCALE: 6" = 1'-0"




*ASK DAK ABOUT SWITCH SPLIT




16 SWITCH 16
E-5.2 SCALE: 6" = 1'-0"




11 SWITCH 27
E-5.2 SCALE: 6" = 1'-0"




7 SWITCH 25
E-5.2 SCALE: 6" = 1'-0"




3 SWITCH 19
E-5.2 SCALE: 6" = 1'-0"




10 SWITCH 26
E-5.2 SCALE: 6" = 1'-0"



6 SWITCH 22
E-5.2 SCALE: 6" = 1'-0"



2 SWITCH 18
E-5.2 SCALE: 6" = 1'-0"



17 SWITCH 15
E-5.2 SCALE: 6" = 1'-0"



COPYRIGHT INFORMATION:

These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
**CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019**

ISSUES / REVISIONS


REV.	DESCRIPTION	DATE
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:


**SWITCH
ELEVATIONS**

SHEET NUMBER:


E-5.2



1 SWITCH 52
E-5.3 SCALE: 6" = 1'-0"



2 SWITCH 51
E-5.3 SCALE: 6" = 1'-0"



3 SWITCH 50
E-5.3 SCALE: 6" = 1'-0"



COPYRIGHT INFORMATION:
These drawings and specifications are copyrighted. They are and shall remain the property of Dillon Kyle Architecture, Inc. They are not to be used on other projects or extension to this project except by agreement in writing and with appropriate compensation to Dillon Kyle Architecture, Inc. The contractor is responsible for confirming and correlating dimensions at the job site. The architect will not be responsible for construction means, methods, techniques, or procedures, or for the safety precautions and programs in connection with the project. Copyright 2010, Dillon Kyle Architecture, Inc.

PROJECT INFORMATION:

FRAMING SET REVISION
CHATEAU DRISCOLL
2407&2409 DRISCOLL
HOUSTON, TX 77019

ISSUES / REVISIONS		
REV.	DESCRIPTION	DATE
	FRAMING SET - REVISION	4-04-2016

SHEET CONTENTS:

SWITCH ELEVATIONS

SHEET NUMBER:

E-5.5