## **Home Energy Rating Certificate**

39 Lake Reverie Place
The Woodlands, TX 77479

5 Stars Plus
Confirmed

Confirmed HERS Index: 63

General	Inform	ation
General	IIII OI III	ativi

Conditioned Area 3879 sq. ft.

House Type Single-family detached

Conditioned Volume 39064 cubic ft.

Foundation Slab

Bedrooms

## **Mechanical Systems Features**

Heating: Fuel-fired air distribution, Natural gas, 80.0 AFUE.

Heating: Fuel-fired air distribution, Natural gas, 80.0 AFUE.

Cooling: Air conditioner, Electric, 16.0 SEER.

Duct Leakage to Outside 201.00 CFM25.

Ventilation System None

Programmable Thermostat Heat=Yes; Cool=Yes

## **Building Shell Features**

 Ceiling Flat
 R-30.0 w/RB
 Slab
 R-0.0 Edge, R-0.0 Under

 Sealed Attic
 NA
 Exposed Floor
 NA

 Vaulted Ceiling
 R-22.0 w/RB
 Window Type
 U-Value: 0.350, SHGC: 0.210

Vaulted Ceiling R-22.0 w/RB Window Type U-Value: 0.350, SHGC: 0.210
Above Grade Walls R-16.0 Infiltration Rate Htg: 3995 CIg: 3995 CFM50

Foundation Walls NA Method Blower door test

## **Lights and Appliance Features**

Percent Interior Lighting 50.00 Range/Oven Fuel Natural gas
Percent Garage Lighting 0.00 Clothes Dryer Fuel Electric
Refrigerator (kWh/yr) 475.00 Clothes Dryer EF 2.67

Dishwasher Energy Factor 0.70 Ceiling Fan (cfm/Watt) 0.00

The Home Energy Rating Standard Disclosure for this home is available from the rating provider.

TITLE

Company

Address

Phone #

Fax #

City, State, Zip

REM/Rate - Residential Energy Analysis and Rating Software v14.4.1

This information does not constitute any warranty of energy cost or savings. © 1985-2014 Architectural Energy Corporation, Boulder, Colorado.

Registry ID 136418392
Rating Number 121220130632
Certified Energy Rater Curry Kennerly
Rating Date 8-26-14
Rating Ordered For Darling Homes

Estimated	d Annual En	ergy Cost	
Use	MMBtu	Cost	Percent
Heating	46.9	\$352	18%
Cooling	11.2	\$328	16%
Hot Water	20.8	\$143	7%
Lights/Appliances	34.9	\$949	47%
Photovoltaics	-0.0	\$-0	-0%
Service Charges		\$240	12%
Total	113.9	\$2012	100%
	Critoria		

This home meets or exceeds the minimum criteria for the following: