STATE OF TEXAS WELL REPORT for Tracking #183874

Owner: L.T. Byrd c/o JB Ranch Owner Well #: Well Log 30979

Address: P.O. Box 1351 Grid #: 57-54-1

Dripping Springs, TX 78620

Well Location: Tract 16; Jose Ramirez; Blanco-

Pedernales #20060008 Longitude: 098° 20' 23" W Johnson City, TX 78676

Well County: Blanco Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 3/3/2006 Drilling End Date: 3/20/2006

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 420

Drilling Method: Air Rotary

Borehole Completion: Straight Wall

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

12 PtInd; 1 HP

300

340

3 PtInd; 1 Bens

Seal Method: **Pressure Grout**Distance to Property Line (ft.): **No Data** 

Sealed By: Whisenant&Lyle WSI

Distance to Septic Field or other concentrated contamination (ft.): na

( )

Distance to Septic Tank (ft.): No Data

Method of Verification: septic non-existant

Surface Completion: Surface Sleeve Installed

Water Level: 270 ft. below land surface on 2006-03-04 Measurement Method: Unknown

Packers: 6 Mil Poly 40'

Shale Packer 340' 6 Mil Poly 340'

Type of Pump: Submersible Pump Depth (ft.): 380

Well Tests: Jetted Yield: 20+ GPM

Water Quality: Strata Depth (ft.) Water Type

Good

Good

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No** 

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wisenant & Lyle W.S.I.

P.O. Box 525

**Dripping Springs, TX 78620** 

Driller Name: Martin D. Lingle, Jr. License Number: 54813

Comments: Surface Completion: Steel Sleeve

\$mew

## Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

## Casing: BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft) Description
0-1 Topsoil
1-3 Big Rock Hard
3-7 Caliche
7-10 Light Brown Limestone
10-16 White Limestone
16-17 Yellow Clay
17-19 Brown Limestone
19-25 Blue Clay
25-31 Light Gray Limestone
31-43 Del Rio Gray Limestone
43-52 Gray Yellow
52-57 Light Gray Limestone
57-63 Dark Gray Clay
63-71 Light Gray Limestone
71-78 Brown Limestone
78-96 Light Gray Limestone
96-137 Dark Gray Limestone

Dia. (in.)	New/Used	Туре	Setting From/To (ft.)	
4.5 New PVC - SDR 17 SW +2 - 360				
4.5 New PVC - 17 Slotted .085 360 - 400				
4.5 Nev	v PVC - SD	R 17 S\	N 400 - 420	

137-287 Light Gray Limestone
137-287 Soft Limestone 1-2 GPM
287-301 Brown Limestone 2-3 GPM
301-335 Gray Limestone
301-335 Flint Hard
335-344 Light Gray Limestone
335-344 Medium Soft
344-368 Brown Limestone
368-373 Light Tan Limestone
368-373 Medium Hard Brown Limestone
373-402 Dark Brown Limestone
402-420 Dark Gray Clay
Water Depth/Yield:
137-287, 1-2 gpm
287-301, 2-3 gpm
Well Jetted at 420 ft, 20 gpm

## IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540