

NEW WAVE HOMES

Standard Build Specifications

STRUCTURAL

FOUNDATION: Engineered, Post Tension monolithic foundation; minimum strength of 3,000 psi

CONCRETE FLATWORK: Walks, driveways and patios installed according to architectural drawings and plot plans.

FLATWORK FINISH:

Driveway: Broom-finish Lead walk: Broom-finish Patio: Broom-finish

Front Porches: If Brick; capped with brick from elevation. If Stucco; broom-finish concrete (courtyards optional).

Municipal Walks: Per subdivision requirements

FRAMING:

Exterior Wall Construction: 2 x 4 or greater dimensional or finger-joint framing lumber, with exterior panel sheathing. Ceiling Joists/Rafters: 2 x 6 or greater dimensional or finger-joint framing lumber

Siding & Trim: Textured cement-based hardboard–50 year limited warranty; location varies per plan and elevation Weather Resistant Barrier: T-Ply Sheathing

INSECT CONTROL:

Borate termite pretreatment by HomeTeam Pest Defense®, with 1 year warranty; Taexx® system for downstairs exterior and plumbing walls, chemically activated upon signing Agreement with HomeTeam Pest Defense® after settlement.

INSULATION:

Exterior Walls: Fiberglass, R-13 faceless batts in exterior walls of living area on 2x4 walls and R-19 on 2x6 walls

Vaulted Ceiling: Fiberglass, R-22 faceless batts in sloped ceiling areas Flat Ceilings: Fiberglass, R-38 blown insulation in attic area over living area

Penetrations: Foam sealant, caulk or tape at all penetrations

EXTERIOR

GUTTERS/DOWNSPOUTS:

Type: 5" pre-finished seamless aluminum

Location: Front Gutters

Color: Color selection coordinated with exterior trim paint

ROOFING:

Type: GAF, Natural Shadow, composite, fiberglass architectural grade roof shingles

Color: Charcoal

Warranty: Lifetime Mfg. Materials



Ventilation: Per plan design

Decking: 7/16" Radiant Barrier OSB

WINDOWS:

Type: Low-E single hung vinyl windows, screens on all operable windows (family/great rm to be fixed glass)

Color: White, Almond, Gray or Black

Divided Light: Divided light glazing on front elevation only depending on elevation.

DOORS:

Front: 8' Mahogany stained

Rear: Insulated, fiberglass 8' 1-light door, per plan

GARAGE DOORS:

Type: CHI Flat Panel Garage Door Opener: Liftmaster 8155W, Wi-Fi capable

Dimensions: 18x8 Standard

Windows: Optional

Decorative Hardware: Optional

VENEER: Distinctive architectural styling and brick, natural stone detail and stucco. Special masonry materials such as upgrade brick, natural stone, stucco, cast stone, glass block, and white mortar are not standard and will be optional at additional cost

Brick: Acme or Master Brick Mortar: Gray, Khaki or White

Stucco: Three coat system, one color, sand texture (accent color optional)

Address Plate: Cast stone address block with house number

Natural Stone Accents: Optional

LANDSCAPING:

Sod: Bermuda sod installed at front, side and rear yards

Irrigation: Front lawn and beds, sides and rear; system controller placed in garage

Plants: Professionally designed landscaping per community guidelines

Mailbox: Per Community Guidelines Fencing: Per Community guidelines

MECHANICAL SYSTEMS

ELECTRICAL: All wiring, electrical fixtures and other electrical items will be installed according to electrical codes and

requirements. 200 amp electrical service installed with panel box located in garage (Additional electrical options may require the purchase of 400 amp service panel)

Door chimes: One Chime per floor Light switches/outlets: Deco Switches

Weatherproof outlets: Exterior electrical GFCI outlets at front and rear porches



Smoke detectors: Located per local fire code

Carbon Monoxide detectors: Located per local fire code

Exhaust fans: Bathrooms and Laundry Room

Dryer connection: Choice of 220 volt, 4 prong electrical plug for dryer or gas connection

LOW VOLTAGE:

Telephone/Cable: 2 Locations prewired for Cable TV/Data Combo

Security system: Pre-wired to all first floor operable windows and exterior doors

Security Monitoring: Pre-wire for panel

Home Theater Wiring: Optional

LIGHTING/CEILING FANS:

Ceiling Fan w/Light Kit: Per Plan Foyer: Hanging chandelier Dining: Hanging chandelier Breakfast: Hanging chandelier

Bedrooms: LED Disk Lights (Per Plan)

Bath Vanities: Decorative wall mount (per plan)
Wall Sconce: Flush mount wall fixture (per plan)

Outdoor Front/Garage: Coach Lamps to be located on front (Per Plan)

Outdoor Rear: Ceiling Fan w/Light Kit

Bath Ceiling: LED Disk Lights Hallways: LED Disk Lights Laundry: LED Disk Lights Primary Closet: LED Disk Lights

Kitchen Ceiling: LED Disk Lights, Pendant Lights Over Island (Per Plan)

Walk-in closet/pantry: Flush Mount LED Fixture Garage Indoor: 2-Bulb wrapped fluorescent fixture

Under-cabinet lighting: Included

PLUMBING-FAUCETS-FIXTURES All plumbing conforms to applicable building codes, with materials comprised of copper, iron, PVC, CPVC, and PEX, as well as the following general specifications.

Fire Protection Systems: Per local fire code Water Piping: PEX (Cross-linked Polyethylene)

Gas line stub out: Furnace(s), hot water heater(s), fireplace(s), cooktop, dryer

Hose bibs: 2 - frost resistant

Water heaters: Tank water heater(s), per plan

Water Closets: Elongated, white (Primary and Powder)

Hot water recirculation: Optional

Kitchen:

Sink: Mirado 105D, stainless steel undermount Faucet: Moen Belfield or Genta, Chrome

Ice maker line: Connection in refrigerator space (Connection line not included)

Primary Bath:

Tub: Freestanding Oval Tub



Sinks: Oval Undermount

Faucets: Moen Eva or Genta Chrome Widespread

Powder Bath:

Sink: Oval Undermount

Faucet: Moen Eva or Genta Chrome Widespread

Secondary Baths: Tub: Steel Tub

Sinks: Oval Undermount

Faucets: Moen Eva or Genta Chrome

Laundry:

Sink: 15 Gauge stainless steel single bowl (TMCP-1818) Faucet: Moen bar faucet (will match package selected)

HEATING, VENTILATION

& AIR CONDITIONING: High Efficiency 16 SEER air conditioning with 80% efficiency gas furnace. Homes engineered with zones.

forced air systems with weekday/weekend programmable Wifi capable thermostat included with each zone.

INTERIOR FINISHES:

DRYWALL:

Corners: Square drywall corners in all areas

Texture: Orange Peel Finish throughout, unless noted otherwise

Tuscany Texture: Optional

PAINT:

Closets: White latex, semigloss enamel (walls, ceilings and trim)

Trim: Interior doors and trim primed with acrylic undercoat and finished with latex semi-gloss enamel

Walls: Flat latex

Ceilings: Flat latex (same color as walls)

Garage: White flat latex Closet Rods: Stained

TRIM & DOORS:

Baseboard: 5-1/4" Base (WM618) Casing: 3-1/2" Casing (C347) Doors: 8' tall, hollow core

Garage & Closets:

Baseboard: 5-1/4" Base (WM618) Casing: 3-1/2" Casing (C347)

Door to house: 8' tall, solid-core, fire-rated

Miscellaneous:

Shoe Mold: Luxury vinyl areas



CABINETRY:

Kitchen: Shaker Style Cabinets, 42" Uppers with Crown Molding

Features: Soft Close, Interior of cabinets painted are standard, trash can drawer

Laundry Room Lower: Shaker Style Cabinets (Per Plan)

Primary Bath: Shaker Style Cabinets Secondary Baths: Shaker Style Cabinets Powder Bath: Shaker Style Cabinets

Built Ins: Optional

Cabinet Hardware: Standard in all cabinets

COUNTERTOPS:

Kitchen: Level 4 – Callacata stone – square edge

Laundry Room: Level 3 Granite or Engineered stone – square edge Primary Bath: Level 3 Granite or Engineered stone – square edge Secondary Baths: Level 3 Granite or Engineered stone – square edge Powder Bath: Level 3 Granite or Engineered stone – square edge

HARDWARE:

Doors:

Front: Kwikset San Clemente handleset with Zwave Wi-Fi capable electronic deadbolt. Rear: Kwikset; Halifax Levers with deadbolt, Brushed Nickel or Black (Per Package)

Interior: Kwikset; Halifaz Levers, Brushed Nickel or Black (Per Package)

Cabinet doors & drawers: Standard in all cabinets

Bath Accessories: Finish coordinated with faucet finish selection

One towel bar (primary and secondary baths), one towel ring per vanity sink (all baths), and one paper holder per water closet (all baths)

Mirrors: Framed 42" or larger plate-glass at primary per plan, 42" plate-glass secondaries and framed 42" plate-glass in powder

Shower Enclosure: Frameless; clear glass Frameless in al showers per plan.

FLOORING: All tile and wood is laid square to walls unless indicated otherwise

Foyer: Level 4 LVP Flooring

Foyer Extensions: Level 4 LVP Flooring

Study: Level 4 LVP Flooring

Kitchen / Breakfast/: Level 4 LVP Flooring Single Dining: Level 4 LVP Flooring Powder Bath: Level 4 LVP Flooring Laundry Room: Level 4 LVP Flooring Primary Bath: Level 3 Ceramic Tile 12x24

Secondary Bath Wet Area: Level 3 Ceramic Tile 12x24

Formal Dining Room: Level 4 LVP Flooring

Living Room: Level 4 LVP Flooring

Family Room/Great Room: Level 4 LVP Flooring Family Room Walkway: Level 4 LVP Flooring

Game Room: Level 4 LVP Flooring



WALL TILE:

Kitchen Backsplash: Level 3 Ceramic Tile

Primary Bath shower/deck: Level 3 Ceramic Tile with accent strip

Secondary Bath shower: Level 3 Ceramic Tile Primary Shower Floor: Level 3 Ceramic Tile

APPLIANCES: GE: Stainless Steel

Oven: Built-in, Wi-Fi enabled double oven

Range: N/A

Cooktop: 36" 5-burner cooktop, Microwave: Built-in microwave, Dishwasher: Built in Dishwasher, Disposer: 1/3 hp Insinkerator Refrigerator: Optional Hood: Cabinet vent hood

STORAGE & ORGANIZATION: MDF shelves and stained wooden rods

THESE SPECIFICATIONS SUPERSEDE THE PLANS AND BROCHURES, AND APPLY TO THE EXTENT THE FEATURE IS PRESENT WITHIN THE HOME PURCHASED. NEW WAVE HOMES RESERVES THE RIGHT TO MAKE CHANGES TO SPECIFICATIONS DUE TO BUT NOT LIMITED TO GOVERNMENTAL OR HOMEOWNER'S ASSOCIATION REQUIREMENTS, ALL SPECIFIED ITEMS ARE SUBJECT TO AVAILABILITY. NEW WAVE HOMES RESERVES THE RIGHT TO MAKE EQUIVALENT MATERIAL SUBSTITUTIONS.