
Livable Places User Guide

DECEMBER 2023







Livable Places 🕦 Houston



Contents

1	Inti	roduction	2
	1.1	Introduction to Livable Places	
	1.2	Livable Places Housing Types	
	1.3	Overview of the Design Concepts	5
2	Des	sign Concepts	8
	2.1	Second Dwelling Unit Concepts	8
	2.2	Small-Lot Concepts	
	2.3	Multi-Unit Residential (MUR) Concepts	30
	2.4	Courtyard-Style Development Concepts	50
3	Glo	ssary, Index, and Acknowledgments	76
	3.1	Glossary	76
	3.2	Index of Design Concepts	
	3.3	Resources	81
	3.4	Small-Lot Development Examples	82
	3.5	Acknowledgments	84



Introduction

1 Introduction

Introduction to Livable Places

Houston is one of the most diverse cities in the nation. For that reason, Houstonians need a variety of housing options: homes to accommodate large families with multiple vehicles, homes with back yards and homes without, small homes for one and two people, homes at all price points to own and rent, homes for multiple generations, homes within walking distance of restaurants, grocery stores and other services, and homes close to other mobility options. Houstonians also need safe, walkable neighborhoods.

Until recently, the City's residential development standards have made it difficult for developers to provide creative solutions for housing that meets these varied needs. For decades, these standards encouraged low-density single-family neighborhoods, higher density homes that turned their backs to the street, and large-scale luxury apartment buildings. Houston is not alone. Cities across the country are grappling with similar issues and many are choosing to update their regulations to make it easier to build small, neighborhood friendly homes.



An example of courtyard-style development in Houston. Image credits: City of Houston.

Launched in Fall 2020, the Livable Places Action Committee worked to create more opportunities within Houston's development standards to encourage housing variety and affordability without impacting existing deed restrictions. More specifically, Livable Places helps make Houston's neighborhoods more:

Equitable—by creating more accessible, diverse, and inclusive neighborhoods with a greater housing and transportation choices;

Walkable—by encouraging safer, more walkable neighborhoods that are less car-dependent; and

Affordable—by encouraging a greater housing variety at more attainable price points for all Houstonians.

Houston City Council approved these changes on Sept. 27, 2023. The new rules benefit property owners in several ways. First, they encourage people to build smaller homes in the city where necessary infrastructure already exists. This helps people all over Houston by reducing infrastructure costs and increasing opportunities to travel to destinations without a car.

The Livable Places Action Committee was established to create more opportunities within Houston's development standards to encourage housing variety and affordability

They also create safer, walkable neighborhoods by encouraging front doors and windows to face the street and reducing the number of times pedestrians encounter moving vehicles.

Finally, the rules allow for larger secondary dwelling units. These units could be a place to keep family members close or a way to generate income. These small units provide affordable homes for young people just starting out, empty nesters, and others who don't want or can't afford a large home.

1.2 Livable Places Housing Types

Livable Places' development standards encourage people to construct small homes. These types were commonly built in Houston many years ago but became infeasible when previous, suburban style development regulations were adopted in the early 1980s. Livable Places standards ensure that these housing types create safe, walkable neighborhoods. They can be used in both urban and suburban settings but are focused on improving the outcomes of urban infill development.

Specifically, these housing types include:

Second dwelling units— an additional dwelling unit on a single-family lot that's located above a garage or within a separate structure from the main house;

Multi-unit residential (MUR)—a triplex, multiple duplexes, a fourplex or multiplex with no more than 8 dwellings units located on an unrestricted parcel;

Small-Lot development—a single-family home located on a small lot with doors and windows facing the street and driveway configurations that preserve on-street parking; and

Courtyard-style development—a cluster of neighborhood scale single-family homes on lots located around a privately managed shared courtyard.



A house with a secondary dwelling unit



Multi-unit residential homes

1.3 Overview of the Design Concepts

The Livable Places User Guide serves as a valuable tool for property owners to visualize the four housing types on various property configurations. It describes each type, provides photographic examples, and presents design concepts for a range of lot configurations. These concepts have been carefully put together to ensure compliance with the development standards in Chapter 42 of the Code of Ordinances.

For a more comprehensive understanding of each design concept, the guide includes a labeled site plan, 3D illustrations, and a concise summary table that highlights pertinent design features. Additionally, it offers references to the relevant municipal code standards for each concept.

Section 3 of the guide contains a user-friendly index for easy navigation, along with a glossary to aid in comprehension. It also includes information about the ADU|HOU Program and reduced parking allowed for residential uses located on Transit Oriented Development Streets.


It's important to note that this guide does not serve as a substitute for Chapter 42 of the City's Code of Ordinances but rather as a companion resource. To ensure full compliance with the standards, please make reference to Chapter 42 of the Code of Ordinances.



A narrow-lot home



Courtyard-style homes



2

Design Concepts


2 Design Concepts

2.1 Second Dwelling Unit Concepts (§42-186, 188, 188.5)

A Second Dwelling Unit (SDU)—also known as an Accessory Dwelling Unit or ADU—is a detached unit allowed on a single-family residential lot. This type of unit is typically located above a garage or within a separate structure from the first unit, and cannot exceed 1,500 square feet in size.

Lots narrower than 33 feet are allowed up to one 12-foot driveway per street frontage with no additional driveways for SDUs. Where feasible, a SDU should take vehicular access from an alley. Parking requirements for SDUs are based on unit size. One additional parking space is required for a SDU if the first unit does not meet the parking requirements, or if a SDU is between 1,001 and 1,500 square feet in size.


The Planning Department's <u>ADU|HOU program</u> offers resources including a free set of preapproved building plans, a design book with 26 schematic designs and three videos explaining the benefits and basics of second dwelling units, steps to building one, and how to finance a second dwelling unit.



*Where deed restrictions allow

An informational graphic highlighting some of the benefits of Second Dwelling Units for Houstonians.










Examples of existing Second Dwelling Units in Houston today. Image credits: City of Houston.

Second Dwelling Unit Concept 1 2.1.1

50' x 100' Mid Block Site without Alley

This concept demonstrates how a Second Dwelling Unit can fit above a detached garage on a single-family residential site without alley access. This site is 5,000 square feet and has ample open space at the rear.


Three off-street parking spaces are contained within attached garages, and one public space is available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X Studio	680 SF	
1 X 3 Bedroom	1,400 SF	
Total Dwellings	2	
Parking		
Access	From Street	
Off-Street Spaces	3	

Density	
Dwelling Units/Acre	17
Coverage	;
Lot Coverage	2,588 SF
If Using Pervious Pavement	1,489 SF
Green Space	2,412 SF

Note: This exceeds the required off-street parking spaces.




Second Dwelling Unit Concept 2 2.1.2

50' x 100' Mid Block Site without Alley


This concept shows another approach to how a Second Dwelling Unit might be added to a singlefamily residential site without alley access. In this scenario, the 5,000 square foot site still contains ample open space at the rear.

The site contains a two-car garage attached to the first house and one public space on the street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X Studio	462 SF	
1 X 3 Bedroom	1,400 SF	
Total Dwellings	2	
Parking		
Access	From Street	
Off-Street Spaces	2	

Density		
Dwelling Units/Acre	17	
Coverage		
Lot Coverage	2,614 SF	
If Using Pervious Pavement	1,485 SF	
Green Space	2,386 SF	




Second Dwelling Unit Concept 3 2.1.3

50' x 100' Mid Block Site without Alley


This concept demonstrates how a Second Dwelling Unit might be built on a 5,000 square foot site without alley access. The Second Dwelling Unit is located above a garage.

The on-site garage provides two off-street parking spaces, and one public space is available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X 1 Bedroom	660 SF	
1 X 3 Bedroom	1,600 SF	
Total Dwellings	2	
Parking		
Access	From Street	
Off-Street Spaces	2	

Density		
Dwelling Units/Acre	17	
Coverage		
Lot Coverage	2,501 SF	
If Using Pervious Pavement	1,489 SF	
Green Space	2,499 SF	




Second Dwelling Unit Concept 4 2.1.4

50' x 100' Mid Block Site without Alley


This concept shows a 5,000 square foot singlefamily residential site without alley access, featuring a Second Dwelling Unit in a detached structure behind a house.

Two off-street parking spaces are provided in an on-site surface parking lot, and one public space is available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X 2 Bedroom	1,000 SF	
1 X 3 Bedroom	1,600 SF	
Total Dwellings	2	
Parking		
Access	From Street	
Off-Street Spaces	2	

Density	
Dwelling Units/Acre	17
Coverage	
Lot Coverage	2,637 SF
If Using Pervious Pavement	1,473 SF
Green Space	2,363 SF




Second Dwelling Unit Concept 5 2.1.5

50' x 100' Corner Site with Alley


This concept illustrates a 5,000 square foot single-family residential corner site with alley access featuring a Second Dwelling Unit. This unit is located above a garage accessed from the alley, while the first unit is located toward the street.

The on-site garage contains two parking spaces, and five public spaces are available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X 1 Bedroom	660 SF	
1 X 3 Bedroom	1,600 SF	
Total Dwellings	2	
Parking		
Access	From Alley	
Off-Street Spaces	2	

Density	
Dwelling Units/Acre	17
Coverage)
Lot Coverage	2,421 SF
If Using Pervious Pavement	1,635 SF
Green Space	2,579 SF




Second Dwelling Unit Concept 6 2.1.6

50' x 100' Mid Block Site with Alley


This concept illustrates a single-family residential site with alley access split into two lots, each containing a first unit and a Second Dwelling Unit. The Second Dwelling Units are located above alley-accessed garages at the rear of each lot, with open space between.

This site contains four off-street parking spaces in garages, and two public spaces are available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
2 X 1 Bedroom	555 SF	
2 X 2 Bedroom	1,295 SF	
Total Dwellings	4	
Parking		
Access	From Alley	
Off-Street Spaces	4	

Density		
Dwelling Units/Acre	35	
Coverage		
Lot Coverage	3,078 SF	
lf Using Pervious Pavement	2,513 SF	
Green Space	1,922 SF	




2.2 Small-Lot Concepts §42-186, 188

Small-Lot development refers to a type of single-family residential home development with units located on narrower-than-typical lots. This development type is limited to 27 units per acre, or 35 units per acre with alley or shared-drive access.


Lots accessed from an alley, shared drive, or access easement are allowed to have a building line of five feet or less on local streets. Lots with front-loaded garages are subject to a 10-foot

building line, with a 19-foot building line for the garage portion when certain conditions are met. Development rules allow for reduced parking of one space per unit for units less than or equal to 1,500 square feet. Small lots with 1,000 sf or smaller units and no driveway access to the street are allowed when no off-street parking is provided.

You can find visual examples of Small-Lot developments on page 82 of this document.












Examples of existing Small-Lot developments in Houston today. Image credits: City of Houston.

2.2.1 Small-Lot Concept 1

50' x 100' Mid Block Site Shared Driveway


This concept shows one approach to implementing a Small-Lot development on a 5,000 square foot site without alley access. This concept includes three dwelling units on a lot, with access taken from a shared driveway.

Each unit includes two parking spaces in a ground-level garage, and I public space onstreet. The entrance for the unit along the front of the lot is oriented to the street.



Site	
Area	5,000 SF
Dimensions	50' x 100'
Dwelling Units	
2 X 2 Bedroom	1,246 SF
1 X 3 Bedroom	1,637 SF
Total Dwellings	3
Parking	
Access	From Street
Off-Street Spaces	6

Density	,	
Dwelling Units/Acre	26	
Coverage		
Lot Coverage	3,863 SF	
If Using Pervious Pavement	1,831 SF	
Green Space	1,137 SF	




2.2.2 Small-Lot Concept 2

50' x 100' Mid Block Site Flag Lot


This concept demonstrates the Small-Lot development concept utilizing a flag lot layout on a 5,000 square foot site. The two dwelling units share a driveway located in the flag staff of the rear unit's lot.

This site contains four parking spaces in attached garages, and one public parking space on-street.



Site	
Area	5,000 SF
Dimensions	50' x 100'
Dwelling Units	
1 X 3 Bedroom	1,298 SF
1 X 3 Bedroom	1,540 SF
Total Dwellings	2
Parking	
Access	From Street
Off-Street Spaces	4

Density		
Dwelling Units/Acre	17	
Coverage		
Lot Coverage	3,309 SF	
If Using Pervious Pavement	2,183 SF	
Green Space	1,691 SF	




2.2.3 Small-Lot Concept 3

50' x 100' Mid Block Site with Alley


This concept illustrates a Small-Lot development on a 5,000 square foot alley-loaded site. Each dwelling unit on a Small-Lot takes access from the rear alley, with parking contained in a detached rear garage. Open space is located on each lot between the dwelling and garage.

On-site garages contain a total of four parking spaces, and two public spaces are available on-street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
2 X 2 Bedroom	1,295 SF	
Total Dwellings	2	
Parking		
Access	From Street	
Off-Street Spaces	4	

Density		
Dwelling Units/Acre	17	
Coverage		
Lot Coverage	2,968 SF	
If Using Pervious Pavement	2,383 SF	
Green Space	2,032 SF	




2.3 Multi-Unit Residential (MUR) Concepts §42-165, 237, 492

Multi-Unit Residential is a type of development that includes triplexes, fourplexes, multiple duplexes, or small apartment buildings. MURs are allowed on unrestricted lots or reserves—with up to four units allowed if along a local street and up to eight units if elsewhere.

MURs are not allowed on lots deeper than 150 feet from a public street, and are subject to a 30-foot building height limit. A five-foot building line is allowed on local streets when a direct pedestrian connection is provided. Units along the street must have forward-facing entries to ensure "eyes on the street".

MURs must take vehicular access from an alley if abutting, and are otherwise limited to a 16-foot wide maximum driveway. A one-way 12-foot driveway is allowed for corner properties.

One parking space is required for each unit 1,000 square feet or less, and two parking spaces are required for each unit greater than 1,000 square feet. In addition, one guest parking space is required for every six units.














Examples of existing Multi-Unit Residential developments in Houston today. Image credits: City of Houston.

2.3.1 Multi-Unit Residential Concept 1

100' x 100' Corner Site with Alley


This concept illustrates a potential Multi-Unit Residential development scenario on a 10,000 square foot corner site with alley access. This scenario includes two four-unit buildings on the site with a shared surface parking lot in the rear. Each unit contains one Bedroom.

Nine off-street parking spaces are provided, and the lack of curb cuts allows for seven public parking spaces on the street.



Site		
Area	10,000 SF	
Dimensions	100' x 100'	
Dwelling Units		
8 X 1 Bedroom	672 SF	
Total Dwellings	8	
Parking		
Access	From Alley	
Off-Street Spaces	9	

Density		
Dwelling Units/Acre	35	
Coverage		
Lot Coverage	6,565 SF	
If Using Pervious Pavement	3,568 SF	
Green Space	3,435 SF	




2.3.2 Multi-Unit Residential Concept 2

100' x 50' Corner Site with Alley


This concept demonstrates one potential Multi-Unit Residential development model on a 5,000 square foot corner lot with alley access. This site contains four rowhouse-style units in one structure, with fronts and entrances facing the street.

Four off-street parking spaces are provided in a shared surface parking lot, with another five public spaces available on-street.



Site		
Area	5,000 SF	
Dimensions	100' x 50'	
Dwelling Units		
4 X 2 Bedroom	980 SF	
Total Dwellings	4	
Parking		
Access	From Alley	
Off-Street Spaces	4	

Density	
Dwelling Units/Acre	35
Coverage	Э
Lot Coverage	3,526 SF
If Using Pervious Pavement	2,269 SF
Green Space	1,474 SF




2.3.3 Multi-Unit Residential Concept 3

50' x 150' Mid Block Site without Alley


This concept illustrates a Multi-Unit Residential development scenario on a 7,500 square foot mid-block site without alley access. This scenario shows two duplexes located on the site, one front and one rear.

A shared surface parking lot contains four off-street parking spaces; one additional public space is available on-street. The duplex at the front of the lot has entrances oriented to the street.



Site		
Area	7,500 SF	
Dimensions	50' x 150'	
Dwelling Units		
4 X 1 Bedroom	840 SF	
Total Dwellings	4	
Parking		
Access	From Street	
Off-Street Spaces	4	

Density	
Dwelling Units/Acre	23
Coverag	je
Lot Coverage	5,231 SF
If Using Pervious Pavement	2,460 SF
Green Space	2,269 SF




2.3.4 Multi-Unit Residential Concept 4

50' x 150' Mid Block Site with Alley


Similar to the previous concept, this concept illustrates a potential Multi-Unit Residential development scenario on a mid-block 7,500 square foot site with alley access. Here, four 840 square foot units are located in two duplex structures, one front and one rear.

The front duplex dwellings have street-facing entrances. The site features four off-street parking spaces along the alley, as well as two public on-street spaces.



Site		
Area	7,500 SF	
Dimensions	50' x 150'	
Dwelling Units		
4 X 1 Bedroom	840 SF	
Total Dwellings	4	
Parking		
Access	From Alley	
Off-Street Spaces	4	

Density	
Dwelling Units/Acre	23
Coverage	
Lot Coverage	4,563 SF
If Using Pervious Pavement	2,480 SF
Green Space	2,937 SF



2.3.5 Multi-Unit Residential Concept 5

50' x 150' Corner Site with Alley


This concept shows a Multi-Unit Residential development scenario located on a 7,500 square foot corner site with alley access. This scenario includes two duplex structures, with all four 840 square foot dwelling units featuring street-facing entrances.

Four off-street parking spaces are located along the alley, and seven public spaces are available on-street.



Site		
Area	7,500 SF	
Dimensions	50' x 150'	
Dwelling Units		
4 X 1 Bedroom	840 SF	
Total Dwellings	4	
Parking		
Access	From Alley	
Off-Street Spaces	4	

Density	
Dwelling Units/Acre	23
Coverage	
Lot Coverage	4,351 SF
If Using Pervious Pavement	2,484 SF
Green Space	3,149 SF




2.3.6 Multi-Unit Residential Concept 6

50' x 120' Corner Site without Alley


This concept illustrates a potential Multi-Unit Residential development on a 6,000 square foot corner site without alley access. This site contains three 840 square foot dwelling units in two structures — a duplex structure at the front, and a single detached dwelling at the rear.

Three off-street parking spaces are provided in a shared surface parking lot at the rear, and five public spaces are located on the street.



Site		
Area	6,000 SF	
Dimensions	50' x 120'	
Dwelling Units		
3 X 1 Bedroom	840 SF	
Total Dwellings	3	
Parking		
Access	From Street	
Off-Street Spaces	3	

Density	
Dwelling Units/Acre	22
Coverage	е
Lot Coverage	3,794 SF
If Using Pervious Pavement	1,856 SF
Green Space	2,206 SF




2.3.7 Multi-Unit Residential Concept 7

50' x 100' Mid Block Site without Alley

This concept shows a Multi-Unit Residential development located on a 5,000 square foot midblock site without alley access. This site contains three dwelling units, with a duplex structure at the front and a detached dwelling located above a single-car garage at the rear.


Three parking spaces are provided off-street (one garage, two surface) via private drive, and one public space is available on-street.

3-D drawing



Site	
Area	5,000 SF
Dimensions	50' x 100'
Dwelling Units	
1 X 1 Bedroom	680 SF
2 X 1 Bedroom	840 SF
Total Dwellings	3
Parking	
Access	From Street
Off-Street Spaces	3

Density	
Dwelling Units/Acre	26
Coverage	9
Lot Coverage	3,698 SF
If Using Pervious Pavement	1,740 SF
Green Space	1,302 SF




2.3.8 Multi-Unit Residential Concept 8

50' x 100' Corner Site without Alley

This concept illustrates a potential Multi-Unit Residential development on a 5,000 square foot corner site without alley access. Four 504 square foot dwelling units are located in one building, with a shared parking lot at the rear providing four spaces. Four public parking spaces are available on the street as well.


All units feature a direct pedestrian connection to the public sidewalk and parking lot.

3-D drawing



Site	
Area	5,000 SF
Dimensions	50' x 100'
Dwelling	Units
4 X Studio	504 SF
Total Dwellings	4
Parking	
Access	From Street
Off-Street Spaces	4

Density	
Dwelling Units/Acre	35
Coverage)
Lot Coverage	3,650 SF
If Using Pervious Pavement	1,508 SF
Green Space	1,350 SF




2.3.9 Multi-Unit Residential Concept 9

50' x 100' Mid Block Site with Alley


This concept illustrates another possible Multi-Unit Residential development on a 5,000 square foot mid-block site with alley access. This site contains three units - two in a duplex structure at the front, and one located on top of an alleyloaded garage.

Three off-street parking spaces (two surface, one garage) are located along the alley, and two public spaces are available on the street.



Site		
Area	5,000 SF	
Dimensions	50' x 100'	
Dwelling Units		
1 X 1 Bedroom	680 SF	
2 X 1 Bedroom	840 SF	
Total Dwellings	3	
Parking		
Access	From Alley	
Off-Street Spaces	3	

Density	
Dwelling Units/Acre	26
Coverage	
Lot Coverage	3,028 SF
If Using Pervious Pavement	1,688 SF
Green Space	1,972 SF



2.4 Courtyard-Style Development Concepts 42-157, 186, 194

Courtyard-Style Development is a development pattern with individually platted lots surrounding a shared courtyard. It requires property to be platted as lots and reserves, and is not subject to a minimum lot size, width, or density. Buildings are subject to a height limit of 30 feet and a maximum unit size of 1,500 square foot. Lots are subject to a maximum size of 3,500 square feet.

Courtyard-Style Developments are allowed to have a 5-foot building line on local streets. Units located along the street must face the street with an entry feature.


Access must be taken from an alley when available, or otherwise from a courtyard access drive or PAE. A one-way 12 foot driveway is allowed for corner properties. At least 50% of lots must face the courtyard or public street. The main

courtyard must be at least 480 square feet, and the site must contain at least 150 square feet of total courtyard space per lot.

Each unit 1,000 square feet or less requires one parking space, and two spaces are required for units greater than 1,000 square feet. In addition, one guest parking space is required for every six units. If located in a market-based parking area or a Primary TOD Street, courtyard units have no minimum parking requirement. If located on a Secondary TOD Street, the units qualify for a 50% reduction in the parking minimum.

Maps of special parking areas can be found on <u>Houston Map Viewer</u>.

In addition, the Planning Commission may grant variances for reduced parking, building line and maximum height requirements











Examples of existing developments in Houston that resemble Courtyard-Style Developments today. Image credits: City of Houston.

Courtyard-Style Development Concept 1 2.4.1

300' x 150' Full Block Site with Alley


This concept illustrates a potential Courtyard-Style Development. This concept on a 45,000 square feet site occupies an entire block, featuring 24 dwelling units arranged around two courtyards. Units face one of the three boundary streets or the courtyard depending on location.

A surface parking lot along the alley contains 28 parking spaces. 23 spaces are located on the public street. Check Houston Map Viewer for opportunities to reduce parking.



Site	
Area	45,000 SF
Dimensions	300' x 150'
Dwelling l	Jnits
6 X 1 Bedroom	780 SF
2 X 2 Bedroom	912 SF
12 X 2 Bedroom	912 SF
4 X 2 Bedroom	990 SF
Total Dwellings	24
Parking	
Access	From Alley
Off-Street Spaces	28

Density	
Dwelling Units/Acre	23
Coverage	е
Lot Coverage	27,456 SF
If Using Pervious Pavement	14,468 SF
Green Space	17,544 SF
Courtyard Space	9,769 SF




2.4.2 Courtyard-Style Development Concept 2

200' x 125' Mid Block Site without Alley


This concept shows a potential Courtyard-Style Development on a 25,000 square foot site without alley access. Twelve dwelling units are clustered around two modest courtyards, with a central parking lot.

Off-street parking includes 14 spaces in a shared surface parking lot accessed by a single driveway, while eight public spaces are available on the street.



Site)	
Area	25,000 SF	
Dimensions	200' x 125'	
Dwelling	Units	
2 X 2 Bedroom	960 SF	
2 X 2 Bedroom	965 SF	
4 X 2 Bedroom	975 SF	
2 X 2 Bedroom	995 SF	
2 X 2 Bedroom	998 SF	
Total Dwellings	12	
Parking		
Access	From Street	
Off-Street Spaces	14	

Density	
Dwelling Units/Acre	21
Coverage	Э
Lot Coverage	15,135 SF
If Using Pervious Pavement	7,820 SF
Green Space	9,864 SF
Courtyard Space	7,008 SF



2.4.3 Courtyard-Style Development Concept 3

180' x 120' Mid Block Site without Alley


This concept demonstrates the Courtyard-Style Development model applied to a 21,600 square foot site without alley access. This site includes 10 dwelling units arranged around one large courtyard space.

There are 13 off-street parking spaces located in a shared surface parking lot at one end of the site, and there are seven public spaces available on-street.



Site		
Area	21,600 SF	
Dimensions	180' x 120'	
Dwelling Units		
3 X 1 Bedroom	780 SF	
5 X 2 Bedroom	960 SF	
2 X 3 Bedroom	1300 SF	
Total Dwellings	10	
Parking		
Access	From Street	
Off-Street Spaces	13	

Density	,
Dwelling Units/Acre	20
Coverag	е
Lot Coverage	13,091 SF
If Using Pervious Pavement	6,104 SF
Green Space	8,509 SF
Courtyard Space	5,838 SF




2.4.4 Courtyard-Style Development Concept 4

150' x 150' Mid Block Site with Courtyard Access Driveway


This concept shows a Courtyard-Style Development on a 22,500 square foot site, utilizing a shared drive arrangement with neighboring sites. Twelve units are arranged in a townhouse configuration, with five units facing the street and seven facing a courtyard at the rear.

This concept includes 24 off-street parking spaces in garages and a surface parking lot, and six public spaces available on the street.



Site	
Area	22,500 SF
Dimensions	150' X 150'
Dwelling Units	
2 X 1 Bedroom	998 SF
10 X 3 Bedroom	1,500 SF
Total Dwellings	12
Parking	
Access	From Street
Off-Street Spaces	24

Density	
Dwelling Units/Acre	23
Coverag	е
Lot Coverage	14,720 SF
If Using Pervious Pavement	8,151 SF
Green Space	7,780 SF
Courtyard Space	4,275 SF




2.4.5 Courtyard-Style Development Concept 5

150' x 150' Corner Site without Alley


This concept demonstrates the Courtyard-Style Development potential of a 22,500 square foot site without alley access. Ten dwelling units are arranged around a central courtyard, with units facing the boundary streets or courtyard.

There are 12 parking spaces located off-street in a shared parking lot, and 11 public spaces available on the street.



Site	
Area	22,500 SF
Dimensions	150' X 150'
Dwelling Units	
5 X 2 Bedroom	960 SF
4 X 2 Bedroom	968 SF
1 X 3 Bedroom	1,500 SF
Total Dwellings	10
Parking	
Access	From Street
Off-Street Spaces	12

Density	
Dwelling Units/Acre	19
Coverag	е
Lot Coverage	14,102 SF
If Using Pervious Pavement	6,628 SF
Green Space	8,398 SF
Courtyard Space	4,760 SF



2.4.6 Courtyard-Style Development Concept 6

150' x 100' Mid Block Site with Courtyard Access Driveway

This concept shows a Courtyard-Style Development on a 15,000 square foot site without alley access. Nine dwelling units (four under 1,000 square foot, five over 1,000 square foot) are arranged in a townhouse format, with the four inner-lot units facing a small courtyard, and the others facing the street.

Off-street parking includes 15 spaces, provided through a combination of garages and a small shared lot, and there are six public spaces available on-street.

3-D drawing



Site	
Area	15,000 SF
Dimensions	150' X 100'
Dwelling Units	
4 X 2 Bedroom	995 SF
5 X 3 Bedroom	1,500 SF
Total Dwellings	9
Parking	
Access	From Street
Off-Street Spaces	15

Density	
Dwelling Units/Acre	26
Coverage	е
Lot Coverage	11,364 SF
If Using Pervious Pavement	5,954 SF
Green Space	3,639 SF
Courtyard Space	1,046 SF



2.4.7 Courtyard-Style Development Concept 7

150' x 100' Corner Site with Alley


This concept demonstrates a Courtyard-Style Development model on a 15,000 square foot corner site with alley access. Eight units are arranged around a large central courtyard, with entries facing boundary streets or the shared space.

Parking is provided through an alley-adjacent surface parking lot with nine spaces, and 10 public spaces are available on-street.



Site	
Area	15,000 SF
Dimensions	150' X 100'
Dwelling Units	
5 X 2 Bedroom	960 SF
3 X 2 Bedroom	968 SF
Total Dwellings	8
Parking	
Access	From Alley
Off-Street Spaces	9

Density	
Dwelling Units/Acre	23
Coverage	е
Lot Coverage	9,323 SF
If Using Pervious Pavement	4,804 SF
Green Space	5,677 SF
Courtyard Space	3,368 SF




2.4.8 Courtyard-Style Development Concept 8

100' x 150' Mid Block Site without Alley


This concept provides one example of a smaller Courtyard-Style Development model. This site contains four units (all over 1,000 square feet) arranged around a central courtyard on a 15,000 square foot site without alley access.

Off-street parking is provided in a shared surface parking lot with a single driveway, holding seven spaces plus a single-car garage. Another three public parking spaces are available on-street.



Site	
Area	15,000 SF
Dimensions	100' X 150'
Dwelling Units	
1 X 2 Bedroom	1,008 SF
1 X 2 Bedroom	1,104 SF
2 X 3 Bedroom	1,472 SF
Total Dwellings	4
Parking	
Access	From Street
Off-Street Spaces	8

Density	
Dwelling Units/Acre	12
Coverage	e
Lot Coverage	8,324 SF
If Using Pervious Pavement	3,536 SF
Green Space	6,676 SF
Courtyard Space	3,635 SF



2.4.9 Courtyard-Style Development Concept 9

100' x 150' Corner Site without Alley

This concept applies the Courtyard-Style Development model to a 15,000 square foot corner site without alley access. Eight townhouse units are clustered around a T-shaped courtyard, with units at the outer edges of the site facing the street.


One courtyard access driveway at the rear of the site provides access to nine off-street parking spaces, while nine public spaces are available on the street.



Site		
Area	15,000 SF	
Dimensions	100' X 150'	
Dwelling Units		
8 X 2 Bedroom	998 SF	
Total Dwellings	8	
Parking		
Access	From Street	
Off-Street Spaces	9	

Density	
Dwelling Units/Acre	23
Coverage	
Lot Coverage	9,708 SF
lf Using Pervious Pavement	4,744 SF
Green Space	5,292 SF
Courtyard Space	5,340 SF

Plan



2.4.10 Courtyard-Style Development Concept 10

100' x 100' Mid Block Site without Alley

This concept also illustrates a Courtyard-Style development on a 10,000 square foot site without alley access. Here, five units are arranged in a townhouse configuration around a central courtyard, with the front units facing the street.


A shared surface parking lot provides five off-street parking spaces, and there are three public spaces available on the street.



Site			
Area	10,000 SF		
Dimensions	100' X 100'		
Dwelling Units			
5 X 2 Bedroom	998 SF		
Total Dwellings	5		
Parking			
Access	From Street		
Off-Street Spaces	5		

Density	
Dwelling Units/Acre	22
Coverage	e
Lot Coverage	6,763 SF
If Using Pervious Pavement	2,914 SF
Green Space	3,237 SF
Courtyard Space	2,030 SF

Plan




2.4.11 Courtyard-Style Development Concept 11

100' x 100' Corner Site without Alley

This concept shows a 10,000 square foot corner site without alley access using the Courtyard-Style Development model. Here, five units are arranged in a townhouse configuration around a central courtyard. Four of the units face the shared space and a public street.


A surface parking lot at the rear of the site provides five off-street parking spaces, and six public spaces are available on-street.




Site		
Area	10,000 SF	
Dimensions	100' X 100'	
Dwelling Units		
5 X 2 Bedroom	998 SF	
Total Dwellings	5	
Parking		
Access	From Street	
Off-Street Spaces	5	

Density	1
Dwelling Units/Acre	22
Coverag	je
Lot Coverage	6,600 SF
If Using Pervious Pavement	3,042 SF
Green Space	3,400 SF
Courtyard Space	1,856 SF

Plan





3

Glossary, Index, and Acknowledgements

3.1 Glossary

Alley: a public or private right-of-way that is not used primarily for through traffic and that provides vehicular access to rear or side entrances to buildings or properties.

Alley-Loaded: a development site where vehicular access is taken from an alley.

Block: one or more lots, tracts or parcels of land bounded by streets, easements, rights-of-way or other physical features or a combination thereof (Houston Code of Ordinances, §42-1).

Building Line: also known as a setback. The line shown on a subdivision plat or development plat establishing the building line requirement. An area is within the building line if it lies between the building line and the property line adjacent to a street or private street and is behind the building line if it lies to the interior of the property from the building line (Houston Code of Ordinances, §42-1).

Collector Street: a public street that is not a major thoroughfare or a local street, but that distributes traffic between major thoroughfares and other streets (Houston Code of Ordinances, §42-1).

Corner Site: a building site which has two or more site boundary lines abutting a street.

Courtyard: a space, open and unobstructed to the sky, located at or above grade level on a lot or parcel and bounded on two or more sides by walls of a building (Houston Code of Ordinances, §42-1).

Courtyard Access Drive: a private drive that provides driveway access to lots and parking from the street or alley within Courtyard style development meeting the requirements of §42-194.

Courtyard-Style Development: a tract of land divided into lots, reserves, courtyard and access drives that allow for a unified development. All common and shared areas within the site must be bound by a common maintenance agreement among lot owners (Houston Code of Ordinances, 842-194).

Curb: a stone or concrete edging to a street or path.

Deed Restriction: conditions on the deed to a property or filed separately setting out certain limits or acceptable uses.

Density: the number of developed units in a specific area of land. Density is calculated as the number of dwelling units per acre.

Detached Dwelling Unit: a one-family dwelling unit that is not attached to any other dwelling by any physical means.

Development Pattern: the way buildings and human activities are arranged and organized on the landscape, as well as the underlying rules and practices that govern that arrangement.

Double Fronting Site: a site that has no rear property line and includes street frontage on its front and rear sides.

Duplex: House divided into two dwellings, with a separate entrance for each.

Dwelling Unit: a structure, or a portion of a structure, that has independent living facilities including provisions for nontransient sleeping, cooking and sanitation (Houston Code of Ordinances, §42-1).

Entry Feature: a special design feature applied to each pedestrian entrance that provides access from the public realm to the interior of the building (Houston Code of Ordinances, §42-165).

'Eyes on the Street': a concept coined by the urbanist, Jane Jacobs, theorizing that when more people are in the street or can easily observe street activities from buildings, streets and neighborhoods become safer due to informal surveillance.

Flag Lot: a lot whose frontage on and access to the street right-of-way is provided by a narrow driveway, access easement or other parcel of land referred to as the "flag staff" where more than one lot abutting the flag staff use it for shared vehiclular access (Houston Code of Ordinances, §42-1).

Flag Staff: the narrow driveway or access easement portion of a flag lot.

Forward-Facing Entry Feature: also referred to as a Street-Facing Entry Feature or Front Entrance. The primary pedestrian doorway located on the ground floor of a building facade along a street. A garage door is not considered a front entrance.

Fourplex: a house divided into four units.

Front-Loaded: buildings with garages that face the front street and take vehicular access from the front street.

Height Limit: maximum buildable height.

Local Street: a type 1 permanent access easement and a public street that is not a major thoroughfare or collector street (Houston Code of Ordinances, §42-1).

Lot: (1) In the context of a subdivision plat, an undivided tract of land intended for singlefamily residential use contained within a block and designated on a subdivision plat by numerical identification; (2) in the context of a development plat, a parcel intended as an undivided unit for the purpose of development; or (3) in the context of the provisions of this chapter pertaining to special minimum building line blocks, special minimum lot size blocks, and special minimum lot size areas, contiguous land under common ownership, as shown on the most current appraisal district records, that is used or developed for any use, regardless of whether the land consists of a platted lot or a portion of a platted lot or a combination thereof (Houston Code of Ordinances, §42-1).

Lot Depth: the horizontal distance between the front and rear lot lines.

Lot Size: the square footage of a lot.

Lot Width: the horizontal distance between the side lot lines.

Mid Block Site: a building site which has no more than one property line abutting a street.

Minimum Lot Size: the smallest allowable portion of a parcel determined to be usable for the proposed construction of facilities, according to applicable development standards.

Multi-Unit Residential (MUR): one or more buildings on a single parcel designed for and containing 3 to 8 dwelling units that meets the MUR performance standards. Multi-Unit Residential includes houses, duplexes, triplexes, fourplexes, apartments and condominiums (Houston Code of Ordinances, §42-237).

Narrow-Lot: a lot that has less than 44 feet of frontage on a public street or Type 1 PAE (Houston Code of Ordinances, §42-1).

Off-Street Parking: vehicle parking that is provided in a location other than in a public rightof-way (Houston Code of Ordinances, §26-2).

On-Street Parking: vehicle parking that is provided in a public right-of-way.

Open Space: also referred to as green space. Land within a development that is not covered by buildings, covered walkways, parking spaces, private streets or driveways.

Parking Requirement: the required number of parking spaces that shall be provided on-site by a use classification listed in §26-492.

Pedestrian Access: a means for a pedestrian to approach or enter a place.

Permanent Access Easement (PAE):

a privately maintained and owned street easement approved by the commission that provides for vehicular access to three or more single-family residential units (Houston Code of Ordinances, §42-1).

Pervious: also referred to as permeable. A surface that allows water to pass through it and penetrate into the ground (Houston Code of Ordinances, §42-1).

Plan: a set of drawings or two-dimensional diagrams used to describe a place or object, or to communicate building or fabrication instructions.

Property Line: a legal boundary that defines where a parcel begins and ends usually describedroom in deeds and surveys.

Public Street: a public right-of-way, however designated, dedicated or acquired, that provides access to adjacent property (Houston Code of Ordinances, §42-1).

Reserve: a parcel of land that is not a lot, but is created within a subdivision plat for other than single-family residential use and is established to accommodate some purpose for which a division into lots is not suitable or appropriate (Houston Code of Ordinances, §42-1).

Second Dwelling Unit: also referred to as an Accessory Dwelling Unit (ADU) or garage apartment. Self-contained apartments, cottages, or small residential units, that are located on a property that has a separate main, single-family residential home, duplex, or other residential unit.

Shared Driveway: a private roadway that is not an extension of any street or private roadway and provides access to two or more single-family residential lots through appropriate cross-access easements (Houston Code of Ordinances, §42-1).

Shared Parking: the use of the same off-street parking space or spaces to satisfy the off-street parking requirements for two or more individual use classifications (Houston Code of Ordinances, §26-472).

Single-Family Residential: the use of a lot with one building designed for and containing not more than two separate units with facilities for living, sleeping, cooking and eating therein. A lot upon which is located a free-standing building containing one dwelling unit and a detached second dwelling unit of not more than 1,500 square feet also shall be considered single-family residential. A building that contains one dwelling unit on one lot that is connected by a party wall to another building containing one dwelling unit on an adjacent lot shall be single-family residential (Houston Code of Ordinances, §42-1).

Streetscape: the natural and built elements of a street that affect the way people perceive and interact with their neighborhood and the built environment around them.

Surface Parking Lot: vehicle parking which is not enclosed or created by a structure and is allocated an area 'at grade' on ground level.

Townhouse: also referred to as a rowhouse or townhome. A multi-floor home that shares a party wall with an adjacent structure but includes its own entrances.

Triplex: a house divided into three units.

Unrestricted Lot: where the intended use of a parcel has not been determined on a subdivision plat.

Vehicular Access: a means for a vehicle to approach or enter a place.

3.2 Index of Design Concepts

Second Dwelling Unit Concepts	Multi-Unit Residential Concept 6	
Second Dwelling Unit Concept 1	50' x 120' Corner Site without Alley	42
50' x 100' Mid Block Site without Alley 10	Multi-Unit Residential Concept 7	
Second Dwelling Unit Concept 2	50' x 100' Mid Block Site without Alley	44
50' x 100' Mid Block Site without Alley 12	Multi-Unit Residential Concept 8	
·	50' x 100' Corner Site without Alley	46
Second Dwelling Unit Concept 3 50' x 100' Mid Block Site without Alley14	Multi-Unit Residential Concept 9	
,	50' x 100' Mid Block Site with Alley	48
Second Dwelling Unit Concept 4	•	
50' x 100' Mid Block Site without Alley 16	Courtyard-Style Development Concept	S
Second Dwelling Unit Concept 5	Courtyard-Style Development Concept 1	
50' x 100' Corner Site with Alley 18	300' x 150' Full Block Site with Alley	52
Second Dwelling Unit Concept 6	,	_
50' x 100' Mid Block Site with Alley 20	Courtyard-Style Development Concept 2	_ 4
	200' x 125' Mid Block Site without Alley	54
Small-Lot Concepts	Courtyard-Style Development Concept 3	
Small-Lot Concept 1	180' x 120' Mid Block Site without Alley	56
50' x 100' Mid Block Site Shared Driveway 24	Courtyard-Style Development Concept 4	
Cmall Lat Concent 2	150' x 150' Mid Block Site with Courtyard Access	
Small-Lot Concept 2 50' x 100' Mid Block Site Flag Lot26	Driveway	58
	Courtyard-Style Development Concept 5	
Small-Lot Concept 3	150' x 150' Corner Site without Alley	60
50' x 100' Mid Block Site with Alley 28	,	
Adulti Hait Davidantial (AMID) Communi	Courtyard-Style Development Concept 6	
Multi-Unit Residential (MUR) Concepts	150' x 100' Mid Block Site with Courtyard Access Driveway	62
Multi-Unit Residential Concept 1	'	02
100' x 100' Corner Site with Alley 32		
Multi-Unit Residential Concept 2	150' x 100' Corner Site with Alley	64
100' x 50' Corner Site with Alley 34	Courtyard-Style Development Concept 8	
Multi-Unit Residential Concept 3	100' x 150' Mid Block Site without Alley	66
50' x 150' Mid Block Site without Alley 36	Courtyard-Style Development Concept 9	
,	100' x 150' Corner Site without Alley	68
Multi-Unit Residential Concept 4	,	
50' x 150' Mid Block Site with Alley 38	Courtyard-Style Development Concept 10 100' x 100' Mid Block Site without Alley	70
Multi-Unit Residential Concept 5	·	, 0
50' x 150' Corner Site with Alley 40	Courtyard-Style Development Concept 11	
	100' x 100' Corner Site without Alley	.72

3.3 Resources

ADU HOU Program

The ADU|HOU Program was developed to encourage construction of secondary dwelling units (ADU). It provides resources for anyone considering constructing an ADU. It helps people visualize what a secondary unit could look like, provides a how-to guide and gives them a head start on constructing their own by providing a ready-made set of construction documents.

ADU|HOU Design Book: The design book contains 26 schematic designs developed by Houston area architects who participated in the ADI|HOU Design Competition. The book is available on-line for free. Hard copies may be purchased.

Informational workshops: Videos of three workshops are available to watch anytime. The topics cover 1) the benefits of ADUs, 2) steps to building one, and 3) the costs and financing of an ADU.

Free building plans: Double-House was the winning design in the ADU|HOU Design Competition. The complete construction drawings have preliminary approval of the Houston Public Works Department. Anyone may download the Double-House plans for free.

For more information visit: https://www.letstalkhouston.org/adu


Transit Oriented Development Standards

Transit Oriented Development Standards promote transit ridership by making it easier for people to access transit reducing the need for cars. Livable Places housing types may take advantage of reduced parking incentives if located on Primary or Secondary Transit Oriented Development Streets. More information is available at https://houstontx.gov/planning/ tod-standards.html

Houston Map Viewer

The Houston Map Viewer, found at https:// mycity.maps.arcgis.com/, is an online geographic data tool produced by the City of Houston as a public service. Users can navigate through data layers that illustrate everything from administrative boundaries to city services. Layers under the Planning and Development tab relevant to Livable Places include transit corridor streets, market-based parking, restricted lot driveway access, school primary entrance and Complete Communities.

3.4 Small-Lot Development Examples



Alley Access (25' Lot)

Increased Incentives:

- Increased density from 27 to 35 units per acre
- Improved ability to build an ADU
- No visibility triangle above 10', resulting in more buildable area (corner lots)
- Allowance of a 65% lot coverage exemption from detention requirements
- Reduced side building line to 5' for corner lots
- No detention required for public alley when proposing alley access
- Reduced parking for units 1,500 sq. ft. or smaller
- Entry feature can be within the building line

Additional requirements:

 Enhanced front door and windows to provide better visibility onto street

Shared Drive (25' Lot)

Increased Incentives:

- Increased density from 27 to 35 units per acre
- Improved ability to build an ADU
- 65% lot coverage exemption from detention requirements
- Driveway included in lot coverage calculation and no additional detention if less than 65%
- Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

 Enhanced front door and windows to provide better visibility onto street

Courtyard Development

New Opportunities:

- Street frontage not required for lots fronting on a shared courtyard
- No minimum lot size or maximum density with at least 150 sq. ft. of green space per lot
- 65% lot coverage exemption from detention requirements on tracts 15,000 sq. ft. or less. 9,750 sq. ft. lot coverage exemption on tracts between 15,001 sq. ft. and 1 acre.**

No detention required

 Detention calculated for the tract as a whole and not per individual lots**

for public alley when proposing alley access**

- Parking may be removed from individual lots but located within the development
- Reduced parking for units 1,000 sq. ft. or smaller
- One guest parking space for every 6 units

Requirements:

- Maximum site depth from street is 150'
- · Maximum 30' tall
- Parking on the side or rear but not in the front
- Maximum lot size of 3,500 sq. ft. and a maximum unit size of 1,800 sq. ft.
- Enhanced front door and windows to provide better visibility onto street and courtyard


Flag Lots

Increased Incentives:

- Increased density from 27 to 35 units per acre
- Improved ability to build an ADU
- No visibility triangle above 10', resulting in more buildable area (on corner lots)
- · Reduced building line of 5'
- · Reduced flag staff width
- Flag staff is included in the lot coverage calculation no separate detention is required if under 65%
- Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

- Enhanced front door and windows to provide better visibility onto street
- All newly created lots abutting the staff take access from the staff



Shared Drive (25' Lot)

Increased Incentives:

- · Increased density from 27 to 35 units per acre
- Improved ability to build an ADU
- 65% lot coverage exemption from detention requirements
- · Driveway included in lot coverage calculation and no additional detention if less than 65%
- Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

· Balconies or windows to provide better visibility onto street

Front Load Individual Driveway (33' Lot)

Increased Incentives:

- · Increased density from 27 to 35 units per acre
- · Improved ability to build an ADU
- · 65% lot coverage exemption from detention requirements
- Driveway included in lot coverage calculation and no additional detention if less than 65%
- · Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

- · A maximum of 12' individual driveway per lot
- Enhanced front door and windows to provide better visibility onto street

Shared Drive (50' Lot)

Increased Incentives:

- Increased density from 27 to 35 units per acre
- Improved ability to build an ADU
- No visibility triangle above 10', resulting in more buildable area (corner lots)
- 65% lot coverage exemption from detention requirements
- Driveway included in lot coverage calculation and no additional detention if less than 65%
- Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

· Enhanced front door and windows to provide better visibility onto street

Rear Shared Drivewa (25' Lots w/corner access)

Increased incentives:

- Increased density from 27 to 35
- No visibility triangle above 10', resulting in more buildable area (corner lots)
- Improved ability to build an ADU
- · Allowance of a 65% lot coverage exemption from detention requirements
- Reduced parking for units 1,500 sq. ft. or smaller

Additional requirements:

- · Enhanced front door and windows to provide better visibility
- Shared vehicular access from side street unless it is a major thoroughfare

3.5 Acknowledgments

Livable Places Steering Committee

Lisa Clark, Planning Commission, Committee Co-Chair

Sonny Garza, Planning Commission, Committee Co-Chair

John Blount / Loyd Smith, Harris County Engineer
Antoine Bryant, Planning Commission

Matthew Camp, Houston Real Estate Council

Toby Cole, Houston Commission on Disabilities

Scott Cubbler / Cheryl O'Brien, Super

Neighborhood Alliance

Steve Curry, Houston Archaeological and Historic Commission

Curtis Davis, Rebuildit Collaborative

Neal Dikeman, Old Growth Ventures

Mike Dishberger, Sandcastle Homes

Zion Escobar, Houston Freedmen's Town

Conservancy

Melissa Fontenot / Mark Nightingale, Avenue CDC

Peter Freedman, Agape Ministries

Luis Guajardo, Kinder Institute / Blueprint Houston

Gwen Guidy, Lindale Park Super Neighborhood

Omar Izfar, Wilson, Cribbs + Gorem

Kirby Liu, Lovett Commercial

Meg Lousteau, Historic Preservation Advocate

Yuhayna Mahmud, METRO

Tyron McDaniel, Houston Vintage Homes

Dustin O'Neal / Shawn Massock, American

Council of Engineering Companies

Kathy Payton, Fifth Ward Redevelopment

Corporation

Bradley Pepper / Casey Morgan, Houston

Apartment Association

Megan Sigler, Planning Commission

Dr. Sheri Smith, Texas Southern University

Sandy Stevens, Museum District Neighborhood Association

Bobby Tyson, Realtor

Fernando Zamarripa, Urban Land Institute, Houston

Mayor & City Council (Sept. 2023)

Sylvester Turner, Mayor

Amy Peck, District A

Tarsha Jackson, District B

Abbie Kamin, District C

Carolyn Evans-Shabazz, District D

Dave Martin, District E

Tiffany D. Thomas, District F

Mary Nan Huffman, District G

Karla Cisneros, District H

Robert Gallegos, District I

Edward Pollard, District J

Martha Castex-Tatum, District K

Mike Knox, At Large Position 1

David Robinson, At Large Position 2

Michael Kubosh, At Large Position 3

Letitia Plummer, At Large Position 4

Sallie Alcorn, At Large Position 5

Planning Commission (Sept. 2023)

Martha L. Stein, Chair

M. Sonny Garza, Vice Chair

David Abraham, PhD

Susan Alleman

Bill Baldwin

Antoine Bryant

Scott Cain, Montgomery Co.

Lisa Clark

Michelle Colvard

Maggie Dalton, Fort Bend Co.

The Honorable KP George

Rodney Heisch

The Honorable Lina Hidalgo

Daimian S. Hines Randall L. Jones

Patrick Mandapaka, PhD, AICP, Harris Co.

Lydia Mares

Commissioner James Noack

Paul R. Nelson

Linda Porras-Pirtle

Kevin S. Robbins

Ileana Rodriquez

Ian Rosenberg

Megan R. Sigler

J. Stacy Slawinski, P.E.

Zafar Tahir

Meera D. Victor

Libby Viera-Bland

City of Houston Planning & Development Department

Margaret Wallace Brown, Planning Director

Jennifer Ostlind, Deputy Director

David Fields, Deputy Assistant Director

Dipti Mathur, Division Manager

Suvidha Bandi, Project Manager

Livable Places Staff Team

Homero Guajardo Alegria

Bala Balachandran

Kimberly Bowie

Jacqueline Brown

Geoff Butler

Davonte Caldwell

Ken Calhoun

Wilson Calvert

John Cedillo

John Cox

Marta Crinejo

Devin Crittle

Muxian Fang

Tamara Fou

Truscenia Garrett

Teresa Geisheker

Lynn Henson

Petra Hsia

Antwanysha Johnson

Rupesh Koshy

Arum Lee

Ramon Jaime Leon

Kyle Lloyd

Elise Marrion

Alicia Mendoza

Jose Mendoza

list continues

Livable Places Staff Team, continued

Lyndy Morris

Sharon Moses-Burnside

Brandon Mosley

Angelita Pineda

Asiul Perales

Dorianne Pow-Phlegm

Eddy Roberts

Luiza Rocha

Aracely Rodriguez

Hector Rodriguez

Anna Sedillo

Kevin Shuff

Misty Staunton

Sona Sunny

James Tichy

Ashley Velazquez

Peter Vu

David Welch

Tammi Williamson

Abraham Zorrilla

Additional Support Provided by these City of Houston Departments

Mayor's Office, Chief Development Officer

Mayor's Office of Complete Communities

Mayor's Office, HTV Team

Mayor's Office for Persons with Disabilities

Houston Public Works

Administration and Regulatory Affairs

Solid Waste Management

Houston Fire Department

Department of Neighborhoods

Houston Parks and Recreation Department

Houston Police Department

Housing and Community Development

Legal Department

Other Agencies & Organizations **Who Helped**

American Association of Retired Persons (AARP)

American Council of Engineering Companies,

Houston (ACEC)

CenterPoint

Complete Streets Coalition

Greater Houston Builders Association (GHBA)

Houston Real Estate Council (HREC)

Harris County

Houston Habitat for Humanity

John C Anderson Consulting

LINK Houston

METRO

Super Neighborhood Alliance, Individual Councils

Consultant Support

Code Studio (project lead)

Asakura Robinson

The Black Sheep Agency

Cedric Douglas

Lionheart Places

Quiddity

Peter J. Park

Toole Design

Special acknowledgement to Michael Kramer, a dedicated Planning and Development Department employee from 1989 to 2021.

Livable Places User Guide

Houston Planning and Development Department

December 2023

City of Houston Planning & Development Department

PO Box 1562, Houston, Texas 77251-1562

832-393-6600 planning@houstontx.gov HoustonPlanning.com

Livable Places Houston

