	STATE OF TEXAS WELL REPORT for Tracking #98867					
Owner:	Noah Wright	Owner Well #:	1			
Address:	1610 West Ave Austin, TX 78701	Grid #:	57-38-5			
Well Location:		Latitude:	30° 25' 46" N			
		Longitude:	098° 17' 54" W			
Well County:	Blanco	Elevation:	No Data			
Type of Work:	New Well	Proposed Use:	Domestic			

Drilling Start Date: 10/12/2006 Drilling End Date: 11/7/2006

	Diameter (in.)		Top Depth (ft.)	Bottom Dept	h (ft.)	
Borehole:	12		0	120		
8.62			120			
	8		140			
Drilling Method:	Air Hammer					
Borehole Completion:	Filter Packed					
	Top Depth (ft.)	Bottom Depth (ft.)	Filte	er Material	Size	
Filter Pack Intervals:	50	119	G	Gravel	#4 pea	
	Top Depth (ft.)	Bottom Depth	(ft.)	Description (number of sa	icks & material)	
Annular Seal Data:	0	50	5 cem			
Seal Method: gra	avity cemented		Distance to	Property Line (ft.): 1	000	
Sealed By: Dr		Distance to Septic Field or other concentrated contamination (ft.): n/a				
Distance to Septic Tank (ft.): No Data				lo Data		
			Met	hod of Verification: e	stimated	
Surface Completion:	Surface Sleeve	e Installed				
Water Level:	128 ft. below la	and surface on 20	06-11-07 Me	easurement Method:	Unknown	
Packers:	poor boy 119'					
Type of Pump:	No Data					
Well Tests:	Jetted	Yield: 47 (GPM			

	Strata Depth (ft.)	W	ater Type	
Water Quality:	128,532,609,728, 757,809,1724	475 TDS, 14	grains hardness	
		Che	emical Analysis Made	: Yes
	Did the driller		trate any strata which njurious constituents?	
Certification Data:	driller's direct superv correct. The driller u	rision) and that e Inderstood that fa	ach and all of the stat	ell was drilled under the tements herein are true and required items will result in I.
Company Information:	L & L Drilling Co.			
	Drawer 217 Hye, TX 78635			
Driller Name:	Gregory A. Smith		License	Number: 1595
Comments:	Diameter of Hole 6.00" from 800' to	1755'		
0-2 brown topsoil		8 n	ew plalstic solid +2	- 120 Sch 40
2-14 yellow clay & calic	he			
14-63 gray limestone &	shale			
63-102 yellow limestone	9			
102-147 white limestone				
147-167 brown limeston				
167-348 white limestone				
348-562 white limestone ayers	e with red streaks wit	ui gray		
562-601 white & gray lin	mestone			
601-989 white limesstor	ne with red streaks			
309-810 break				
322-833 break				
357-858 break				
902-903 break				
941-942 break				
989-1235 gray limeston 1235-1431 red & brown				

1431-1724 gray limestone with brown streaks				
1724-1728 red & brown sandstone				
1728-1755 gray limestone				
128-132 water 10 gpm				
532-536 water 5 gpm				
609-612 water 10 gpm				
728-729 water 15 gpm				
757-758 water 5 gpm				
809-810 water 5 gpm				
1724-1728 water 2 gpm				
jetted at 480 yield 45 gpm				
jetted at 380 yield 45 gpm				
jetted at 300 yield 27 gpm				
jetted at 200 yield 18 gpm				

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540