



28850 Riley Road  
Waller, TX 77484

Concerning the Property at \_\_\_\_\_

|                                 |                                     |                                     |   |
|---------------------------------|-------------------------------------|-------------------------------------|---|
| Solar Panels                    | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | owned _____ leased from: _____  |
| Water Heater                    | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | electric <input checked="" type="checkbox"/> gas _____ other: _____ number of units: <u>1</u> |
| Water Softener                  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> owned _____ leased from: _____                            |
| Other Leased Items(s)           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | if yes, describe: _____   |
| Underground Lawn Sprinkler      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | _____ automatic _____ manual areas covered _____  |
| Septic / On-Site Sewer Facility | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | if yes, attach Information About On-Site Sewer Facility (TXR-1407)                            |

Water supply provided by: \_\_\_ city  well \_\_\_ MUD \_\_\_ co-op \_\_\_ unknown \_\_\_ other: \_\_\_\_\_

Was the Property built before 1978? \_\_\_ yes  no \_\_\_ unknown

(If yes, complete, sign, and attach TXR-1906 concerning lead-based paint hazards).

Roof Type: METAL Age: 12 YEARS (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)? \_\_\_ yes  no \_\_\_ unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair?  yes \_\_\_ no If yes, describe (attach additional sheets if necessary): \_\_\_\_\_

A COUPLE OUTSIDE CEILING FANS ON PORCH BROKEN / DON'T WORK

**Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

| Item               | Y | N                                   | Item                 | Y                                   | N                                   | Item                        | Y | N |
|--------------------|---|-------------------------------------|----------------------|-------------------------------------|-------------------------------------|-----------------------------|---|---|
| Basement           |   | <input checked="" type="checkbox"/> | Floors               |                                     | <input checked="" type="checkbox"/> | Sidewalks                   |   |   |
| Ceilings           |   | <input checked="" type="checkbox"/> | Foundation / Slab(s) |                                     | <input checked="" type="checkbox"/> | Walls / Fences              |   |   |
| Doors              |   | <input checked="" type="checkbox"/> | Interior Walls       |                                     | <input checked="" type="checkbox"/> | Windows                     |   |   |
| Driveways          |   | <input checked="" type="checkbox"/> | Lighting Fixtures    |                                     | <input checked="" type="checkbox"/> | Other Structural Components |   |   |
| Electrical Systems |   | <input checked="" type="checkbox"/> | Plumbing Systems     | <input checked="" type="checkbox"/> |                                     |                             |   |   |
| Exterior Walls     |   | <input checked="" type="checkbox"/> | Roof                 |                                     |                                     |                             |   |   |

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary):

COLD WATER LINE IN KITCHEN FAUCETS IN HALF BATH, ~~FAUCET~~ FAUCET LOOSE IN MASTER BATH - IN PROCESS OF BEING REPAIRED

**Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

| Condition                                    | Y | N                                   | Condition   | Y | N                                   |
|--|---|-------------------------------------|---|---|-------------------------------------|
| Aluminum Wiring                              |   | <input checked="" type="checkbox"/> | Radon Gas   |   | <input checked="" type="checkbox"/> |
| Asbestos Components                          |   | <input checked="" type="checkbox"/> | Settling  |   | <input checked="" type="checkbox"/> |
| Diseased Trees: <u>oak wilt</u>              |   | <input checked="" type="checkbox"/> | Soil Movement   |   | <input checked="" type="checkbox"/> |
| Endangered Species/Habitat on Property       |   | <input checked="" type="checkbox"/> | Subsurface Structure or Pits  |   | <input checked="" type="checkbox"/> |
| Fault Lines                                  |   | <input checked="" type="checkbox"/> | Underground Storage Tanks   |   | <input checked="" type="checkbox"/> |
| Hazardous or Toxic Waste                     |   | <input checked="" type="checkbox"/> | Unplatted Easements   |   | <input checked="" type="checkbox"/> |
| Improper Drainage                            |   | <input checked="" type="checkbox"/> | Unrecorded Easements  |   | <input checked="" type="checkbox"/> |
| Intermittent or Weather Springs              |   | <input checked="" type="checkbox"/> | Urea-formaldehyde Insulation  |   | <input checked="" type="checkbox"/> |
| Landfill                                     |   | <input checked="" type="checkbox"/> | Water Damage Not Due to a Flood Event                                 |   | <input checked="" type="checkbox"/> |
| Lead-Based Paint or Lead-Based Pt. Hazards   |   | <input checked="" type="checkbox"/> | Wetlands on Property  |   | <input checked="" type="checkbox"/> |
| Encroachments onto the Property              |   | <input checked="" type="checkbox"/> | Wood Rot  |   | <input checked="" type="checkbox"/> |
| Improvements encroaching on others' property |   | <input checked="" type="checkbox"/> | Active infestation of termites or other wood destroying insects (WDI) |   | <input checked="" type="checkbox"/> |
| Located in Historic District                 |   | <input checked="" type="checkbox"/> | Previous treatment for termites or WDI                                |   | <input checked="" type="checkbox"/> |
| Historic Property Designation                |   | <input checked="" type="checkbox"/> | Previous termite or WDI damage repaired                               |   | <input checked="" type="checkbox"/> |
| Previous Foundation Repairs                  |   | <input checked="" type="checkbox"/> | Previous Fires  |   | <input checked="" type="checkbox"/> |

(TXR-1406) 07-10-23

Initialed by: Buyer: \_\_\_\_\_, \_\_\_\_\_ and Seller: PM, CM

Page 2 of 7

28850 Riley Road  
Waller, TX 77484

Concerning the Property at \_\_\_\_\_

|   |                                     |                                     |
|---|-------------------------------------|-------------------------------------|
| Previous Roof Repairs                                       | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Previous Other Structural Repairs                           | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Previous Use of Premises for Manufacture of Methamphetamine | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

|  |                          |                                     |
|--|--------------------------|-------------------------------------|
| Termite or WDI damage needing repair             | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Single Blockable Main Drain in Pool/Hot Tub/Spa* | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Recaulked CORNERS (Summer 2023)

\*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice?  yes  no If yes, explain (attach additional sheets if necessary): Garage door needs to be repaired.

Section 5. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

- |                                     |                                     |  |
|-------------------------------------|-------------------------------------|--|
| <u>Y</u>                            | <u>N</u>                            |  |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Present flood insurance coverage.  |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.  |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Previous flooding due to a natural flood event.  |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Previous water penetration into a structure on the Property due to a natural flood.  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Located <input type="checkbox"/> wholly <input checked="" type="checkbox"/> partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR). |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Located <input type="checkbox"/> wholly <input type="checkbox"/> partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).                                 |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Located <input type="checkbox"/> wholly <input type="checkbox"/> partly in a floodway.   |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Located <input type="checkbox"/> wholly <input type="checkbox"/> partly in a flood pool.   |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Located <input type="checkbox"/> wholly <input type="checkbox"/> partly in a reservoir.  |

If the answer to any of the above is yes, explain (attach additional sheets as necessary): \_\_\_\_\_

**\*If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).**

For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.



Concerning the Property at \_\_\_\_\_

The Property is located in a propane gas system service area owned by a propane distribution system retailer.

Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

If the answer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary): \_\_\_\_\_

**Section 9. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections?**  yes  no If yes, attach copies and complete the following:

| Inspection Date | Type | Name of Inspector | No. of Pages |
|-----------------|------|-------------------|--------------|
|                 |      |                   |              |
|                 |      |                   |              |
|                 |      |                   |              |

*Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.*

**Section 10. Check any tax exemption(s) which you (Seller) currently claim for the Property:**

- Homestead  Senior Citizen  Disabled
- Wildlife Management  Agricultural  Disabled Veteran
- Other: \_\_\_\_\_  Unknown

**Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property with any insurance provider?**  yes  no

**Section 12. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made?**  yes  no If yes, explain: \_\_\_\_\_

**Section 13. Does the Property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code?\***  unknown  no  yes. If no or unknown, explain. (Attach additional sheets if necessary): \_\_\_\_\_

*\*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

*A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.*

Concerning the Property at \_\_\_\_\_

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.

Ronald Matkin 10/08/24 Carla Matkin 10/8/24  
Signature of Seller Date Signature of Seller Date

Printed Name: RONALD MATKIN Printed Name: Carla Matkin

**ADDITIONAL NOTICES TO BUYER:**

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit <https://publicsite.dps.texas.gov>. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.

(5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

(6) The following providers currently provide service to the Property:

|                                      |                              |
|--------------------------------------|------------------------------|
| Electric: <u>SBEC</u>                | phone #: <u>800-364-3171</u> |
| Sewer: <u>—</u>                      | phone #: _____               |
| Water: <u>—</u>                      | phone #: _____               |
| Cable: <u>ATT</u>                    | phone #: _____               |
| Trash: <u>P+M GARBAGE SERVICE</u>    | phone #: _____               |
| Natural Gas: _____                   | phone #: _____               |
| Phone Company: _____                 | phone #: _____               |
| Propane: <u>FIELDS STORE PROPANE</u> | phone #: <u>936-372-2474</u> |
| Internet: <u>ATT</u>                 | phone #: _____               |

28850 Riley Road  
Waller, TX 77484

Concerning the Property at \_\_\_\_\_

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

|                             |                        |                             |                        |
|-----------------------------|------------------------|-----------------------------|------------------------|
| _____<br>Signature of Buyer | _____<br>Date          | _____<br>Signature of Buyer | _____<br>Date          |
| _____<br>Printed Name:      | _____<br>Printed Name: | _____<br>Printed Name:      | _____<br>Printed Name: |



# INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED.  
©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT 28850 Riley Road  
Waller, TX 77484

## A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System:  Septic Tank  Aerobic Treatment  Unknown  
 \_\_\_\_\_
- (2) Type of Distribution System: \_\_\_\_\_  Unknown
- (3) Approximate Location of Drain Field or Distribution System: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  Unknown
- (4) Installer: \_\_\_\_\_  Unknown
- (5) Approximate Age: 12 years  Unknown

## B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility?  Yes  No  
If yes, name of maintenance contractor: \_\_\_\_\_  
Phone: \_\_\_\_\_ contract expiration date: \_\_\_\_\_  
*Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard" on-site sewer facilities.)*
- (2) Approximate date any tanks were last pumped? \_\_\_\_\_
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility?  Yes  No  
If yes, explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- (4) Does Seller have manufacturer or warranty information available for review?  Yes  No

## C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:  
 planning materials  permit for original installation  final inspection when OSSF was installed  
 maintenance contract  manufacturer information  warranty information  \_\_\_\_\_
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) **It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.**


Information about On-Site Sewer Facility concerning \_\_\_\_\_

**D. INFORMATION FROM GOVERNMENTAL AGENCIES:** Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

| <u>Facility</u>   | <u>Usage (gal/day)<br/>without water-<br/>saving devices</u> | <u>Usage (gal/day)<br/>with water-<br/>saving devices</u> |
|---|--|---|
| Single family dwelling (1-2 bedrooms; less than 1,500 sf) | 225  | 180   |
| Single family dwelling (3 bedrooms; less than 2,500 sf)   | 300  | 240   |
| Single family dwelling (4 bedrooms; less than 3,500 sf)   | 375  | 300   |
| Single family dwelling (5 bedrooms; less than 4,500 sf)   | 450  | 360   |
| Single family dwelling (6 bedrooms; less than 5,500 sf)   | 525  | 420   |
| Mobile home, condo, or townhouse (1-2 bedroom)            | 225  | 180   |
| Mobile home, condo, or townhouse (each add'l bedroom)     | 75   | 60  |

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

 10/08/24  
 \_\_\_\_\_  
 Signature of Seller Date  
**Ronald B. Matkin**

 10/18/24  
 \_\_\_\_\_  
 Signature of Seller Date  
**Carla A. Matkin**

Receipt acknowledged by:

\_\_\_\_\_  
 Signature of Buyer Date

\_\_\_\_\_  
 Signature of Buyer Date