



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	HARRIS COUNTY, TEXAS (Unincorporated Areas)	Lots 1 through 32, Block 1; Lots 1 through 4 and 22 through 55, Block 2, East Lake at Gleannloch Farms, as shown on the Plat, recorded as Film Code No. 658179, in the Office of the County Clerk, Harris County, Texas Please note: All Elevations in this Determination Document are referenced to the North American Vertical Datum of 1988 (2001 Adjustment)
	COMMUNITY NO.: 480287	
AFFECTED MAP PANEL	NUMBER: 48201C0245M DATE: 10/16/2013	
FLOODING SOURCE: K131-02-04 (TRIBUTARY TO THESIS GULLY)		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 30.049, -95.556 SOURCE OF LAT & LONG: GOOGLE EARTH PRO DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
1	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.7 feet

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

DETERMINATION TABLE (CONTINUED)
GROUND SUBSIDENCE
STUDY UNDERWAY

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Revision based on Fill for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document revises the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

DETERMINATION TABLE (CONTINUED)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
2	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
3	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
4	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
5	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
6	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
7	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
8	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
9	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
10	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
11	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
12	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.8 feet
13	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.8 feet
14	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.8 feet
15	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.6 feet
16	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.6 feet
17	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.8 feet
18	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
19	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
20	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
21	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
22	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
23	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
24	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
25	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
26	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
27	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
28	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.2 feet
29	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
30	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
31	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
32	1/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.7 feet
1	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
2	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
3	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
4	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
22	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
23	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
24	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
25	2/1	East Lake at Gleannloch Farms	--	Property	X (unshaded)	143.6 feet	--	144.5 feet
26	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
27	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
28	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
29	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
30	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
31	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
32	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
33	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
34	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.0 feet
35	2/1	East Lake at Gleannloch Farms	--	Property	X (unshaded)	143.6 feet	--	144.2 feet
36	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	144.1 feet
37	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
38	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
39	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.6 feet	--	143.9 feet
40	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
41	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
42	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
43	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
44	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
45	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.0 feet
46	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
47	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	144.1 feet
48	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
49	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
50	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet
51	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.7 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
52	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.7 feet
53	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
54	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.8 feet
55	2/1	East Lake at Gleannloch Farms	--	Property	X (shaded)	143.7 feet	--	143.9 feet

GROUND SUBSIDENCE (This Additional Consideration applies to the preceding 70 Properties.)

The location of this request is in an area subject to ground subsidence, the lowering of the ground as a result of natural occurrences such as soil settlement, or artificial occurrences such as the extraction of water or oil from the ground. While the elevations submitted with this request show the subject property is currently above the Base Flood Elevation (BFE), the property may "subside" with the passage of time to the extent that property elevations would be below the BFE and flood insurance may be required.

STUDY UNDERWAY (This Additional Consideration applies to all properties in the LOMR-F DETERMINATION DOCUMENT (REMOVAL))

This determination is based on the flood data presently available. However, the Federal Emergency Management Agency is currently revising the National Flood Insurance Program (NFIP) map for the community. New flood data could be generated that may affect this property. When the new NFIP map is issued it will supersede this determination. The Federal requirement for the purchase of flood insurance will then be based on the newly revised NFIP map.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, LOMC Clearinghouse, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief
Engineering Management Branch
Federal Insurance and Mitigation Administration